

Product Services Guide

Indonesia
Q2, 2024



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Machine Coat													
SW7053PF	▲ LW60 FSC	S2090	▲ BG40Wh Imp FSC	EXACT	✓				•			1 roll x 2000m	
AW0362F1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	Full Deckle	✓	1200			•			1 roll x 1200mm x 1000m	
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC	Full Deckle	✓	1000			•	•		1 roll x 1000mm x 1000m	
☆ SW7221F	▲ MC WS FSC	WO1900	▲ PET23	Indent		1000			•			1 roll x 1000mm x 2000m	

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of responsible forestry

Service Program:

The service program details how the product is sold to the market.

- **Full Deckle**

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

- **EXACT**

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

- **Ready Width**

Fasson Ready Width offers slit rolls in set widths and lengths.

- **Indent**

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ - 1roll x 1525mm x 2000m
Available Length - 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

▷▷ Product Transition - signifies changes in Item code, MOQ, Width, Length or Service Program

☆ New Product - signifies new items being offered

Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Ordering Point

Customer Service Department, Avery Dennison Indonesia

Phone: +62 21 8060 8060

Hand phone: +62 81 5921 8161

Fax: +62 21 8060 8061

Email: cs.ido@ap.averydennison.com

Delivery Service

Product Type	Cut-off Time	Delivery
Stock Keeping Products	Before 15:00 WIB	Next working day
	After 15:00 WIB	Day after next working day
Non Stock Keeping Products	As per plant delivery lead times	Indent items

The delivery lead time is subject to clearance by the Finance Department relating to credit and payment matters

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

All materials, Non EXACT Products 500m² per delivery. Otherwise, transportation charges of Rp 200,000.00 per trip will be imposed. Full width and length as specified in sales quotation or product list.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Blanket Orders

Stock Keeping Products

All goods to be shipped out and invoiced within one week from customer purchase order date. Size and delivery date must be included in the purchase order, otherwise considered invalid.

Non Stock Keeping Products

All goods to be shipped out and invoiced within one month upon arrival of goods at local distribution centre.

Core Inside Diameter

77mm core, ±0.15mm

Roll Labels

Outside of the rolls and inner core.

Minimum Slit Widths

60mm

Roll Length Tolerance

±5%

Slit Roll Width Tolerance

±1mm

Splice Quantity Indication

Printed on roll labels

Minimum Distance of Splices

100m

Maximum Number of Splices

Length	Paper	Film
<1000m	1	1
<2000m	2	2

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Prime Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Cast Coat													
AW0271	High Gloss Paper	S1010	▲ BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
AW0335	High Gloss Paper	S1010	rCCK80Wh Imp	Full Deckle	✓	1525			•	•		1 roll x 1525mm x 1000m	
AW0380-N	High Gloss Paper	S2025N	▲ BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
Machine Coat													
AW0331AF	▲ Fascoat 2 FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
AW0332AF	▲ Fascoat 2 FSC	S2090	▲ BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
☆ AW0383	▲ MC Elite FSC	S2025N	rCCK80 imp	Full Deckle	✓	1525			•	•		1 roll x 1525mm x 1000m	
SW7325PF	▲ Fascoat 2 FSC	S2420	▲ BG40Wh Imp FSC	Full Deckle	✓	1525			•	•		1 roll x 1525mm x 1000m	
AW0416F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh Imp FSC	EXACT					•	•		1 roll x 1000m	
AW0425F	▲ MC Primecoat GP FSC	S1002	▲ BG33Wh Imp FSC	EXACT					•	•		1 roll x 1000m	
AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	EXACT					•	•		1 roll x 1000m	
AW0320FM	▲ MC Elite FSC	S1005	▲ BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
AW0486F	▲ MC Elite FSC	S2025N	▲ BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
☆ AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC	Indent		1525			•	•		1 roll x 1525 mm x 2000m	
Vellum													
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
AW0412F	▲ Vellum Elite FSC	S2025N	▲ BG40Wh Imp FSC	EXACT	✓				•			1 roll x 1000m	
AW0326F	▲ Vellum Elite FSC	S2492	▲ rCCK80Wh	Indent		1525			•	•		1 roll x 1525mm x 1000m	

☆ New ▲ FSC® Certified ▷ Transition

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Machine Coat													
SW7053PF	▲ LW60 FSC	S2090	▲ BG40Wh Imp FSC	EXACT	✓				•			1 roll x 2000m	
AW0362F:1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	Full Deckle	✓	1200			•			1 roll x 1200mm x 1000m	
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC	Full Deckle	✓	1000			•	•		1 roll x 1000mm x 1000m	
☆ SW7221F	▲ MC WS FSC	WO1900	▲ PET23	Indent		1000			•			1 roll x 1000mm x 2000m	
Uncoated													
AW0363F:1200	▲ Vellum Elite FSC	R450	▲ BG40Wh Imp FSC	Indent		1200			•			1 roll x 1200mm x 1000m	
AW0401F:1000	▲ Radiant Red FSC	M3000	B100	Indent		1000			•			1 roll x 1000mm x 1000m	
AW0402F:1000	▲ Radiant Orange FSC	M3000	B100	Indent		1000			•			1 roll x 1000mm x 1000m	
AW0403F:1000	▲ Radiant Green FSC	M3000	B100	Indent		1000			•			1 roll x 1000mm x 1000m	
AW0404F:1000	▲ Radiant Yellow FSC	M3000	B100	Indent		1000			•			1 roll x 1000mm x 1000m	
AW0405F:1000	▲ Radiant Pink FSC	M3000	B100	Indent		1000			•			1 roll x 1000mm x 1000m	
Direct Thermal													
SW7068F	▲ DT200HD FSC	C7501	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
Foil													
SW7339:1525	Bright Silver Foil Prime	M3300	▲ BG40Wh Imp FSC	Indent		1525			•	•		1 roll x 1525mm x 1000m	
AW0356:1060	Matte Silver Foil	M3300	▲ BG40Wh Imp FSC	Full Deckle	✓	1060			•			1 roll x 1060mm x 2000m	
SW2438	Matte Gold Foil Paper	AP103	BG40#WH imp	Indent		1070			•			1 roll x 1070mm x 1000m	
Rapid Roll													
RWP503	High Gloss Paper 1S-80			Indent		1010			•			1 roll x 1010mm x 1000m	
RWP508F	▲ Fascoat 2 FSC			Indent		1015			•			1 roll x 1015mm x 1000m	
RWP528F	▲ Direct Thermal 200GP FSC			Indent		1535			•			1 roll x 1535mm x 1000m	
Others													
SW7039F	▲ Metallica FSC	S2090	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 2000m	
☆ SW7117	Metallised Paper WS	WO1900	PET30	Indent		1000			•			1 roll x 1000mm x 2000m	
OW2350	Gloss Inkjet Paper	AP103	▲ BG40Wh imp	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	

☆ New ▲ FSC® Certified ⇨ Transition

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Direct Thermal													
NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	EXACT				•	•			1 roll x 1000m	
NW0045F-N	▲ Direct Thermal 150RL FSC	S2025N	▲ BG40Wh Imp FSC	EXACT	✓			•	•			1 roll x 1000m	
NW0076F	▲ Direct Thermal 200GP FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	✓			•	•			1 roll x 1000m	
☆ NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	✓			•	•			1 roll x 1000m	
☆ NW0083F	▲ Direct Thermal 200LL FSC	S2025N	▲ BG33Wh Imp FSC	EXACT	✓			•	•			1 roll x 1000m	Adhesive S1712N ▷ S2025N
SW7005AF	▲ Baggage Tag Elite FSC	S2025N	▲ BG40Wh FSC	Indent		1525				•		1 roll x 1525mm x 2000m	
Thermal Transfer													
MW0052F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	Full Deckle	✓	1525			•			1 roll x 1525mm x 1000m	
MW0069F	▲ Transtherm Plus FSC	S2025N	▲ BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
☆ New	▲ FSC® Certified	▷ Transition											

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Synthetic Paper													
BW0153	Synthetic Paper	S4700N	▲BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
BW0264	Synthetic Paper 65	S4700N	▲BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
BW0277	3 Mil Synthetic Paper	S2060	▲BG40Wh Imp FSC	EXACT					•	•		1 roll x 1000m	Stock Keeping ▷▷ Non Stock Keeping
Rigid White													
☆ BW7087	rPP Top White	S7210	▲BG33Wh Imp FSC	Indent		1525			•	•		1 roll x 1525mm x 1000m	EXACT▷▷ Indent
☆ BW7032	rPP Top White	S692N	▲BG33Wh Imp FSC	EXACT					•	•		1 roll x 1000m	
BW0174N	PPNg Top Pearlized White	S692N	▲BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
☆ BW0255SN	PP60 Top Pearlized White	SR3013N	▲BG33Wh Imp FSC	Indent		1525				•		1 roll x 1525mm x 2000m	
☆ BW7040	PP60 Top Pearlized White	SR3013	rPET23	Indent		1525				•		1 roll x 1525mm x 2000m	
BW7004	PP60 Top White	S692N	▲BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
BW0227	PP50 Top White	S692N	▲BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
☆ BW7053	PP50 Top Pearlized White	S3010N	▲BG33Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
☆ BW7054	PP50 Top Pearlized White	SR3013	▲BG33Wh Imp FSC	Indent		1525				•		1 roll x 1525mm x 2000m	
Rigid Clear													
BW0062N	PPNg Top Trans	S692N	▲BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
BW0237N	PPNg Top Trans	S692N	PET23	EXACT	✓					•		1 roll x 2000m	
BW0230N	PPNg Top Trans	S692N	PET30	EXACT	✓					•		1 roll x 2000m	
☆ BW7090	PPNg Top Trans	S7210	rPET30	EXACT	✓				•	•		1 roll x 1000m	
☆ BW7090	PPNg Top Trans	S7210	rPET23	EXACT	✓				•	•		1 roll x 1000m	
☆ BW7072	PP50 Top Trans	SR3013N	▲BG40Wh Imp FSC	Indent		1525				•		1 roll x 1525mm x 2000m	
☆ BW7081	PP50 Top Trans	SR3013N	▲rPET23	Indent		1525				•		1 roll x 1525mm x 2000m	
BW0266A	PP50 TC Clear	S692N	▲BG40Wh Imp FSC	EXACT	✓					•		1 roll x 2000m	
BW0226	PP30 Clear NTC	S692N	▲BG40Wh Imp FSC	EXACT	✓					•		1 roll x 2000m	
SY7025N	Overlaminating Matte PP	S6800	▲BG40Wh Imp FSC	Full Deckle	✓	1525			•			1 roll x 1525mm x 1000m	
BW0112N	Overlaminating Gloss PP	S6800	▲BG40Wh Imp FSC	EXACT	✓				•	•		1 roll x 1000m	
Rigid Silver													
BW0243	PP50 Top Silver	S692N	▲BG40Wh Imp FSC	EXACT	✓					•		1 roll x 2000m	
BW0272	PP TC Silver Elite	S692N	▲BG40Wh Imp FSC	EXACT	✓					•		1 roll x 2000m	

☆ New ▲ FSC® Certified ▷▷ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Semi Conformable White													
BW0184	Global Co-Ex™ White NTC	S692N	▲BG40Wh Imp FSC	Full Deckle	✓	1525			•	•		1 roll x 1525mm x 1000m	
☆ BW7022	Flex+ White NTC	S692N	▲BG33Wh Imp FSC	EXACT					•			1 roll x 2000m	
☆ BW7023	Flex+ White NTC	S692N	PET23	EXACT	✓				•			1 roll x 2000m	
☆ BW7051	CleanFlake Flex+ White	SR3013	▲BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m	
BW0151	Primax® 300	S692N	▲BG40Wh Imp FSC	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	
Semi Conformable Clear													
BW0183	Global Co-Ex™ Clear NTC	S692N	▲BG40Wh Imp FSC	EXACT	✓				•			1 roll x 2000m	
☆ BW7016A	Flex+ Clear NTC	S692N	▲BG40Wh Imp FSC	EXACT					•			1 roll x 2000m	
☆ BW7020A	Flex+ Clear NTC	S692N	PET23	EXACT	✓				•			1 roll x 2000m	
BW7111	CleanFlake Flex+ Clear	SR3013	▲BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m	
BW7114	CleanFlake Flex+ Clear	SR3013	rPET23	Indent		1525			•			1 roll x 1525mm x 2000m	
BW0060	FasClear® 250	S692N	▲BG40Wh Imp FSC	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	
BW0150	FasClear® 300	S692N	▲BG40Wh Imp FSC	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	
Conformable White													
BW0147	PE85 NTC White	S692N	▲BG40Wh Imp FSC	EXACT	✓				•			1 roll x 2000m	
☆ BW0291	PE75 NTC White	S692N	▲BG33Wh Imp FSC	EXACT	✓				•			1 roll x 2000m	
Conformable Clear													
BW0146	PE85 NTC Trans	S692N	▲BG40Wh Imp FSC	EXACT	✓				•			1 roll x 2000m	
☆ BW0290	PE75 NTC Trans	S692N	▲BG33Wh Imp FSC	EXACT	✓				•			1 roll x 2000m	
Conformable Silver													
BW9320A	Bright Silver PE85 TC	AF101	▲BG40Wh Imp FSC	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	

☆ New ▲ FSC® Certified ▷ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Synthetic Paper													
BW0273-N	Synthetic Paper TR75	S2045N	▲BG40Wh Imp FSC	EXACT				•				1 roll x 1000m	
SY7074M	Synthetic Paper	AT20	▲BG40Wh Imp FSC	EXACT	✓			•				1 roll x 500m	
☆ SY7122	WBIJ synthetic paper	S4700F	▲BG40Wh Imp FSC	Full Deckle	✓	1525			•			1 roll x 1525mm x 1000m	
☆ SY7121N	Synthetic Paper TR 75	C2076C	▲BG40Wh Imp FSC	EXACT	✓				•			1 roll x 1000m	
SY7151	WBIJ Synthetic Paper	S4700F	▲CCK55 IMP FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
☆ SY7154	rPP Synthetic paper	S2800	▲BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
SY7050N.1000	Synthetic Paper	R480	▲BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
BW7567	Synthetic Paper 7 TC	SR133	▲BG50#Wh Ni	Indent		1070				•		1 roll x 1070mm x 2000m	
BW5200	Synthetic paper NTC	UR106	▲BG50#WH imp	Indent		1530				•		1 roll x 1530mm x 1000m	
Rigid White													
BW0259	PP40 Top Matte White	S692N	▲BG40Wh Imp FSC	Full Deckle	✓	1000				•		1 roll x 1000mm x 1000m	
☆ SY7138	WBIJ PP Top Gloss White	S4700F	▲BG40Wh Imp FSC	Indent		1000				•		1 roll x 1000mm x 1000m	
☆ SY7131	PPNg Top Pearlized White	S2800	▲BG40Wh Imp FSC	Indent		1000				•		1 roll x 1000mm x 1000m	
SY7051N.1000	PPNg Top White	R480	▲BG40Wh Imp FSC	Indent		1000				•		1 roll x 1000mm x 1000m	
Rigid Clear													
☆ SY7133	PPNg Top Trans	S2800	▲BG40Wh Imp FSC	Indent		1000				•		1 roll x 1000mm x 1000m	
SY7049.1000	PPNg Top Trans	R480	▲BG40Wh FSC	Indent		1000				•		1 roll x 1000mm x 1000m	
☆ BW7569	50um BOPP Clear TC	SR133	▲BG50#Wh Ni	Indent		1530				•		1 roll x 1530mm x 2000m	
☆ BW5201	Clear BOPP TC	UR106	▲BG50#WH imp	Indent		1530				•		1 roll x 1530mm x 1000m	
SY7080	PP30 Clear NTC	R480	▲BG40Wh Imp FSC	Indent		1000				•		1 roll x 1000mm x 1000m	
Polyester (PET) Clear													
☆ BW7603	50um Clear PET TC	SR123	▲BG50#Wh Ni	Indent		1070				•		1 roll x 1070mm x 2000m	
☆ BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	Indent		1000				•		1 roll x 1000mm x 1000m	
BWS1231	45um Clear PET	S6000	PET30 ni	Full Deckle	✓	1000				•		1 roll x 1000mm x 1000m	

☆ New ▲ FSC® Certified ▷ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
Conformable White													
SY7179	PE HD TAMPER EVIDENT	S700N	▲ BG40Wh Imp FSC	Full Deckle	✓	1525			•			1 roll x 1525mm x 1000m	
☆ SY7123	PE75 White NTC	S477A.MB	▲ BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
Conformable Clear													
☆ SY7188	PE75 Trans NTC	S477A.MB	▲ BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
Holographic													
SY7067	Iridescent TC	S692N	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
Rapid Roll													
RYB616	Direct Thermal BOPP 105			Indent		1545			•			1 roll x 1545mm x 1000m	
RYB601	Synthetic Paper 1S-75			Indent		1015			•			1 roll x 1015mm x 1000m	
☆ New	▲ FSC® Certified	▷▷ Transition											

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	2000	3000		
MZ0102	2M WH PET TC	S333	BG50Wh	Full Deckle	✓	1000		•				1 roll x 1000mm x 500m	
MZ0104	2M MAT CH PET TC	S333	BG50Wh	Full Deckle	✓	1000		•				1 roll x 1000mm x 500m	
☆ MZ2000W	1M Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•				1 roll x 250mm x 250m	
☆ MZ2001W	1M Gloss White PI HTC	S8088S	BG50Wh	Indent		500		•				1 roll x 500mm x 500m	
☆ MZ2002W	2M Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•				1 roll x 250mm x 250m	
☆ MZ2003W	2M Gloss White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•				1 roll x 250mm x 250m	
☆ MZ0097.1000	50 micron Matte White Polyester TC	S333	▲ BG50WH FSC	Indent		1000			•			1 roll x 1000mm x 2000m	
AFU475	FASSON Tyre Plus	TS79	BG50 Wh Imp	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	
ADS1434	Tamperfas VNL EZ MX	Permanent	BG50Wh	Full Deckle	✓	1070		•				1 roll x 1070mm x 500m	
☆ SY5003N.1525	Barrier Foil 25 mic White PET TC	TS79N	P140Wh Imp	Full Deckle	✓	1525				•		1 roll x 1525mm x 2000m	
☆ SD8310.1525	PPNg Top White	TS79N	BG50Wh duoble silicone liner	Full Deckle	✓	1525				•		1 roll x 1525mm x 2000m	
☆ SYS508N	PP Top NG White	TS79N	CCK80 Imp	Full Deckle	✓	1525				•		1 roll x 1525mm x 2000m	
ADS1410	25mic Matte White VOID PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•				1 roll x 1070mm x 500m	
ADS1413	38mic Matte Blue "VOID OPEN" PET TC	Non Trans. Perm.	BG50Wh ni	Ready Width		267, 1070			•			1roll x 267mm x 1000m	
ADS1454S	50mic Bright Silver Void Pos-SM PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•				1 roll x 1070mm x 500m	
MZ0111	1M CL PET TC	S8020	PET30	Indent		1525			•			1 roll x 995mm x 1000m	
MZ0111N	1M CL PET TC	S8020	BG40Wh Imp	Indent		1525			•			1 roll x 1000mm x 1000m	
LMH9602	2 Mil Matte Void PET	Permanent	CK40	Indent		1000		•				1 roll x 1000mm x 1000m	
☆ ADS1583	2M WH PET TC	S8020EX	BG45Wh	Ready Width		267, 1070			•	•		1roll x 267mm x 1000m	
☆ ADS1584	2M WH PET TC	P8030EX	BG50Wh	Ready Width		267, 1070			•	•		1roll x 267mm x 1000m	
☆ ADS1588	2mil MAT CH PET TC	S8020EX	BG45Wh	Ready Width		267, 1070			•	•		1roll x 267mm x 1000m	
☆ MZS2601	50mic White PET TC	UP601	BG50Wh	Ready Width		255, 1530			•	•		1roll x 255mm x 1000m	
☆ MZ2000M	1M MATT TC WH PI	S8088A	BG50Wh	Indent		1000		•				1 roll x 1000mm x 500m	

☆ New ▲ FSC® Certified ▷ Transition

Sheets Fed Portfolio – Prime Paper

Item	Facestock	Adhesive	Liner	Sizes Offered (mm)	Stock Keeping	Qty per Pack (EA)	MOQ (EA)
AW0335	High Gloss Paper	S1010	rCCK80Wh Imp	485 x 325	✓	100	10000

☆ New ▲ FSC® Certified *For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.483X330

Sheets Fed Portfolio – Prime Film

Item	Facestock	Adhesive	Liner	Sizes Offered (mm)	Qty per Pack (EA)	MOQ (EA)
BW7034	PPNG Top Trans	S692N	▲ CCK130Wh Imp FSC	485 x 325	100	10000
BW0295	Synthetic Paper	S692N	▲ CCK130Wh Imp FSC	485 x 325	100	10000
SW8543	Fasson 50U Clr PET TC	S1800	CCK130Wh Imp	305 x 457	100	5000
				485 x 325	100	5000
SW8544	Fasson 50U Wh PET TC	S1800	CCK130Wh Imp	305 x 457	100	5000
				485 x 325	100	5000
SW8561	Fasson 50U Matt Wh PET TC	S6112	CCK130Wh Imp	305 x 457	100	5000
				485 x 325	100	5000
SW8563	Fasson 50U Matt Silver PET TC	S1800	CCK130Wh Imp	305 x 457	100	5000
				485 x 325	100	5000
SW2179	Fasson 50u Silver PET HPI	S1800	CCK130Wh Imp	305 x 457	100	5000
				485 x 325	100	5000
SW8609	Fasson 50U Gold PET HPTC	S6112	CCK130Wh Imp	305 x 457	100	5000
				485 x 325	100	5000

☆ New ▲ FSC® Certified *For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.483X330

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Indonesia

Phone: +62 21 8060 8060

Hand phone: +62 81 5921 8161

Fax: +62 21 8060 8061

Email: cs.ido@ap.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2024 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.