

Product Services Guide

Malaysia
Q2, 2024



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Uncoated												
F02901.1525	▲ Artisan rPLUS FSC	r2030MB	BG40WHN	Full Deckle	✓	1525		•	•			1 roll x 1525mm x 1000m
F02900.1525	▲ Artisan rPLUS FSC	r2030MB	rPET30	Indent		1525		•	•			1 roll x 1525mm x 4500m
F45520.1000	▲ Rad Yellow FSC	S2090	BG40WHN	EXACT	✓	1000	•					1 roll x 500m

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of responsible forestry

Service Program:

The service program details how the product is sold to the market.

- **Full Deckle**

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

- **EXACT**

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

- **Ready Width**

Fasson Ready Width offers slit rolls in set widths and lengths.

- **Indent**

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m
Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

A. 2rolls x 1525mm x 1000m

B. 1rolls x 1525mm x 2000m

Remarks:

▷▷ **Product Transition** – signifies changes in Item code, MOQ, Width, Length or Service Program

☆ **New Product** – signifies new items being offered

Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Ordering Point

Customer Service Department, Avery Dennison Sdn. Bhd.

Direct Line: +60 3 8727 9800

Phone: +60 3 8727 9888

Email: admcustservice@ap.averydennison.com

Delivery Service

Product Type	Cut-off Time	Delivery
Stock Keeping Products	Northern & Southern Region: Before 11.00am	Next working day
	Central Region: Before 4.30pm	
Non Stock Keeping Products	Non stock keeping products supplied only on confirmed order. Availability and manufacturing lead times to be confirmed with Customer Service Team.	

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

RM500 per delivery. Otherwise, transportation charges will be imposed.

Non Stock Keeping Products

All goods to be shipped out and invoiced within three months upon arrival of goods at distribution center.

Core Inside Diameter

76.2mm core, ± 0.15 mm

Roll Labels

Outside of the rolls and inner core

Minimum Slit Widths

50mm

Roll Length Tolerance

ASEAN manufactured products:	Non ASEAN manufactured products:
$\pm 5\%$	$\pm 10\%$

Slit Roll Width Tolerance

± 1 mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

Length	ASEAN manufactured products		Non ASEAN Manufactured Products
	Paper	Film	
500m	1	1	1
1000m	1	1	2
1500m	1	2	3
2000m	2	2	3
3000m	2	2	N/A

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges. This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Damaged Roll

Complaint lodged within 3 working days from delivery date, full compensation will be made. Complaint lodged within 4-10 working days from delivery date, compensation will be made on damaged portions.

Prime Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Cast Coat												
AW0153	High Gloss Paper	S2090	▲ BG40Wh Imp FSC	EXACT	✓	1525		•		•		1 roll x 1000m
AW0271	High Gloss Paper	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525	•	•	•	•		1 roll x 500m
AW0312	High Gloss Paper	S2420	rCCK80Wh Imp	Full Deckle	✓	1525	•					1 roll x 1525mm x 500m
AW0335	High Gloss Paper	S1010	rCCK80Wh Imp	EXACT	✓	1525	•					1 roll x 500m
AW0380-N	High Gloss Paper	S2025N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
SW7331	High Gloss Paper	S2420	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
AW0426F	▲ High Gloss Elite FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
Machine Coat												
AW0400F	▲ MC Prime FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525	•	•	•			1 roll x 500m
AW0406F	▲ MC Prime FSC	S2420	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
AW0407F	▲ MC Prime FSC	S1010	rCCK80Wh Imp	Full Deckle	✓	1525	•					1 roll x 1525mm x 500m
AW0408F	▲ MC Prime FSC	S2090	▲ BG40Wh Imp FSC	EXACT	✓	1525		•		•		1 roll x 1000m
AW0416F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
AW0425F	▲ MC Primecoat GP FSC	S1002	▲ BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
AW0343F	▲ MC Elite FSC	S1005	▲ BG40Wh FSC	EXACT	✓	1525		•				1 roll x 1000m
AW0379F-N	▲ MC Elite FSC	S2025N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•		•		1 roll x 1000m
☆ AW0512	MC Prime Plus	S1010	▲ BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
☆ AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
☆ AW0502F	▲ rMC Primecoat FSC	S2010N	▲ BG33Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
Vellum												
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525	•	•				1 roll x 500m
AW0321F	▲ Vellum Elite FSC	S2420	▲ BG40Wh Imp FSC	Full Deckle	✓	1525	•					1 roll x 1525mm x 500m
AW0334F	▲ Vellum Elite FSC	S1010	rCCK80Wh Imp	EXACT	✓	1525	•	•				1 roll x 500m
AW0455F	▲ Vellum Elite FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
SW7014F	▲ Vellum Elite FSC	S1002	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
SW7327F	▲ Vellum Elite FSC	S2420	rCCK80Wh Imp	Full Deckle	✓	1525	•					1 roll x 1525mm x 500m

☆ New ▲ FSC® Certified ▷ Transition

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Cast Coat												
AW0361N.1200	High Gloss Paper	R450	▲BG40Wh Imp FSC	Ready Width	✓	150, 170,185, 200, 225, 240, 250, 1200	•					1 roll x 500m
AA1450 / AA042	HGW Premium	R100	BG40Br Imp	Indent		1000			•			1 roll x 1000mm x 2000m
Machine Coat												
SW7053F	▲ LW 60 FSC	S2090	▲BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
AW0362F.1200	▲ Fascoat Elite FSC	R450	▲BG40Wh Imp FSC	EXACT	✓	1200		•				1 roll x 1000m
SW7342F	▲ MC Prime PB FSC	S2090	▲BG40Wh Imp FSC	Full Deckle	✓	1000	•					1 roll x 1000mm x 500m
SW7221F	▲ MC WS FSC	WO1900	PET23	Indent		1000			•			1 roll x 1000mm x 2000m
SW7012F	▲ Pharma Semi Gloss FSC	S901P	▲BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
AA0965 / AA031	MC Primecoat	R100	BG40Br Imp	Indent		1000			•			1 roll x 1000mm x 2000m
Uncoated												
AW0363F.1200	▲ Vellum Elite FSC	R450	▲BG40Wh Imp FSC	Full Deckle	✓	1200	•					1 roll x 1200mm x 500m
F02901.1525	▲ Artisan rPLUS FSC	r2030MB	BG40WHN	Full Deckle	✓	1525		•	•			1 roll x 1525mm x 1000m
F02900.1525	▲ Artisan rPLUS FSC	r2030MB	rPET30	Indent		1525		•	•			1 roll x 1525mm x 4500m
F45520.1000	▲ Rad Yellow FSC	S2090	BG40WHN	EXACT	✓	1000	•					1 roll x 500m
F45521.1000	▲ Rad Orange FSC	S2090	BG40WHN	EXACT	✓	1000	•					1 roll x 500m
F45522.1000	▲ Rad Green FSC	S2090	BG40WHN	EXACT	✓	1000	•					1 roll x 500m
F45523.1000	▲ Rad Red FSC	S2090	BG40WHN	EXACT	✓	1000	•					1 roll x 500m
A03846	Vellum Extra	R100	BG40Br Imp	Indent		1000			•			1 roll x 1000mm x 2000m
Direct Thermal												
SW7082F	▲ Direct Thermal 200GP FSC	R423	▲BG40BI FSC	Indent		1000			•			1 roll x 1000mm x 2000m
Thermal Transfer												
MW0068F.1000	▲ Transtherm 2C FSC	R450	▲BG40Wh Imp FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 1000m
SW7004F	▲ Transtherm 2C PB FSC	S2090	▲BG40Wh Imp FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 1000m
Foil												
SW7339F	Bright Silver Foil Prime	M3300	▲BG40Wh Imp FSC	Full Deckle	✓	505, 1525	•					1 roll x 505mm x 500m SW7339:1525 ▷▷ SW7339F

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Others												
OW2150	Matte Inkjet Paper	AP103	BG40 Wh Imp	Indent		1070				•		1 roll x 1070mm x 3000m
OW2350	Gloss Inkjet Paper	AP103	BG40 Wh imp	Full Deckle ✓		1070	•					1 roll x 1070mm x 500m
SW7117	Metallised Paper WS	WO1900	PET30	Indent		1000				•		1 roll x 1000mm x 2000m
SW7039F	▲ Metallica FSC	S2090	▲ BG40Wh Imp FSC	Indent		1000				•		1 roll x 1000mm x 2000m
OW2180	Matte Inkjet Paper Premium	AP103	BG40Wh Imp	Indent		1530				•		1 roll x 1530mm x 2000m

☆ New ▲ FSC® Certified ▷ Transition

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Direct Thermal												
☆ NW0072F	▲ rDirect Thermal 300LD FSC	S2010N	▲ BG33Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
NW0045F-N	▲ Direct Thermal 150RL FSC	S2025N	▲ BG40Wh Imp FSC	EXACT ✓		1525		•				1 roll x 1000m
NW0062F	▲ Direct Thermal 150RL FSC	S1002	▲ BG33Wh Imp FSC	EXACT		1525		•				1 roll x 1000m
NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	EXACT ✓		1525		•				1 roll x 1000m
☆ NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	Full Deckle ✓		1525		•	•			1 roll x 1525mm x 1000m
☆ NW0083F	▲ Direct Thermal 200LL FSC	S2025N	▲ BG33Wh Imp FSC	Full Deckle ✓		1525		•	•			1 roll x 1525mm x 1000m Adhesive S1712N ▷ S2025N
NW0055F	▲ Direct Thermal 200GP FSC	S1010	▲ BG40Wh Imp FSC	Indent		1525				•		1 roll x 1525mm x 2000m
NW0033F	▲ Direct Thermal Premium FSC	S1010	▲ BG40Wh Imp FSC	Full Deckle ✓		1525	•					1 roll x 1525mm x 500m
NW0050F	▲ Direct Thermal 200WS FSC	S1010	▲ BG40Wh Imp FSC	EXACT ✓		1525	•	•				1 roll x 500m
NW0081	Baggage Tag 300N	S2025N	▲ BG40Wh FSC	Full Deckle ✓		1525		•				1 roll x 1525mm x 1000m
SW7005AF	▲ Baggage Tag Elite FSC	S2025N	▲ BG40Wh FSC	Indent		1525		•	•			1 roll x 1525mm x 6000m
OW0003F1060	▲ LCJ Premium FSC	S2492	▲ CCK55 FSC	Ready Width ✓		210, 1060		•				1 roll x 1000m

☆ New ▲ FSC® Certified ▷ Transition

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Thermal Transfer												
MW0035F	▲ Premium Transtherm 1C FSC	S2090	▲ BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
MW1616F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh FSC	EXACT	✓	1525	•	•				1 roll x 500m
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m

☆ New ▲ FSC® Certified ▷ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Synthetic Paper												
BW0277	3 Mil Synthetic Paper	S2060	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
☆ BW0295	Synthetic Paper	S692N	▲ CCK130Wh Imp FSC	Full Deckle	✓	1000	•					1 roll x 1000mm x 500m
BW0153	Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
BW0264	Synthetic Paper 65	S4700N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
BW0270	3 Mil Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
Rigid White												
BW7005	PP Top Matte White	S692N	▲ BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
☆ BW7032	rPP Top White	S692N	▲ BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
BW7087	rPP Top White	S7210	▲ BG33Wh Imp FSC	EXACT		1525		•	•			1 roll x 1000m
BW0174	PPNg Top Pearlized White	S692N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
☆ BW0255SN	PP60 Top Pearlized White	SR3013N	▲ BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m
☆ BW7040	PP60 Top Pearlized White	SR3013	rPET23	Indent		1525			•			1 roll x 1525mm x 2000m
BW7004	PP60 Top White	S692N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
BW0227	PP50 Top White	S692N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
☆ BW7053	PP50 Top Pearlized White	S3010N	▲ BG33Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
☆ BW7054	PP50 Top Pearlized White	SR3013	▲ BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m
BW0293	Opalux 55	S692N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
BW7001	PP50 Top White	S692N	▲ CCK130Wh Imp FSC	Full Deckle	✓	1000	•					1 roll x 1000mm x 500m
BW0259	PP40 Top Matte White	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000	•					1 roll x 1000mm x 500m

☆ New ▲ FSC® Certified ▷ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Rigid Clear												
BW0062N	PPNg Top Trans	S692N	▲BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
BW0237	PPNg Top Trans	S692N	PET23	Indent		1525		•				1 roll x 1525mm x 1000m
BW0230	PPNg Top Trans	S692N	PET30	Full Deckle	✓	505, 1525	•					1 roll x 505mm x 500m
☆ BW7090	PPNg Top Trans	S7210	rPET30	EXACT		1525		•	•			1 roll x 1000m
☆ BW7072	PP50 Top Trans	SR3013N	▲BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m
☆ BW7081	PP50 Top Trans	SR3013N	▲rPET23	Indent		1525			•			1 roll x 1525mm x 2000m
BW0266A	PP50 TC Clear	S692N	▲BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 1000m
☆ BW7017	PP40 Top Clear	S692N	▲BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m
☆ BW7092	PP40 Top Clear	S7210	▲BG40Wh Imp FSC	EXACT		1525		•	•			1 roll x 1000m
☆ BW7097	PP40 Top Clear	S7210	▲rPET23	Indent		1525			•			1 roll x 1525mm x 2000m
BW7026	PP40 Top Clear	S631	rPET23	Indent		1525	•					1 roll x 1525mm x 500m
BW7000	PP50 NTC Clear	S692N	▲BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
BW0236	PP30 Clear NTC	S692N	▲BG50Wh FSC	EXACT	✓	1000	•					1 roll x 500m
SY7025N	Overlaminating Matte PP	S6800	▲BG40Wh Imp FSC	Full Deckle	✓	1525	•					1 roll x 1525mm x 500m
BW0112N	Overlaminating Gloss PP	S6800	▲BG40Wh Imp FSC	EXACT	✓	1525	•					1 roll x 500m
☆ BW7034	PPNG Top Trans	S692N	▲CCK130Wh Imp FSC	Full Deckle	✓	1000	•					1 roll x 1000mm x 500m
BW0223	PPNG Top Trans	S3000	▲BG40Wh Imp FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 1000m
Semi Conformable White												
☆ BW7022	Flex+ White NTC	S692N	▲BG33Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
☆ BW7023	Flex+ White NTC	S692N	PET23	Indent		1525	•					1 roll x 1525mm x 500m
BW0151	Primax® 300	S692N	▲BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 1000m
☆ BW7051	CleanFlake Flex+ White	SR3013	▲BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m

☆ New ▲ FSC® Certified ▷ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Semi Conformable Clear												
BW0183	Global Co-Ex™ Clear NTC	S692N	▲BG40Wh Imp FSC	Full Deckle ✓	✓	1525		•				1 roll x 1525mm x 1000m
☆ BW7016	Flex+ Clear NTC	S692N	▲BG33Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
☆ BW7020	Flex+ Clear NTC	S692N	PET23	Indent		1525		•				1 roll x 1525mm x 1000m
☆ BW7039	CleanFlake Flex+ Clear	SR3013	▲BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m
☆ BW7042	CleanFlake Flex+ Clear	SR3013	rPET23	Indent		1525			•			1 roll x 1525mm x 2000m
BW0150	FasClear® 300	S692N	▲BG40Wh Imp FSC	Full Deckle ✓	✓	1525	•					1 roll x 1525mm x 500m
Rigid Silver												
BW0243	PP50 Top Silver	S692N	▲BG40Wh Imp FSC	EXACT ✓	✓	1525		•		•		1 roll x 1000m
BW0272	PP TC Silver Elite	S692N	▲BG40Wh Imp FSC	EXACT ✓	✓	1525		•				1 roll x 1000m
☆ BW7002	PP50 Metalized Top XK	S692N	▲CCK130Wh Imp FSC	Indent		1000						1 roll x 1000mm x 6000m
Conformable White												
BW0064	PE85 Top White	S692N	▲BG40Wh Imp FSC	Full Deckle ✓	✓	1525		•				1 roll x 1525mm x 1000m
BW0147	PE85 NTC White	S692N	▲BG40Wh Imp FSC	EXACT ✓	✓	1525		•	•			1 roll x 1000m
☆ BW0291	PE75 NTC White	S692N	▲BG33Wh Imp FSC	EXACT ✓	✓	1525		•	•			1 roll x 1000m
Conformable Clear												
BW0146	PE85 NTC Trans	S692N	▲BG40Wh Imp FSC	EXACT ✓	✓	1525		•				1 roll x 1000m
☆ BW0290	PE75 NTC Trans	S692N	▲BG33Wh Imp FSC	EXACT ✓	✓	1525		•				1 roll x 1000m
BW0065	PE85 Top Trans	S692N	▲BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 2000m
Conformable Silver												
BW9320A	Bright Silver PE85 TC	AF101	▲BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 2000m

☆ New ▲ FSC® Certified ▷ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Synthetic Paper												
SY7050N	Synthetic Paper	R480	▲BG40Wh Imp FSC	Full Deckle	✓	495, 1000	•				1 roll x 495mm x 500m	
BW0278	Synthetic Paper TR75	C2075	▲BG40Wh Imp FSC	Indent		1525	•				1 roll x 1525mm x 500m	
SY7022	Synthetic Paper II	C7501	▲BG40Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
SY7074M	Synthetic Paper	AT20	▲BG40Wh Imp FSC	Full Deckle	✓	505, 1525	•				1 roll x 505mm x 500m	
☆ SY7122	WBIJ synthetic paper	S4700F	▲BG40Wh Imp FSC	Full Deckle	✓	1525	•				1 roll x 1525mm x 500m	
SY7151	WBIJ Synthetic Paper	S4700F	▲CCK55 IMP FSC	Indent		1000			•		1 roll x 1000mm x 2000m	
☆ SY7154	rPP Synthetic paper	S2800	▲BG40Wh Imp FSC	Indent		1000			•		1 roll x 1000mm x 2000m	
☆ BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	Indent		1070			•		1 roll x 1070mm x 2000m	
☆ BW5200	Synthetic paper NTC	UR106	BG50#WH imp	Indent		1530			•		1 roll x 1530mm x 1000m	
ADS1389	Synthetic Paper 3 TC	HP104	BG40# Wh Imp	Full Deckle	✓	1530			•		1 roll x 1530mm x 1000m	
Rigid White												
BW0259	PP40 Top Matte White	S692N	▲BG40Wh Imp FSC	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m	
SY7049	PPNg Top Trans	R480	▲BG40Wh FSC	Full Deckle	✓	495, 1000	•				1 roll x 495mm x 500m	
SY7051N	PPNg Top White	R480	▲BG40Wh Imp FSC	Full Deckle	✓	495, 1000	•				1 roll x 495mm x 500m	
☆ SY7138	WBIJ PP Top Gloss White	S4700F	▲BG40Wh Imp FSC	Indent		1000			•		1 roll x 1000mm x 2000m	
SY7152	WBIJ PP Top Gloss White	S4700F	▲CCK55 IMP FSC	Indent		1000			•		1 roll x 1000mm x 2000m	
☆ SY7131	PPNg Top Pearlized White	S2800	▲BG40Wh Imp FSC	Indent		1000			•		1 roll x 1000mm x 2000m	
Rigid Clear												
☆ SY7133	PPNg Top Trans	S2800	▲BG40Wh Imp FSC	Indent		1000			•		1 roll x 1000mm x 2000m	
☆ BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	Indent		1530			•		1 roll x 1530mm x 2000m	
☆ BW5201	Clear BOPP TC	UR106	BG50#WH imp	Indent		1530			•		1 roll x 1530mm x 1000m	
Semi Conformable White												
72197	TransCode®	S475	50#SCK	Full Deckle	✓	1372	•				1 roll x 1372mm x 508m	

☆ New ▲ FSC® Certified ▷ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
Polyester (PET) Clear												
☆ BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	Indent		1070			•		1 roll x 1070mm x 2000m	
☆ BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	Indent		1070			•		1 roll x 1000mm x 1000m	
☆ BWS1324	45um PET TC	S6000	PET30 ni	Indent		1000			•		1 roll x 1000mm x 2000m	
Conformable White												
☆ SY7123	PE75 White NTC	S477A.MB	▲BG40Wh Imp FSC	Indent		1525			•		1 roll x 1525mm x 1000m	
☆ SY7179	PE HD TAMPER EVIDENT	S700N	▲BG40Wh Imp FSC	Indent		1525			•		1 roll x 1525mm x 1000m	
Conformable Clear												
☆ SY7188	PE75 Trans NTC	S477A.MB	▲BG40Wh Imp FSC	Indent		1525			•		1 roll x 1525mm x 1000m	
Direct Thermal												
SY7006	Polythermal	S692N	PET30	Indent		1000			•		1 roll x 1000mm x 8000m	
Holographic												
SY7067	Iridescent TC	S692N	▲BG40Wh Imp FSC	Indent		1000			•		1 roll x 1000mm x 1000m	
AI307	FLEXSECURE HOLOGRAPHIC	S700	BG45WH	Indent		790			•		1 roll x 790mm x 1000m	
Others												
79032	Matte White Inkjet Medical Film	P902	40#SCK	Indent		1524			•		1 roll x 1524mm x 1280m	
79348	5M Matte Wh Kimdura Inkjet	S4600	50#SCK	Indent		1524		•			1 roll x 1524mm x 508m	
☆ 77412	Laser Code Drum label TC	S4600	50#MF	Indent		1372			•		1 roll x 1372mm x 1400m	
Rapid Roll												
RSW504	PLB WHITE 1S-BG40	-	-	Full Deckle ✓		1525			•		1 roll x 1525mm x 1000m	
RSW514	PLB WHITE 1S-CCK80	-	-	Full Deckle ✓		1535			•		1 roll x 1535mm x 1000m	
☆ New	▲ FSC® Certified	▷▷ Transition										

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
☆ MZ0111N	1M CL PET TC	S8020	BG40Wh Imp	EXACT	✓	1525	•				1 roll x 500m	
☆ MZ0111	1M CL PET TC	S8020	PET30	Full Deckle	✓	1525			•		1 roll x 1525mm x 2000m	
MZ0112	1M Matte PET	S8020	G80	EXACT	✓	1065	•				1 roll x 500m	
MZ0102	2M WH PET TC	S333	BG50Wh	EXACT	✓	1000	•				1 roll x 500m	
40443	2M White PET TC	S730	50#SCK ABC	Full Deckle	✓	1372		•			1 roll x 1372mm x 1000m	
70353	2M White PET TC	R143	50#SCK	Indent		1372		•			1 roll x 1372mm x 1000m	
☆ 70353C	2M WH PET TC	R143	BG50Wh	Full Deckle	✓	1530	•				1 roll x 1530mm x 500m	
MZ0097:1000	50micron MAT WH PET TC	S333	▲ BG50WH FSC ni	Full Deckle	✓	495, 1000	•				1 roll x 495mm x 500m	
MZ0200	1M Matte CH PET TC	S333	BG50Wh	EXACT	✓	1000	•				1 roll x 500m	
MZ0104	2M MAT CH PET TC	S333	BG50Wh	EXACT	✓	1000	•				1 roll x 500m	
ADS1411	25mic Gloss White VOID PET TC	Transferable Permanent	BG50WH	Indent		1070		•			1 roll x 1070mm x 1000m	
AMH3602	2M White VOID PET TC	Transferable Permanent	CK40	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ LMH9602	2M Matte Chrome VOID PET	Transferable Permanent	CK40	Indent		1000			•		1 roll x 1000mm x 4000m	
MZ2000W	1M Matte White PI HTC	S8088S	BG50# WH ni	Ready Width	✓	250, 500					1 roll x 250mm x 250m	
MZ2001W	1M Gloss White PI HTC	S8088S	BG50# WH ni	Indent		500, 1000	•				1 roll x 500mm x 500m	
MZ2002W	2M Matte White PI HTC	S8088S	BG50# WH ni	Ready Width	✓	250, 500					1 roll x 250mm x 250m	
MZ2003W	2M Gloss White PI HTC	S8088S	BG50# WH ni	Ready Width	✓	250, 500					1 roll x 250mm x 250m	
75849	3 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent		1372	•				1 roll x 1372mm x 508m	
75850	5 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent		1372	•				1 roll x 1372mm x 508m	
79453	2M PET TC	S8049	50#SCK	Indent		1372	•				1 roll x 1372mm x 508m	
ADS1415	Tamperfas Vinyl Film	Permanent	BG50#WH ni	Ready Width	✓	80, 100, 120, 1070					1 roll x 400m	
ADS1437	25mic Gloss White VOID Neg PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•			1 roll x 1070mm x 1000m	
☆ SY5003N:1525	Barrier Foil 25 micron White PET TC	TS79N	P140 WH imp	Full Deckle	✓	1525			•		1 roll x 1525mm x 2000m	
☆ SY5008	Barrier Foil 25 micron White PET TC	TS79N	BG50Wh DOUBLE SIL	Indent		1525			•		1 roll x 1525mm x 2000m	
☆ SD8310:1525	PPNg Top White	TS79N	BG50Wh	Indent		1525			•		1 roll x 1525mm x 2000m	



▲ FSC® Certified

▷ Transition

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	2000	3000		
☆ BW9664.1000	3mil Synthetic Paper	S333	BG50Wh	Full Deckle	✓	1000			•		1 roll x 1000mm x 2000m	
☆ ADS1583	2M WH PET TC	S8020EX	BG45Wh	EXACT	✓	1070	•				1 roll x 500m	
☆ ADS1584	2M WH PET TC	P8030EX	BG50Wh	EXACT	✓	1070	•				1 roll x 500m	
☆ ADS1588	2mil MAT CH PET TC	S8020EX	BG45Wh	EXACT	✓	1070	•				1 roll x 500m	
☆ ADS1621	1mil Clear PET TC	S8022	PET23	Full Deckle	✓	1070			•		1 roll x 1070mm x 2000m	
☆ MZS2601	50mic White PET TC	UP601	BG50Wh	Ready Width		255, 1530		•	•		1 roll x 1000m	
OZ2120	100mic Inkjet Synthetic Paper	AF101	BG40Wh Imp	Full Deckle	✓	1530		•			1 roll x 1530mm x 1000m	

☆ New ▲ FSC® Certified ▷ Transition

Sheets Fed Portfolio – Prime Paper

Item	Facestock	Adhesive	Liner	Sizes Offered (mm)	Stock Keeping	Qty per Pack (EA)	MOQ (EA)
AW0335	High Gloss Paper	S1010	rCCK80Wh Imp	762 x 533	✓	100	2000
				635 x 902	✓	100	2000
				305 x 457	✓	100	5000
				483 x 330	✓	100	5000
				297 x 420	✓	200	5000
				210 x 297	✓	200	10000
AW0312	High Gloss Paper	S2420	rCCK80Wh Imp	762 x 533	✓	100	2000**
				635 x 902	✓	100	2000**
				305 x 457	✓	100	5000**
				483 x 330	✓	100	5000**
AW0407F	▲ MC Prime FSC	S1010	rCCK80Wh Imp	762 x 533	✓	100	2000**
				635 x 902	✓	100	2000**
				305 x 457	✓	100	5000**
				483 x 330	✓	100	5000**
AW0334F	▲ Vellum Elite FSC	S1010	rCCK80Wh Imp	762 x 533	✓	100	2000
				635 x 902	✓	100	2000
				305 x 457	✓	100	5000**
				483 x 330	✓	100	5000
				297 x 420	✓	200	5000
				210 x 297	✓	200	10000

▲ FSC® Certified

*For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.483X330

** Sheets MOQ (EA) ±5% to be factored in

Sheets Fed Portfolio – Prime Film

Item	Facestock	Adhesive	Liner	Sizes Offered (mm)	Stock Keeping	Qty per Pack (EA)	MOQ (EA)
BW7034	PPNG Top Trans	S692N	▲ CCK130Wh Imp FSC	762 x 533	✓	100	2000**
				305 x 457	✓	100	5000**
				483 x 330	✓	100	5000
BW0295	Synthetic Paper	S692N	▲ CCK130Wh Imp FSC	762 x 533	✓	100	2000**
				305 x 457	✓	100	5000**
				483 x 330	✓	100	5000
BW7001	PP50 Top White	S692N	▲ CCK130Wh Imp FSC	762 x 533	✓	100	2000**
				305 x 457	✓	100	5000**
				483 x 330	✓	100	5000
SW8543	Fasson 50U Clr PET TC	S1800	CCK130Wh Imp	305 x 457		100	5000
				483 x 330		100	5000
SW8544	Fasson 50U Wh PET TC	S1800	CCK130Wh Imp	305 x 457		100	5000
				483 x 330		100	5000
SW8561	Fasson 50U Matt Wh PET TC	S6112	CCK130Wh Imp	305 x 457		100	5000
				483 x 330		100	5000
SW8563	Fasson 50U Matt Silver PET TC	S1800	CCK130Wh Imp	305 x 457		100	5000
				483 x 330		100	5000
SW2179	Fasson 50u Silver PET HPI	S1800	CCK130Wh Imp	305 x 457		100	5000
				483 x 330		100	5000
SW8609	Fasson 50U Gold PET HPTC	S6112	CCK130Wh Imp	305 x 457		100	5000
				483 x 330		100	5000

▲ FSC® Certified *For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.483X330
** Sheets MOQ (EA) ±5% to be factored in

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Materials Sdn. Bhd.

Direct Line: +60 3 8727 9800

Phone: +60 3 8727 9888

Fax: +60 3 8727 9801

Email: admcustservice@ap.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2024 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.