

# Product Services Guide

Indonesia Q2 2025

CELEBRATING 90 YEARS  
OF INNOVATION

# How to read the Product Services Guide

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000		
BW7023	Flex+ White NTC	S692N	PET23	Full Deckle	✓	1525			•		1 roll x 1525mm x 2000m	
BW7051	Flex+ White NTC	SR3013	*BG33Wh Imp FSC	Indent		1525			•		1 roll x 1525mm x 2000m	
BW0151	Primax® 300	S692N	*BG40Wh Imp FSC	Full Deckle	✓	1525			•		1 roll x 1525mm x 1000m	

## Item:

The item number identifies the product on your delivery documents and invoices.

## Facestock:

Identifies the facestock used in the construction.

## Adhesive:

Identifies the adhesive used in the construction.

## Liner:

Identifies the liner used in the construction.

## FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol \*



The mark of responsible forestry

## Service Program:

The service program details how the product is sold to the market.

### Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

## EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

## Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

## Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

## Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

## Width

Identifies the available width(s)

## Length:

Identifies the length in linear meters, offered in a service program

## Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ - 1roll x 1525mm x 2000m

Available Length - 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

## Remarks:

» Product Transition - signifies changes in Item code, MOQ, Width, Length or Service Program

\* New Product - signifies new items being offered

# Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

## Ordering Point

**Customer Service Department, Avery Dennison Indonesia**

Phone: +62 21 8060 8060

Hand phone: +62 81 5921 8161

Fax: +62 21 8060 8061

Email: lgm.ido.cs@averydennison.com

## Delivery Service

Product Type	Cut-off Time	Delivery
Stock Keeping Products	Before 15:00 WIB	Next working day
	After 15:00 WIB	Day after next working day
Non Stock Keeping Products	As per plant delivery lead times	Indent items

The delivery lead time is subject to clearance by the Finance Department relating to credit and payment matters

### Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

### Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

### Order Acknowledgment

To be acknowledged on the same working day.

### Minimum Order Value

All materials, Non EXACT Products. 500m<sup>2</sup> per delivery. Otherwise, transportation charges of Rp 200,000.00 per trip will be imposed. Full width and length as specified in sales quotation or product list.

### Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

### Blanket Orders

#### Stock Keeping Products

All goods to be shipped out and invoiced within one week from customer purchase order date. Size and delivery date must be included in the purchase order, otherwise considered invalid.

#### Non Stock Keeping Products

All goods to be shipped out and invoiced within one month upon arrival of goods at local distribution centre.

### Core Inside Diameter

77mm core, ±0.15mm

### Roll Labels

Outside of the rolls and inner core.

### Minimum Slit Widths

60mm

### Roll Length Tolerance

±5%

### Slit Roll Width Tolerance

±1mm

### Splice Quantity Indication

Printed on roll labels

### Minimum Distance of Splices

100m

### Maximum Number of Splices

Length	Paper	Film
<1000m	1	1
<2000m	2	2

### Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

# Complaint Handling Policy

## Contact Point

Customer Care Cell Department,  
PT. Avery Dennison Indonesia  
Email: [adi-claim@ap.averydennison.com](mailto:adi-claim@ap.averydennison.com)  
[My Avery Dennison Portal](#)



## Resolution Lead Time

Investigation needed	Manufactured location	Typical Lead Time
No (Standard)		3 business days
Yes	ASEAN	7 business days *
	Non-ASEAN	14 business days *

\* Investigation can take up to 21 business days if the root cause is unclear.

## Required Documents

To enable a quick resolution, kindly include the following information when submitting your complaints.

- Item number
- Roll ID & Lot Number
- Claim Quantity in m<sup>2</sup>
- Defect type
- Photographic or video evidence
- CAR / CAPA, if needed
- Defect roll return request, if any

## Damaged Roll

Days past delivery	Compensation
1 - 3 days	Full compensation
4 - 10 days	Only on damaged portions

### Claim Type

#### Quality Related

Claims related to the product on performance & appearance.

#### Non-Quality Related

Claims related to other issues such as delivery and invoice errors.

### Claim Acknowledgement

To be acknowledged within 1 working day upon submission.

### Claim Approval or Rejection

Upon claim approval or rejection, an email notification will be sent to requester. For approved claims, credit note will be issued and will be notified by our Customer Care Cell (CCC).

### CAR & CAPA Issuance

Corrective Action Report (CAR) & Corrective Action Preventive Action (CAPA) will only be issued on request.

### Investigation Updates

We are committed to keep our requester informed on the investigation and hence an update will be sent via email on a weekly basis.

### Claim Status

It is available on [My Avery Dennison Portal](#)

### Converting & Application Support

Available through our Technical Service team.

## Prime Paper

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000		
<b>Cast Coat</b>												
AW0153P	High Gloss Paper	S2090	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0271	High Gloss Paper	S1010	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0335	High Gloss Paper	S1010	rCCK80Wh Imp	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
AW0380-N	High Gloss Paper	S2025N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
<b>Machine Coat</b>												
AW0331AF	*Fascoat 2 FSC	S1010	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0332AF	*Fascoat 2 FSC	S2090	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0383FM	*MC Elite FSC	S2025N	rCCK80 imp	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
SW7325PF	*Fascoat 2 FSC	S2420	*BG40Wh Imp FSC	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
AW0416FT	*MC Primecoat GP FSC	S2025N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
*AW0510F	*MC Primecoat GP FSC	S2050N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0320FM	*MC Elite FSC	S1005	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0486F	*MC Elite FSC	S2025N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
*AW0511F	*MC Elite FSC	S2050N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0501F	*rMC Primecoat FSC	S1010	*BG33Wh Imp FSC	Indent		1525		•	•		1 roll x 1525 mm x 2000m	
<b>Vellum</b>												
AW0289F	*Vellum Elite FSC	S1010	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0412F	*Vellum Elite FSC	S2025N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
AW0326F	*Vellum Elite FSC	S2492	rCCK80Wh	Indent		1525		•	•		1 roll x 1525mm X 1000m	

## Specialty Paper

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000		
<b>Machine Coat</b>												
SW7053PF	*LW60 FSC	S2090	*BG40Wh Imp FSC	EXACT	✓	1000		•	•		1 roll x 2000m	
AW0362F.1200	*Fascoat Elite FSC	R450	*BG40Wh Imp FSC	Full Deckle	✓	1200		•			1 roll x 1200mm x 1000m	
SW7045AF	*Fascoat 2 PB FSC	S2090	*BG40Wh Imp FSC	Full Deckle	✓	1000		•	•		1 roll x 1000mm x 1000m	
<b>Uncoated</b>												
AW0401F.1000	*Radiant Red FSC	M3000	B100	Indent		1000		•			1 roll x 1000mm x 1000m	
AW0402F.1000	*Radiant Orange FSC	M3000	B100	Indent		1000		•			1 roll x 1000mm x 1000m	
AW0403F.1000	*Radiant Green FSC	M3000	B100	Indent		1000		•			1 roll x 1000mm x 1000m	
AW0404F.1000	*Radiant Yellow FSC	M3000	B100	Indent		1000		•			1 roll x 1000mm x 1000m	
AW0405F.1000	*Radiant Pink FSC	M3000	B100	Indent		1000		•			1 roll x 1000mm x 1000m	
AW0409F.1000	*Radiant Blue FSC	M3000	B100	Indent		1000		•			1 roll x 1000mm x 1000m	
<b>Direct Thermal</b>												
SW7068F	*DT200HD FSC	C7501	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
<b>Foil</b>												
SW7339	Bright Silver Foil Prime	M3300	*BG40Wh Imp FSC	Indent		1000		•	•		1 roll x 1000mm x 1000m	
AW0356.1060	Matte Silver Foil	M3300	*BG40Wh Imp FSC	Full Deckle	✓	1060		•			1 roll x 1060mm x 2000m	
SW2438	Matte Gold Foil Paper	AP103	BG40#WH imp	Indent		1070		•			1 roll x 1070mm x 1000m	
<b>Rapid Roll</b>												
RWP503	High Gloss Paper 1S-80			Indent		1010		•			1 roll x 1010mm x 1000m	
RWP508F	*Fascoat 2 FSC			Indent		1015		•			1 roll x 1015mm x 1000m	
RWP528F	*Direct Thermal 200GP FSC			Indent		1535		•			1 roll x 1535mm x 1000m	
<b>Others</b>												
SW7039F	*Metallica FSC	S2090	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 2000m	
OW2350	Gloss Inkjet Paper	AP103	BG40Wh imp	EXACT	✓	1070		•			1 roll x 1000mm x 1000m	

## Variable Information Printing

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000		
<b>Direct Thermal</b>												
NW0072F	*rDirect Thermal 300LD FSC	S2010N	*BG33Wh Imp FSC	EXACT		1525		•	•		1 roll x 1000m	
NW0066F	*Direct Thermal 150RL FSC	S2010N	*BG33Wh Imp FSC	EXACT		1525		•	•		1 roll x 1000m	
NW0045F-N	*Direct Thermal 150RL FSC	S2025N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
NW0076F	*Direct Thermal 200GP FSC	S2010N	*BG33Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
NW0080F	*Direct Thermal 200GPL FSC	S2010N	*BG33Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
NW0083F	*Direct Thermal 200LL FSC	S2025N	*BG33Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
SW7005AF	*Baggage Tag Elite FSC	S2025N	*BG40Wh FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
<b>Thermal Transfer</b>												
MW0052F	*Trantherm 2C FSC	S2090	*BG40Wh Imp FSC	Indent		1525		•			1 roll x 1000mm x 1000m	
MW0074F	*Trantherm 2C FSC	S2010N	*BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
MW0066F	*Trantherm Plus FSC	S1010	*BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
MW0069F	*Trantherm Plus FSC	S2025N	*BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	

## Prime Film

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000 3000		
<b>Synthetic Paper</b>												
BW0153	Synthetic Paper	S4700N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
BW0264	Synthetic Paper 65	S4700N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
BW0277	3 Mil Synthetic Paper	S2060	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
<b>Rigid White</b>												
BW7087	rPP Top White	S7210	*BG33Wh Imp FSC	Indent		1525		•	•		1 roll x 1525mm x 1000m	
BW0174N	PPNg Top Pearlized White	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
BW0255SN	PP60 Top Pearlized White	SR3013N	*BG33Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Indent		1525		•			1 roll x 1525mm x 2000m	
BW7004	PP60 Top White	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
BW0227	PP50 Top White	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
BW7053	PP50 Top Pearlized White	S3010N	*BG33Wh Imp FSC	EXACT		1525		•	•		1 roll x 1000m	
BW7054	PP50 Top Pearlized White	SR3013	*BG33Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
<b>Rigid Clear</b>												
BW0062N	PPNg Top Trans	S692N	*BG40Wh Imp FSC	EXACT		1525		•	•		1 roll x 1000m	
BW0237N	PPNg Top Trans	S692N	PET23	EXACT	✓	1525		•			1 roll x 2000m	
BW0230N	PPNg Top Trans	S692N	PET30	EXACT	✓	1525		•			1 roll x 2000m	
BW7090	PPNg Top Trans	S7210	rPET30	EXACT		1525		•	•		1 roll x 1000m	
BW7072	PP50 Top Trans	SR3013N	*BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
BW7081	PP50 Top Trans	SR3013N	rPET23	Indent		1525		•			1 roll x 1525mm x 2000m	
BW0266A	PP50 TC Clear	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 2000m	
BW0226	PP30 Clear NTC	S692N	*BG40Wh Imp FSC	EXACT		1525		•			1 roll x 2000m	
SY7025N	Overlaminating Matte PP	S6800	*BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
BW0112N	Overlaminating Gloss PP	S6800	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
<b>Rigid Silver</b>												
BW0243	PP50 Top Silver	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 2000m	
BW0272	PP TC Silver Elite	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 2000m	
<b>Semi Conformable White</b>												
BW0184	Global Co-Ex™ White NTC	S692N	*BG40Wh Imp FSC	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
BW7022	Flex+ White NTC	S692N	*BG33Wh Imp FSC	EXACT		1525		•			1 roll x 2000m	
BW7023	Flex+ White NTC	S692N	PET23	Full Deckle	✓	1525		•			1 roll x 1525mm x 2000m	
BW7051	Flex+ White NTC	SR3013	*BG33Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
BW0151	Primax® 300	S692N	*BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
<b>Semi Conformable Clear</b>												
BW0183	Global Co-Ex™ Clear NTC	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 2000m	
BW7016A	Flex+ Clear NTC	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 2000m	
BW7020A	Flex+ Clear NTC	S692N	PET23	EXACT	✓	1525		•			1 roll x 2000m	
BW0060	FasClear® 250	S692N	*BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1000mm x 1000m	
BW0150	FasClear® 300	S692N	*BG40Wh Imp FSC	Indent		1525		•			1 roll x 1000mm x 1000m	
<b>Conformable White</b>												
BW0147	PE85 NTC White	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 2000m	
BW0291	PE75 NTC White	S692N	*BG33Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 2000m	
<b>Conformable Clear</b>												
BW0146	PE85 NTC Trans	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 2000m	
BW0290	PE75 NTC Trans	S692N	*BG33Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 2000m	
<b>Conformable Silver</b>												
BW9320A	Bright Silver PE85 TC	AF101	*BG40Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	

## Specialty Film

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000		
<b>Synthetic Paper</b>												
SY7074M	Synthetic Paper	AT20	*BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 1000m	
SY7155	rPP Synthetic paper	C7501	*BG40Wh Imp FSC	Indent		1000		•				
SY7122	WBIJ synthetic paper	S4700F	*BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
SY7154	rPP Synthetic paper	S2800	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SY7050N.1000	Synthetic Paper	R480	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	Indent		1070		•			1 roll x 1070mm x 2000m	
BW7667	Synthetic Paper7 TC	SR136	BG50#WH Ni	Indent		1070		•			1 roll x 1070mm x 2000m	
<b>Rigid White</b>												
BW0259	PP40 Top Matte White	S692N	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SY7138	WBIJ PP Top Gloss White	S4700F	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SY7051N.1000	PPNg Top White	R480	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
BW7678	100u White PP TC	SR136	BG50#WH Ni	Indent		1070		•			1 roll x 1070mm x 2000m	
<b>Rigid Clear</b>												
SY7049.1000	PPNg Top Trans	R480	*BG40Wh FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SY7080	PP30 Clear NTC	R480	*BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	Indent		1530		•			1 roll x 1530mm x 2000m	
BW7669	50u Clear PP TC	SR136	BG50#WH Ni	Indent		1070		•			1 roll x 1070mm x 2000m	
BW5203	Clear BOPP	UR136	BG50# WH imp	Indent		1070		•			1 roll x 1070mm x 2000m	
<b>Polyester (PET) Clear</b>												
BWS1231	45um Clear PET	S6000	PET30 ni	Indent		1000		•			1 roll x 1000mm x 1000m	
<b>Conformable White</b>												
SY7179	PE HD TAMPER EVIDENT	S700N	*BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
SY7123	PE75 White NTC	S477A.MB	*BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
<b>Conformable Clear</b>												
SY7188	PE75 Trans NTC	S477A.MB	*BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
<b>Rapid Roll</b>												
RYB616	Direct Thermal BOPP 105			Indent		1535		•			1 roll x 1535mm x 1000m	
RYB601	Synthetic Paper 1S-75			Indent		1015		•			1 roll x 1015mm x 1000m	



## Durable Film

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	2000		
MZ0102	2M WH PET TC	S333	BG50Wh	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m	
MZ0104	2M MAT CH PET TC	S333	BG50Wh	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m	
MZ2000W	1M Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•			1 roll x 250mm x 250m	
MZ2001W	1M Gloss White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•			1 roll x 250mm x 250m	
MZ2002W	2M Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•			1 roll x 250mm x 250m	
MZ2003W	2M Gloss White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•	•			1 roll x 250mm x 250m	
MZ0097.1000	50 micron Matte White Polyester TC	S333	*BG50WH FSC	Indent		1000		•			1 roll x 1000mm x 2000m	
MZ0212	2M WH PETC TC	S369	BG50Wh Imp	Indent		1000	•				1 roll x 1000mm x 2000m	
AFU475	FASSON Tyre Plus	TS79	BG50 Wh Imp	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
ADS1434	Tamperfas VNL EZ MX	Permanent	BG50Wh	Full Deckle	✓	1070		•			1 roll x 1070mm x 500m	
SY5003N.1525	Barrier Foil 25 mic White PET TC	TS79N	P140Wh Imp	Full Deckle	✓	1525		•			1 roll x 1525mm x 2000m	
SD8310.1525	PPNg Top White	TS79N	BG50Wh double silicone liner	Full Deckle	✓	1525		•			1 roll x 1525mm x 2000m	
SYS508N	PP Top NG White	TS79N	CCK80 Imp	Full Deckle	✓	1525		•			1 roll x 1525mm x 2000m	
ADS1410	25mic Matte White VOID PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•			1 roll x 1070mm x 500m	
ADS1413	38mic Matte Blue "VOID OPEN" PET TC	Non Trans. Perm.	BG50Wh ni	Ready Width		267, 1070		•			1 roll x 267mm x 1000m	
ADS1454S	50mic Bright Silver Void Pos-SM PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•			1 roll x 1070mm x 500m	
MZ0111	1M CL PET TC	S8020	PET30	Indent		1525		•			1 roll x 995mm x 1000m	
MZ0111N	1M CL PET TC	S8020	BG40Wh Imp	Indent		1525		•			1 roll x 1000mm x 1000m	
LMH9602	2 Mil Matte Void PET	Permanent	CK40	Indent		1000		•			1 roll x 1000mm x 1000m	
* ADS1583	2M WH PET TC	S8020EX	BG45Wh	EXACT	✓	1070		•			1 roll x 500m	
* ADS1584	2M WH PET TC	P8030EX	BG50Wh	EXACT	✓	1070		•			1 roll x 500m	
* ADS1588	2mil MAT CH PET TC	S8020EX	BG45Wh	EXACT	✓	1070		•			1 roll x 500m	
* MZS2601	50mic White PET TC	UP601	BG50Wh	Ready Width		255, 1530		•	•		1 roll x 255mm x 1000m	
MZ2000M	1M MATT TC WH PI	S8088A	BG50Wh	Indent		1000		•			1 roll x 1000mm x 500m	

## Sheet Fed Portfolio

Item	Description Facestock	Adhesive	Liner	Sizes Offered (mm)	Stock Keeping	Qty per Pack (EA)	MOQ (EA)
<b>Prime Paper</b>							
AW0335	High Gloss Paper	S1010	rCCK80Wh Imp	485 x 325	✓	100	10000
<b>Prime Film</b>							
BW0295	Synthetic Paper	S692N	*CCK130Wh Imp FSC	485 x 325		100	10000

\*For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.485X325

# Conditions of Sale

## Payment

Payment is to be made in accordance with the agreed payment terms.

## Validity of Quotation

30 Days

## Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

## Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

## Select Solutions™ Mix & Match™



### The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

## Engineered Solutions

New Ideas  
New Approaches  
New Products  
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

**Avery Dennison Indonesia**

Phone: +62 21 8060 8060

Fax: +62 21 8060 8061

Email: [cs.ido@ap.averydennison.com](mailto:cs.ido@ap.averydennison.com)

Find more label solutions at

[label.averydennison.com](http://label.averydennison.com)



#MakingPossible

© 2025 Avery Dennison Corporation. All rights reserved. The "Making Possible" tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.