

# Product Services Guide

Philippines Q2 2025

CELEBRATING 90 YEARS  
OF INNOVATION

# How to read the Product Services Guide

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>Cast Coat</b>											
AW0271	High Gloss Paper	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AW0153	High Gloss Paper	S2090	*BG40Wh Imp FSC	Thailand	1000	•	•	•	•	1 roll x 1000mm x 1000m	
AW0380-N	High Gloss Paper	S2025N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	•	1 roll x 1525mm x 1000m	

## Item:

The item number identifies the product on your delivery documents and invoices.

## Facestock:

Identifies the facestock used in the construction.

## Adhesive:

Identifies the adhesive used in the construction.

## Liner:

Identifies the liner used in the construction.

## FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol \*



The mark of responsible forestry

## Origin

Which country the product is sourced from.

## Service Width

Identifies the available width(s)

## Length:

Identifies the length in linear meters, offered in a service program

## Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ - 1roll x 1525mm x 2000m  
Available Length - 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

## Remarks:

» Product Transition - signifies changes in Item code, MOQ, Width, Length or Service Program

\* \* Product - signifies \* items being offered

# Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

## Ordering Point

**Customer Service Department, Avery Dennison Singapore (Pte) Ltd**

Email: [cs.sg@ap.averydennison.com](mailto:cs.sg@ap.averydennison.com)

Mon to Fri 8:30am – 5:30pm SGT (excluding Malaysia public holidays)

## Order Processing

Origin	Production lead time	Transit time	Inland	Sea	Total lead time (days)
Thailand	Manufacturing (12 days) Slitting (4 days)	North Port	6	5	27
		South Port	3	12	31
		Cebu Port	3	9	27
		Davao Port	3	10	29
		Batangas Port	3	5	29
Malaysia	Manufacturing (12 days) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31
China	Manufacturing (5 weeks) Transit to ASEAN (4 weeks) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31
US	Manufacturing (6 weeks) Transit to ASEAN (10 weeks) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31
EU	Manufacturing (6 weeks) Transit to ASEAN (10 weeks) Slitting (4 days)	North Port	6	12	27
		South Port	3	12	31
		Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31

## Requirements and Standards

### Forecast and Availability

Demand impacts supply availability.

To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

### Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

### Order Acknowledgment

To provide status of orders via e-mail within two weeks from receipt of purchase order.

Formal confirmation will be made through issuance of Proforma

Invoice with final pricing and tentative delivery schedule.

### Order Cancellation / Changes

All confirmed orders with Proforma Invoice cannot be changed or cancelled.

### Minimum Order Quantity

#### SKU products

Full jumbo roll's width and length as specified on sales quotation/product listing.

#### Non SKU products

Based on plant's MOQ.

### Max. Quantity per Container

Please note: This may change depending on product and load requirements especially for combination of Jumbo and Slitted rolls.

### Thailand origin / All paper / All film

MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark
1000mm x 1000m	17	165kg	96,000sqm	146,000sqm	
1000mm x 2000m	24	330kg	96,000sqm	146,000sqm	
1000mm x 1000m	17	165kg	152,000sqm	180,000sqm	Jumbo or Slitted or Combination
1000mm x 2000m	24	330kg	152,000sqm	180,000sqm	
1000mm x 1000m	17	165kg	96,000sqm	160,000sqm	
1000mm x 2000m	24	330kg	96,000sqm	160,000sqm	

### Paper and film mix / Malaysia origin / Standard

MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark
1525mm x 1000m	17	165kg	96,075sqm	152,500sqm	Slitted only
1525mm x 1000m	24	330kg	91,500sqm	152,500sqm	20' Jumbo only / 40' Combination

### Delivery Tolerance

±10% of order quantity

### Width Tolerance

±1mm

### Length Tolerance

±10%

### Splice Quantity Indication

Printed on roll labels

### Slitting Capability

Please note: This may vary depending on facility capabilities. Please contact our customer service for further details.

Roll Length	Max # of Splice	Min Width	Max Width	Max # Slits
1000m	1-2	80mm	1000mm	12 Slits
2000m	2	100mm	1000mm	10 Slits

## Requirements and Standards (continued)

### Packaging

**Core Inside Diameter**

77mm core,  $\pm 0.15$ mm

**Core Thickness**

12mm for master roll; 10mm for slitted roll

**Roll Labels**

2 labels - inner core and outside of rolls

**Packaging (rolls)**

Stretch wrap pallets

**Maximum Stack Height**

Up to 1.2m (including pallet height)

**Roll Length Tolerance All materials**

$\pm 5\%$

**Slit Roll Width Tolerance**

$\pm 1$ mm

**Splice Quantity Indication**

Printed on roll labels

**Minimum Distance of Splices**

100m

**Maximum Number of Splices**

TBC

### Shipping Details

**Delivery Terms****Manila**

CIF Manila (indicate port of discharge:  
either North or South port)

**Vis/Min area**

CIF depending on port of destination

**General Description All orders**

"Self Adhesive Label Materials" on invoice,  
packing list and ocean bill of lading

**Shipping Instructions All orders**

Customer to provide name of consignee,  
notify party, bill-to and ship-to address

**Shipping Documents All orders**

3 sets each of invoices, delivery orders,  
packing lists, ocean bill of lading (all original)

1 set of certificate of analysis (all batches)

1 copy of fumigation certificate (original)

\*Advance copy of complete set of  
shipping docs will be sent by e-mail.

\*Original documents will be sent by courier and  
tracking number will be provided by e-mail.

# Complaint Handling Policy

## Contact Point

Customer Care Cell Department,  
Avery Dennison (Singapore) Pte. Ltd  
Email: [ads-claim@ap.averydennison.com](mailto:ads-claim@ap.averydennison.com)

[My Avery Dennison Portal](#)



## Resolution Lead Time

Investigation needed	Manufactured location	Typical Lead Time
No (Standard)		3 business days
Yes	ASEAN	7 business days *
	Non-ASEAN	14 business days *

\* Investigation can take up to 21 business days if the root cause is unclear.

## Required Documents

To enable a quick resolution, kindly include the following information when submitting your complaints.

- Item number
- Roll ID & Lot Number
- Claim Quantity in m<sup>2</sup>
- Defect type
- Photographic or video evidence
- CAR / CAPA, if needed
- Defect roll return request, if any

## Damaged Roll

Days past delivery	Compensation
1 - 3 days	Full compensation
4 - 10 days	Only on damaged portions

### Claim Type

#### Quality Related

Claims related to the product on performance & appearance.

#### Non-Quality Related

Claims related to other issues such as delivery and invoice errors.

### Claim Acknowledgement

To be acknowledged within 1 working day upon submission.

### Claim Approval or Rejection

Upon claim approval or rejection, an email notification will be sent to requester. For approved claims, credit note will be issued and will be notified by our Customer Care Cell (CCC).

### CAR & CAPA Issuance

Corrective Action Report (CAR) & Corrective Action Preventive Action (CAPA) will only be issued on request.

### Investigation Updates

We are committed to keep our requester informed on the investigation and hence an update will be sent via email on a weekly basis.

### Claim Status

It is available on [My Avery Dennison Portal](#)

### Converting & Application Support

Available through our Technical Service team.

## Prime Paper

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Cast Coat</b>										
AW0271	High Gloss Paper	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AW0153	High Gloss Paper	S2090	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
AW0380-N	High Gloss Paper	S2025N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Machine Coat</b>										
AW0331AF	*Fascoat 2 FSC	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AW0333AF	*Fascoat 2 FSC	S1010	*BG40BI Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
*AW0435F	*Fascoat 2 FSC	S1002	*BG40BI Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0332AF	*Fascoat 2 FSC	S2090	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SW7325AF	*Fascoat 2 FSC	S2420	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
AW0320FM	*MC Elite FSC	S1005	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0421FM	*MC Elite FSC	S2025N	*BG33Wh FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0411F	*MC Prime FSC	S2090	PET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 5000m	
AW0422FT	*MC Primecoat GP FSC	S1010	*BG40Wh FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0416FT	*MC Primecoat GP FSC	S2025N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0424FT	*MC Primecoat GP FSC	S2025N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0425FT	*MC Primecoat GP FSC	S1002	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0435F	*MC Primecoat GP FSC	S1002	*BG40BI Imp FSC	Thailand	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Vellum</b>										
AW0455F	*Vellum Elite FSC	S2010N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
AW0316F	*Vellum Elite FSC	S1010	*BG40BI Imp FSC	Thailand	1525	•	•	•	1 roll x 1000mm x 1000m	
AW0289F	*Vellum Elite FSC	S1010	*BG40Wh Imp FSC	Thailand Malaysia	1525 1525	•	•	•	1 roll x 1525mm x 1000m 1 roll x 1525mm x 1000m	

## Specialty Paper

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Cast Coat</b>										
AW0361N.1200	High Gloss Paper	R450	*BG40Wh Imp FSC	Thailand	1200	•	•	•	1 roll x 1200mm x 1000m	
<b>Machine Coat</b>										
AW0362F.1200	*Fascoat Elite FSC	R450	*BG40Wh Imp FSC	Thailand	1200	•	•	•	1 roll x 1200mm x 1000m	
AW0445F	*MC Prime FSC	S2025N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
SW7342F	*MC Prime PB FSC	S2090	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SW7045AF	*Fascoat 2 PB FSC	S2090	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SW7038F	*Fascoat 2 PB FSC	S2420	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	

## Specialty Paper (continued)

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Uncoated</b>										
AW0363F.1200	*Vellum Elite FSC	R450	*BG40Wh Imp FSC	Thailand	1200	•	•	•	1 roll x 1200mm x 1000m	
AW0401F.1000	*Radiant Red FSC	M3000	*B100 FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
AW0402F.1000	*Radiant Orange FSC	M3000	*B100 FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
AW0403F.1000	*Radiant Green FSC	M3000	*B100 FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
AW0404F.1000	*Radiant Yellow FSC	M3000	*B100 FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
AW0405F.1000	*Radiant Pink FSC	M3000	*B100 FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
F45520.1000	*Rad Yellow FSC	S2090	*BG40WHN FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
F45521.1000	*Rad Orange FSC	S2090	*BG40WHN FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
F45522.1000	*Rad Green FSC	S2090	*BG40WHN FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
F45523.1000	*Rad Red FSC	S2090	*BG40WHN FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
F02901.1525	*Artisan rPLUS FSC	r2030MB	*BG40WHN FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 4500m	
<b>Direct Thermal</b>										
SW7075F	*Direct Thermal 200GP PB FSC	S2090	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SW7082F	*Direct Thermal 200GP FSC	R423	*BG40BI FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
<b>Thermal Transfer</b>										
MW0057F	*Transtherm 2C FSC	R423	*BG40Wh FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
MW0068F.1000	*Transtherm 2C FSC	R450	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
<b>Foil</b>										
AW0354.1060	Matte Gold Foil	M3300	*BG40Wh Imp FSC	Thailand	1060	•	•	•	1 roll x 1060mm x 1000m	
SW7339.1525	Bright Silver Foil Prime	M3300	*BG40Wh Imp FSC	Thailand	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Others</b>										
OW2350	Gloss Inkjet Paper	AP103	BG40Wh Imp	China	1070	•	•	•	1 roll x 1070mm x 1000m	
OW2150	Matte Inkjet Paper	AP103	BG40Wh Imp	China	1070	•	•	•	1 roll x 1070mm x 1000m	

## Variable Information Printing

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Direct Thermal</b>										
NW0072F	*rDirect Thermal 300LD FSC	S2010N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1000m	
NW0045F-N	*Direct Thermal 150RL FSC	S2025N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
NW0057F	*Direct Thermal 150RL FSC	S1002	*BG40BI Imp FSC	Thailand	1525	•	•	•	1 roll x 1525mm x 1000m	
NW0066F	*Direct Thermal 150RL FSC	S2010N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
*NW0068F	*Direct Thermal 150RL FSC	S2025N	*BG40BI Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
NW0080F	*Direct Thermal 200GPL FSC	S2010N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
NW0083F	*Direct Thermal 200LL FSC	S2025N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1000m	
SW7005AF	*Baggage Tag Elite FSC	S2025N	*BG40Wh FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Thermal Transfer</b>										
MW0052F	*Transtherm 2C FSC	S2090	*BG40Wh Imp FSC	Thailand	1525	•	•	•	1 roll x 1525mm x 1000m	
MW1616F	*Transtherm 2C FSC	S2090	*BG40Wh FSC	Thailand	1525	•	•	•	1 roll x 1525mm x 1000m	
MW0066F	*Transtherm Plus FSC	S1010	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
MW0069F	*Transtherm Plus FSC	S2025N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	



## Prime Film

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Synthetic Paper</b>										
SY7094	LW Synthetic Paper	S2025N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW0153	Synthetic Paper	S4700N	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW0264	Synthetic Paper 65	S4700N	*BG40Wh Imp FSC	Thailand	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Rigid White</b>										
BW7005	PP Top Matte White	S692N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7032	rPP Top White	S692N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7087	rPP Top White	S7210	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW0174	PPNg Top Pearlized White	S692N	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW0255SN	PP60 Top Pearlized White	SR3013N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW7004	PP60 Top White	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW0227	PP50 Top White	S692N	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW7053	PP50 Top Pearlized White	S3010N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7054	PP50 Top Pearlized White	SR3013	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW0259	PP40 Top Matte White	S692N	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW0293	Opalux 55	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Rigid Clear</b>										
BW0062N	PPNg Top Trans	S692N	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW0237N	PPNg Top Trans	S692N	PET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7072	PP50 Top Trans	SR3013N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW7081	PP50 Top Trans	SR3013N	rPET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW0266A	PP50 TC Clear	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW7000	PP50 NTC Clear	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1000m	
BW7017	PP40 Top Clear	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7092	PP40 Top Clear	S7210	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7056	PP40 Top Clear	SR3013N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW7055	PP40 Top Clear	SR3013N	rPET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW0226	PP30 Clear NTC	S692N	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW0112N	Overlaminating Gloss PP	S6800	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SY7025N	Overlaminating Matte PP	S6800	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
<b>Rigid Silver</b>										
BW0243	PP50 Top Silver	S692N	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW0254	PP Silver TC	S631	PET 30	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW0272	PP TC Silver Elite	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Semi Conformable White</b>										
BW0184	Global Co-Ex™ White NTC	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7022	Flex+ White NTC	S692N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7051	Flex+ White NTC	SR3013	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW0151	Primax® 300	S692N	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	

## Prime Film (continued)

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Semi Conformable Clear</b>										
BW0183	Global Co-Ex™ Clear NTC	S692N	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW7016	Flex+ Clear NTC	S692N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7020	Flex+ Clear NTC	S692N	PET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW7039	Flex+ Clear NTC	SR3013	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW7042	Flex+ Clear NTC	SR3013	rPET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 2000m	
BW0150	FasClear® 300	S692N	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW0060	FasClear® 250	S692N	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
<b>Conformable White</b>										
BW0064	PE85 Top White	S692N	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW0147	PE85 NTC White	S692N	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
BW0291	PE75 NTC White	S692N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Conformable Clear</b>										
BW0146	PE85 NTC Trans	S692N	*BG40Wh Imp FSC	Thailand Malaysia	1000 1525	•	•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW0290	PE75 NTC Trans	S692N	*BG33Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
<b>Conformable Silver</b>										
BW9320A	Bright Silver PE85 TC	AF101	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	

## Specialty Film

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Synthetic Paper</b>										
SY7022	Synthetic Paper II	C7501	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW0278	Synthetic Paper TR75	C2075	*BG40Wh Imp FSC	Malaysia	1525	•	•	•	1 roll x 1525mm x 1000m	
SY7122	WBIJ synthetic paper	S4700F	*BG40Wh Imp FSC	Thailand	1525	•	•	•	1 roll x 1525mm x 1000m	
SY7151	WBIJ Synthetic Paper	S4700F	*CCK55 IMP FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SY7050N.1000	Synthetic Paper	R480	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	China	1070	•	•	•	1 roll x 1070mm x 2000m	
BW7667	Synthetic Paper7 TC	SR136	BG50#WH Ni	China	1070	•	•	•	1 roll x 1070mm x 2000m	
<b>Rigid White</b>										
SY7138	WBIJ PP Top Gloss White	S4700F	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SY7152	WBIJ PP Top Gloss White	S4700F	*CCK55 IMP FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
SY7051N.1000	PPNg Top White	R480	*BG40Wh Imp FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	China	1530	•	•	•	1 roll x 1530mm x 2000m	
BW7678	100u White PP TC	SR136	BG50#WH Ni	China	1070	•	•	•	1 roll x 1070mm x 2000m	
AL442	PP125 Top White	S697	BG45Wh	EU	1000	•	•	•	2 roll x 1000mm x 1000m	
<b>Rigid Clear</b>										
SY7049.1000	PPNg Top Trans	R480	*BG40Wh FSC	Thailand	1000	•	•	•	1 roll x 1000mm x 1000m	
BW7669	50u Clear PP TC	SR136	BG50#WH Ni	China	1070	•	•	•	1 roll x 1070mm x 2000m	
BW5203	Clear BOPP	UR136	BG50# WH imp	China	1070	•	•	•	1 roll x 1070mm x 2000m	
<b>Rigid Silver</b>										
SY7106	PP50 Top Silver	S692N	PET23	Malaysia	1525	•	•	•	1 roll x 1525mm x 5000m	

## Specialty Film (continued)

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Polyester (PET) Clear</b>										
BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	China	1070					• 1 roll x 1070mm x 2000m
BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	China	1000					• 1 roll x 1000mm x 1000m
BWS1324	45um PET TC	S6000	PET30 ni	China	1000					• 1 roll x 1000mm x 1000m
<b>Conformable White</b>										
SY7179	PE HD TAMPER EVIDENT	S700N	✳️BG40Wh Imp FSC	Malaysia	1525					• 1 roll x 1525mm x 1000m
SY7123	PE75 White NTC	S477A.MB	✳️BG40Wh Imp FSC	Thailand	1525					• 1 roll x 1525mm x 1000m
<b>Conformable Clear</b>										
SY7188	PE75 Trans NTC	S477A.MB	✳️BG40Wh Imp FSC	Thailand	1525					• 1 roll x 1525mm x 1000m

## Durable Film

Item	Description Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)			MOQ	Remark
						500	1000	1500		
<b>Synthetic Paper</b>										
41044	2M Mat Chrome PET TC	S730	50#SCK	US	1372					• 1 roll x 1372mm x 1000m
40443	2M White PETC TC	S730	50#SCK	US	1372					• 1 roll x 1372mm x 1000m
70006	2M White Print-Treated Polyester	S730	1.5MPET	US	1372					• 1 roll x 1372mm x 1000m
75560	2M White PET TC	R143	50#SCK	US	1372					• 1 roll x 1372mm x 1000m
ADS1385	2M White PET TC	S333	BG50Wh	Thailand	1000					• 1 roll x 1000mm x 1000m
MZ0102	2M WH PET TC	S333	BG50Wh	Thailand	1000					• 1 roll x 1000mm x 1000m
MZ0104	2M MAT CH PET TC	S333	BG50Wh	Thailand	1000					• 1 roll x 1000mm x 1000m
MZ0111	1M CL PET TC	S8020	PET30	Thailand	1525					• 1 roll x 1000mm x 1000m
MZ0112	1M Matte PET	S8020	G80	Thailand	1065					• 1 roll x 1065mm x 1000m
MZ0212	2M WH PETC TC	S369	BG50Wh Imp	Thailand	1000					• 1 roll x 1000mm x 500m
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Malaysia	250, 500					1 roll x 250mm x 250m 6-8 weeks lead time if stock is out
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Malaysia	250, 500					1 roll x 250mm x 250m 6-8 weeks lead time if stock is out
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Malaysia	250, 500					1 roll x 250mm x 250m 6-8 weeks lead time if stock is out
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Malaysia	250, 500					1 roll x 250mm x 250m 6-8 weeks lead time if stock is out
ADS1583	2M WH PET TC	S8020EX	BG45WH	Malaysia	267, 1070					• 1 roll x 267mm x 1000m
ADS1584	2M WH PET TC	P8030EX	BG50WH	Malaysia	267, 1070					• 1 roll x 267mm x 1000m
ADS1588	2mil MAT CH PET TC	S8020EX	BG45WH	Malaysia	267, 1070					• 1 roll x 267mm x 1000m
MZS2601	50mic White PET TC	UP601	BG50WH	Thailand	255, 1530					• 1 roll x 255mm x 1000m

# Conditions of Sale

## Payment

Payment is to be made in accordance with the agreed payment terms.

## Validity of Quotation

30 Days

## Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

## Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

## Select Solutions™ Mix & Match™



### The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

## Engineered Solutions

New Ideas  
New Approaches  
New Products  
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

**Avery Dennison Singapore (Pte) Ltd**  
Customer Service Department  
Email: [cs.sg@ap.averydennison.com](mailto:cs.sg@ap.averydennison.com)  
Mon to Fri 8:30am - 5:30pm SGT  
(excluding Malaysia public holidays)

Find more label solutions at  
[label.averydennison.com](https://label.averydennison.com)



#MakingPossible

© 2025 Avery Dennison Corporation. All rights reserved. The "Making Possible" tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



**MAKING POSSIBLE™**