

# Product Services Guide

Thailand Q3 2025

CELEBRATING 90 YEARS  
OF INNOVATION

# How to read the Product Services Guide

| Item     | Description<br>Facestock | Adhesive | Liner           | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      |      | MOQ                       | Remark |
|----------|--------------------------|----------|-----------------|--------------------|---------------|---------------|---------------|------|------|------|---------------------------|--------|
|          |                          |          |                 |                    |               |               | 500           | 1000 | 1500 | 2000 |                           |        |
| AW0312   | High Gloss Paper         | S2420    | rCCK80Wh Imp    | Indent             |               | 1525          |               |      |      |      | • 1 roll x 1525mm x 2000m |        |
| AW0380-N | High Gloss Paper         | S2025N   | *BG40Wh Imp FSC | Full Deckle        | ✓             | 1525          |               | •    |      |      | 1 roll x 1525mm x 1000m   |        |
| SW7331   | High Gloss Paper         | S2420    | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          |               | •    | •    |      | 1 roll x 1000m            |        |

## Item:

The item number identifies the product on your delivery documents and invoices.

## Facestock:

Identifies the facestock used in the construction.

## Adhesive:

Identifies the adhesive used in the construction.

## Liner:

Identifies the liner used in the construction.

## FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol \*



## Service Program:

The service program details how the product is sold to the market.

### Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

### EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

### Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

## Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

## Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

## Width

Identifies the available width(s)

## Length:

Identifies the length in linear meters, offered in a service program

## Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m

Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

## Remarks:

» Product Transition – signifies changes in Item code, MOQ, Width, Length or Service Program

\* New Product – signifies new items being offered

# Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

## Ordering Point

**Customer Service Department, Avery Dennison Thailand Ltd.**

Phone: +66 2 740 4666 (ext 111-120)

Fax: +66 2 740 4621-3

Email: cs.thailand@ap.averydennison.com

## Delivery Service

| Product Type               |                                  | Cut-off Time   | Delivery         |
|----------------------------|----------------------------------|----------------|------------------|
| Stock Keeping Products     | EXACT                            | Before 3:00 PM | Next working day |
|                            | Non-EXACT                        | Before 4:00 PM | Next working day |
| Non Stock Keeping Products | As per plant delivery lead times |                | Indent items     |

### Forecast and Availability

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

### Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

### Order Acknowledgment

To be acknowledged on the same working day.

### Minimum Order Value

|           | Within Bangkok<br>Per Order | Outside of Bangkok<br>Per Delivery                     |
|-----------|-----------------------------|--------------------------------------------------------|
| EXACT     | 1 roll per program          | 500m <sup>2</sup> , 2000m <sup>2</sup> or >50,000 baht |
| Non EXACT | 500m <sup>2</sup>           | 500m <sup>2</sup> , 2000m <sup>2</sup> or >50,000 baht |
| Durables  | 250m <sup>2</sup>           | 500m <sup>2</sup> , 2000m <sup>2</sup> or >50,000 baht |

### Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

### Indent Orders / Blanket Orders

All goods to be shipped out and invoiced within one month upon arrival of goods.

### Inner Core Diameter

77mm core, ±0.15mm

### Roll Labels

Outside of the rolls and inner core

### Minimum Slit Widths

75mm

### Roll Length Tolerance

±5%

### Slit Roll Width Tolerance

±1mm

### Splice Quantity Indication

Printed on roll labels

### Maximum Number of Splices

|       | Paper | Film |
|-------|-------|------|
| 500m  | 1     | 1    |
| 1000m | 2     | 1    |
| 1500m | 2     | 2    |
| 2000m | 2     | 2    |

### Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

# Complaint Handling Policy

## Contact Point

Customer Care Cell Department,  
Avery Dennison (Thailand) Ltd.  
Email: [adt.quality@ap.averydennison.com](mailto:adt.quality@ap.averydennison.com)  
[My Avery Dennison Portal](#)



## Resolution Lead Time

| Investigation needed | Manufactured location | Typical Lead Time  |
|----------------------|-----------------------|--------------------|
| No (Standard)        |                       | 3 business days    |
| Yes                  | ASEAN                 | 7 business days *  |
|                      | Non-ASEAN             | 14 business days * |

\* Investigation can take up to 21 business days if the root cause is unclear.

## Required Documents

To enable a quick resolution, kindly include the following information when submitting your complaints.

- Item number
- Roll ID & Lot Number
- Claim Quantity in m<sup>2</sup>
- Defect type
- Photographic or video evidence
- CAR / CAPA, if needed
- Defect roll return request, if any

## Damaged Roll

| Days past delivery | Compensation             |
|--------------------|--------------------------|
| 1 - 3 days         | Full compensation        |
| 4 - 10 days        | Only on damaged portions |

### Claim Type

#### Quality Related

Claims related to the product on performance & appearance.

#### Non-Quality Related

Claims related to other issues such as delivery and invoice errors.

### Claim Acknowledgement

To be acknowledged within 1 working day upon submission.

### Claim Approval or Rejection

Upon claim approval or rejection, an email notification will be sent to requester. For approved claims, credit note will be issued and will be notified by our Customer Care Cell (CCC).

### CAR & CAPA Issuance

Corrective Action Report (CAR) & Corrective Action Preventive Action (CAPA) will only be issued on request.

### Investigation Updates

We are committed to keep our requester informed on the investigation and hence an update will be sent via email on a weekly basis.

### Claim Status

It is available on [My Avery Dennison Portal](#)

### Converting & Application Support

Available through our Technical Service team.

Prime Paper

Prime Paper

| Item         | Description<br>Facestock | Adhesive | Liner           | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |              | MOQ                       | Remark |
|--------------|--------------------------|----------|-----------------|--------------------|---------------|---------------|---------------|------|--------------|---------------------------|--------|
|              |                          |          |                 |                    |               |               | 500           | 1000 | 1500<br>2000 |                           |        |
| Cast Coat    |                          |          |                 |                    |               |               |               |      |              |                           |        |
| F12806.1525  | *Cast Gloss Elite FSC    | S2045    | *BG40WHN        | Full Deckle        | ✓             | 1525          | •             |      |              | 1 roll x 1525mm x 1000m   |        |
| AW0153       | High Gloss Paper         | S2090    | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |              | 1 roll x 1000m            |        |
| AW0271       | High Gloss Paper         | S1010    | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |              | 1 roll x 500m             |        |
| AW0312       | High Gloss Paper         | S2420    | rCCK80Wh Imp    | Indent             |               | 1525          |               |      |              | • 1 roll x 1525mm x 2000m |        |
| AW0380-N     | High Gloss Paper         | S2025N   | *BG40Wh Imp FSC | Full Deckle        | ✓             | 1525          | •             |      |              | 1 roll x 1525mm x 1000m   |        |
| SW7331       | High Gloss Paper         | S2420    | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |              | 1 roll x 1000m            |        |
| Machine Coat |                          |          |                 |                    |               |               |               |      |              |                           |        |
| AW0331AF     | *Fascoat 2 FSC           | S1010    | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    | •            | 1 roll x 500m             |        |
| AW0332FS     | *Fascoat 2 FSC           | S2090    | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          |               | •    | •            | 1 roll x 1000m            |        |
| AW0333AF     | *Fascoat 2 FSC           | S1010    | *BG40BI Imp FSC | Full Deckle        | ✓             | 1525          | •             | •    | •            | 1 roll x 1525mm x 500m    |        |
| SW7325AF     | *Fascoat 2 FSC           | S2420    | *BG40Wh Imp FSC | Full Deckle        | ✓             | 1525          | •             | •    |              | 1 roll x 1525mm x 500m    |        |
| AW0416F      | *MC Primecoat GP FSC     | S2025N   | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |              | 1 roll x 500m             |        |
| AW0422FT     | *MC Primecoat GP FSC     | S1010    | *BG40Wh FSC     | EXACT              | ✓             | 1525          |               | •    |              | 1 roll x 1000m            |        |
| AW0424F      | *MC Primecoat GP FSC     | S2025N   | *BG33Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |              | 1 roll x 500m             |        |
| AW0472F      | *MC Primecoat GP FSC     | S2090    | *BG33Wh Imp FSC | Full Deckle        | ✓             | 1525          |               |      |              | 1 roll x 1525mm x 6000m   |        |
| AW0501F      | *rMC Primecoat FSC       | S1010    | *BG33Wh Imp FSC | Indent             |               | 1525          |               | •    | •            | 1 roll x 1525mm x 1000m   |        |
| AW0502F      | *rMC Primecoat FSC       | S2010N   | *BG33Wh Imp FSC | Indent             |               | 1525          |               | •    | •            | 1 roll x 1525mm x 1000m   |        |
| Vellum       |                          |          |                 |                    |               |               |               |      |              |                           |        |
| AW0382       | Vellum                   | S1010    | *B40Wh Imp FSC  | EXACT              |               | 1525          | •             |      |              | 1 roll x 500m             |        |
| AW0289F      | *Vellum Elite FSC        | S1010    | *BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |              | 1 roll x 500m             |        |
| AW0321F      | *Vellum Elite FSC        | S2420    | *BG40Wh Imp FSC | Indent             |               | 1525          |               | •    | •            | 1 roll x 1525mm x 1000m   |        |
| AW0326F      | *Vellum Elite FSC        | S2492    | rCCK80Wh        | EXACT              | ✓             | 1525          |               | •    |              | 1 roll x 1000m            |        |

Specialty Paper

| Specialty Paper |                          |          |                 |                    |     | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      | MOQ                     | Remark |
|-----------------|--------------------------|----------|-----------------|--------------------|-----|---------------|---------------|---------------|------|------|-------------------------|--------|
| Item            | Description<br>Facestock | Adhesive | Liner           | Service<br>Program | 500 |               |               | 1000          | 1500 | 2000 |                         |        |
|                 |                          |          |                 |                    |     |               |               |               |      |      |                         |        |
| Cast Coat       |                          |          |                 |                    |     |               |               |               |      |      |                         |        |
| AA1450          | HGW Premium              | R100     | BG40Br Imp      | Indent             |     | 1000          |               |               |      | •    | 1 roll x 1000mm x 2000m |        |
| AW0361N.1200    | High Gloss Paper         | R450     | *BG40Wh Imp FSC | Full Deckle        | ✓   | 1200          |               | •             |      |      | 1 roll x 1200mm x 1000m |        |
| Machine Coat    |                          |          |                 |                    |     |               |               |               |      |      |                         |        |
| SW7045AF        | *Fascoat 2 PB FSC        | S2090    | *BG40Wh Imp FSC | Full Deckle        | ✓   | 1000          |               | •             |      | •    | 1 roll x 1000mm x 1000m |        |
| AW0362F.1200    | *Fascoat Elite FSC       | R450     | *BG40Wh Imp FSC | Full Deckle        | ✓   | 1200          |               | •             |      |      | 1 roll x 1200mm x 1000m |        |
| AW0253F         | *Fascoat Elite FSC       | R423     | *BG40Wh FSC     | Full Deckle        | ✓   | 1000          | •             |               |      |      | 1 roll x 1000mm x 500m  |        |
| SW7053F         | *LW 60 FSC               | S2090    | *BG40Wh Imp FSC | Indent             |     | 1525          |               | •             |      | •    | 1 roll x 1525mm x 1000m |        |
| SW7054F         | *LW 60 FSC               | S2420    | *BG40Wh Imp FSC | Indent             |     | 1000          | •             |               |      |      | 1 roll x 1000mm x 500m  |        |

Specialty Paper (continued)

Specialty Paper (continued)

| Item             | Description<br>Facestock  | Adhesive | Liner           | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      | MOQ                       | Remark |
|------------------|---------------------------|----------|-----------------|--------------------|---------------|---------------|---------------|------|------|---------------------------|--------|
|                  |                           |          |                 |                    |               |               | 500           | 1000 | 1500 |                           |        |
| Uncoated         |                           |          |                 |                    |               |               |               |      |      |                           |        |
| F02901.1525      | *Artisan rPLUS FSC        | r2030MB  | BG40WHN         | Indent             |               | 1525          |               |      |      | • 1 roll x 1525mm x 6000m |        |
| AW0363F.1200     | *Vellum Elite FSC         | R450     | *BG40Wh Imp FSC | Indent             |               | 1200          | •             |      |      | 1 roll x 1200mm x 1000m   |        |
| F45520.1000      | *Rad Yellow FSC           | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45521.1000      | *Rad Orange FSC           | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45522.1000      | *Rad Green FSC            | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45523.1000      | *Rad Red FSC              | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45524.1000      | *Rad Pink FSC             | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45520.1000      | *Rad Yellow FSC           | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45521.1000      | *Rad Orange FSC           | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45522.1000      | *Rad Green FSC            | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45523.1000      | *Rad Red FSC              | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| F45524.1000      | *Rad Plnk FSC             | S2090    | BG40WHN         | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| Direct Thermal   |                           |          |                 |                    |               |               |               |      |      |                           |        |
| SW7082F          | *Direct Thermal 200GP FSC | R423     | *BG40BI FSC     | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| Thermal Transfer |                           |          |                 |                    |               |               |               |      |      |                           |        |
| MW0057F          | *Transtherm 2C FSC        | R423     | *BG40Wh FSC     | Full Deckle        | ✓             | 1000          | •             |      |      | 1 roll x 1000mm x 1000m   |        |
| MW0068F.1000     | *Transtherm 2C FSC        | R450     | *BG40Wh Imp FSC | Indent             |               | 1000          | •             |      |      | 1 roll x 1000mm x 2000m   |        |
| SW7004F          | *Transtherm 2C PB FSC     | S2090    | *BG40Wh Imp FSC | Full Deckle        | ✓             | 1000          | •             |      |      | 1 roll x 1000mm x 500m    |        |
| Foil             |                           |          |                 |                    |               |               |               |      |      |                           |        |
| SW7339.1000      | Bright Silver Foil Prime  | M3300    | *BG40Wh Imp FSC | Indent             |               | 1000          |               |      |      | • 1 roll x 1000mm x 2000m |        |
| AW0356.1060      | Matte Silver Foil         | M3300    | *BG40Wh Imp FSC | Indent             |               | 1060          |               |      |      | • 1 roll x 1060mm x 2000m |        |

Variable Information Printing

| Variable Information Printing |                              |          |                  |                    |               |               |               |      |      |      |                         |                           |
|-------------------------------|------------------------------|----------|------------------|--------------------|---------------|---------------|---------------|------|------|------|-------------------------|---------------------------|
| Item                          | Description<br>Facestock     | Adhesive | Liner            | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      |      | MOQ                     | Remark                    |
|                               |                              |          |                  |                    |               |               | 500           | 1000 | 1500 | 2000 |                         |                           |
| Direct Thermal                |                              |          |                  |                    |               |               |               |      |      |      |                         |                           |
| SW7073F                       | ✳️Baggage Tag FSC            | S2090    | BG40Wh           | Full Deckle        | ✓             | 1000          | •             |      |      |      | 1 roll x 1000mm x 2000m |                           |
| NW0033F                       | ✳️Direct Thermal Premium FSC | S1010    | ✳️BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |      |      | 1 roll x 500m           |                           |
| NW0045F                       | ✳️Direct Thermal 150RL FSC   | S2025N   | ✳️BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |      |      | 1 roll x 500m           |                           |
| NW0048F                       | ✳️Direct Thermal 150RL FSC   | S1010    | ✳️BG40Wh Imp FSC | EXACT              | ✓             | 1505          | •             | •    |      |      | 1 roll x 500m           | Width 1525mm<br>>> 1505mm |
| NW0055F                       | ✳️Direct Thermal 200GP FSC   | S1010    | ✳️BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |      |      | 1 roll x 500m           |                           |
| NW0080F                       | ✳️Direct Thermal 200GPL FSC  | S2010N   | ✳️BG33Wh Imp FSC | Indent             |               | 1525          |               |      |      |      | 1 roll x 1000M          |                           |
| NW0083F                       | ✳️Direct Thermal 200LL FSC   | S2025N   | ✳️BG33Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      |      |      | 1 roll x 1000m          |                           |
| Thermal Transfer              |                              |          |                  |                    |               |               |               |      |      |      |                         |                           |
| MW0035F                       | ✳️Premium Transtherm 1C FSC  | S2090    | ✳️BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |      |      | 1 roll x 500m           |                           |
| MW1616F                       | ✳️Transtherm 2C FSC          | S2090    | ✳️BG40Wh FSC     | Full Deckle        | ✓             | 1525          | •             |      | •    |      | 1 roll x 1525mm x 500m  |                           |
| MW0066F                       | ✳️Transtherm Plus FSC        | S1010    | ✳️BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             | •    |      |      | 1 roll x 500m           |                           |
| Laser Copier Inkjet           |                              |          |                  |                    |               |               |               |      |      |      |                         |                           |
| OW0039A                       | LaserPro                     | S2100HT  | CCK55            | Indent             |               | 1065          |               |      | •    |      | 1 roll x 1065mm x 2000m |                           |

Prime Film

| Prime Film             |                          |          |                  |                 |            | Stock Keeping | Length (m) |      |      |                          | MOQ                    | Remark |
|------------------------|--------------------------|----------|------------------|-----------------|------------|---------------|------------|------|------|--------------------------|------------------------|--------|
| Item                   | Description Facestock    | Adhesive | Liner            | Service Program | Width (mm) |               | 500        | 1000 | 1500 | 2000                     |                        |        |
| Synthetic Paper        |                          |          |                  |                 |            |               |            |      |      |                          |                        |        |
| BW0153                 | Synthetic Paper          | S4700N   | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          | •          | •    |      | 1 roll x 500m            |                        |        |
| BW0270                 | 3 Mil Synthetic Paper    | S4700N   | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          | •          | •    |      | 1 roll x 500M            |                        |        |
| BW7005                 | PP Top Matte White       | S692N    | ✳️BG33Wh Imp FSC | Full Deckle     | ✓          | 1525          |            | •    | •    | 1 roll x 1525mm x 1000m  |                        |        |
| Rigid White            |                          |          |                  |                 |            |               |            |      |      |                          |                        |        |
| BW9694                 | 38micron White BOPP TC   | AF101    | BG40WH           | Indent          |            | 1070          |            |      | •    | 1 roll x 1070mm x 2000m  |                        |        |
| BW7032                 | rPP Top White            | S692N    | ✳️BG33Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000m           |                        |        |
| BW0174                 | PPNg Top Pearlized White | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000m           |                        |        |
| BW0255SN               | PP60 Top Pearlized White | SR3013N  | ✳️BG33Wh Imp FSC | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 6000m  |                        |        |
| BW7040                 | PP60 Top Pearlized White | SR3013   | rPET23           | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 6000m  |                        |        |
| BW7004                 | PP60 Top White           | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000m           |                        |        |
| BW0227                 | PP50 Top White           | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000m           |                        |        |
| BW0235                 | PP50 Top White           | S692N    | PET30            | Indent          |            | 1000          |            |      | •    | 1 roll x 1000mm x 1000m  |                        |        |
| BW7053                 | PP50 Top Pearlized White | S3010N   | ✳️BG33Wh Imp FSC | Indent          |            | 1525          |            | •    | •    | 1 roll x 1525mm x 1000m  |                        |        |
| BW7054                 | PP50 Top Pearlized White | SR3013   | ✳️BG33Wh Imp FSC | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 2000m  |                        |        |
| BW0293                 | Opalux 55                | S692N    | ✳️BG40Wh Imp FSC | Full Deckle     | ✓          | 1525          |            | •    |      | 1 roll x 1525mm x 1000m  |                        |        |
| Rigid Clear            |                          |          |                  |                 |            |               |            |      |      |                          |                        |        |
| BW0062N                | PPNg Top Trans           | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    | •    | 1 roll x 1000m           |                        |        |
| BW0237N                | PPNg Top Trans           | S692N    | PET23            | EXACT           | ✓          | 1505          |            |      | •    | 1 roll x 2000m           | Width 1525mm >> 1505mm |        |
| BW0230N                | PPNg Top Trans           | S692N    | PET30            | EXACT           | ✓          | 1505          |            | •    | •    | 1 roll x 1000m           | Width 1525mm >> 1505mm |        |
| BW7072                 | PP50 Top Trans           | SR3013N  | ✳️BG40Wh Imp FSC | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 6000m  |                        |        |
| BW7081                 | PP50 Top Trans           | SR3013N  | rPET23           | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 6000m  |                        |        |
| BW0266A                | PP50 TC Clear            | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    | •    | 1 roll x 1000m           |                        |        |
| BW0223                 | PPNg Top Trans           | S3000    | ✳️BG40Wh Imp FSC | Full Deckle     | ✓          | 1000          |            |      | •    | 1 roll x 1000mm x 2000m  |                        |        |
| SY7020                 | PPNg Top Trans           | S4705    | ✳️BG40Wh Imp FSC | Full Deckle     | ✓          | 1000          |            | •    | •    | 1 roll x 1000mm x 1000m  |                        |        |
| BW7000                 | PP50 NTC Clear           | S692N    | ✳️BG40Wh Imp FSC | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 2000m  |                        |        |
| BW7017                 | PP40 Top Clear           | S692N    | ✳️BG40Wh Imp FSC | Indent          |            | 1525          |            | •    |      | 1 roll x 1525mm x 8000m  |                        |        |
| BW7097                 | PP40 Top Clear           | S7210    | ✳️rPET23         | Indent          |            | 1525          |            |      |      | 1 roll x 1525mm x 2000m  |                        |        |
| BW7056                 | PP40 Top Clear           | SR3013N  | ✳️BG40Wh Imp FSC | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 9000m  |                        |        |
| BW7055                 | PP40 Top Clear           | SR3013N  | rPET23           | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 6000m  |                        |        |
| BW0231                 | PP30 Clear TC            | S692N    | ✳️BG40Wh Imp FSC | Indent          |            | 1000          |            |      | •    | 1 roll x 1000mm x 2000m  |                        |        |
| BW0226.1000            | PP30 Clear NTC           | S692N    | ✳️BG40Wh Imp FSC | Full Deckle     | ✓          | 1525          |            | •    |      | 1 roll x 1525 mm x 1000m |                        |        |
| BW0112N                | Overlaminating Gloss PP  | S6800    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000M           |                        |        |
| SY7054                 | Overlaminating Gloss PP  | S6800    | PET30            | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000M           |                        |        |
| SY7025N                | Overlaminating Matte PP  | S6800    | ✳️BG40Wh Imp FSC | Full Deckle     | ✓          | 1525          | •          |      |      | 1 roll x 1525mm x 500m   |                        |        |
| Rigid Silver           |                          |          |                  |                 |            |               |            |      |      |                          |                        |        |
| BW0243                 | PP50 Top Silver          | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    | •    | 1 roll x 1000m           |                        |        |
| BW0254                 | PP Silver TC             | S631     | PET30            | Full Deckle     | ✓          | 1505          |            | •    |      | 1 roll x 1505mm x 2000m  | Width 1525mm >> 1505mm |        |
| BW0272                 | PP TC Silver Elite       | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000m           |                        |        |
| Semi Conformable White |                          |          |                  |                 |            |               |            |      |      |                          |                        |        |
| BW0327                 | Global MDO White NTC     | S692N    | ✳️BG40Wh Imp FSC | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 2000m  |                        |        |
| BW0184                 | Global Co-Ex™ White NTC  | S692N    | ✳️BG40Wh Imp FSC | EXACT           | ✓          | 1525          |            | •    |      | 1 roll x 1000m           |                        |        |
| BW7022                 | Flex+ White NTC          | S692N    | ✳️BG33Wh Imp FSC | Indent          |            | 1525          |            | •    |      | 1 roll x 1525mm x 6000m  |                        |        |
| BW7023                 | Flex+ White NTC          | S692N    | PET23            | Indent          |            | 1525          |            | •    |      | 1 roll x 1525mm x 6000m  |                        |        |
| BW7051                 | Flex+ White NTC          | SR3013   | ✳️BG33Wh Imp FSC | Indent          |            | 1525          |            |      | •    | 1 roll x 1525mm x 2000m  |                        |        |
| BW0151                 | Primax® 300              | S692N    | ✳️BG40Wh Imp FSC | Full Deckle     | ✓          | 1525          | •          | •    | •    | 1 roll x 1525mm x 500m   |                        |        |

Prime Film (continued)

Prime Film (continued)

| Item                   | Description<br>Facestock | Adhesive | Liner           | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |              | MOQ                      | Remark                 |
|------------------------|--------------------------|----------|-----------------|--------------------|---------------|---------------|---------------|------|--------------|--------------------------|------------------------|
|                        |                          |          |                 |                    |               |               | 500           | 1000 | 1500<br>2000 |                          |                        |
| Semi Conformable Clear |                          |          |                 |                    |               |               |               |      |              |                          |                        |
| BW0326                 | Global MDO Clear NTC     | S692N    | ✱BG40Wh Imp FSC | Indent             |               | 1525          | •             | •    | •            | 1 roll x 1525mm x 6000m  |                        |
| BW0321                 | Global MDO Clear NTC     | S692N    | PET23           | Indent             |               | 1505          |               |      | •            | 1 roll x 1505mm x 2000m  | Width 1525mm >> 1505mm |
| BW0183                 | Global Co-Ex™ Clear NTC  | S692N    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          |               |      | •            | 1 roll x 2000m           |                        |
| BW0238                 | Global Co-Ex™ Clear NTC  | S692N    | PET23           | Indent             |               | 1525          |               |      | •            | 1 roll x 1525mm x 2000m  |                        |
| BW7016A                | Flex+ Clear NTC          | S692N    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          |               |      | •            | 1 roll x 2000m           |                        |
| BW7020                 | Flex+ Clear NTC          | S692N    | PET23           | Indent             |               | 1505          |               |      | •            | 1 roll x 1505mm x 2000m  | Width 1525mm >> 1505mm |
| BW7039                 | Flex+ Clear NTC          | SR3013   | ✱BG33Wh Imp FSC | Indent             |               | 1525          |               |      | •            | 1 roll x 1525mm x 6000m  |                        |
| BW7042                 | Flex+ Clear NTC          | SR3013   | rPET23          | Indent             |               | 1525          |               |      | •            | 1 roll x 1525mm x 6000m  |                        |
| BW0150                 | FasClear® 300            | S692N    | ✱BG40Wh Imp FSC | Full Deckle        | ✓             | 1525          | •             | •    | •            | 1 roll x 1525 mm x 500m  |                        |
| BW0060                 | FasClear® 250            | S692N    | ✱BG40Wh Imp FSC | Full Deckle        | ✓             | 1525          |               | •    | •            | 1 roll x 1525 mm x 1000m |                        |
| Conformable White      |                          |          |                 |                    |               |               |               |      |              |                          |                        |
| BW0064                 | PE85 Top White           | S692N    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      |              | 1 roll x 1000m           |                        |
| BW0147                 | PE85 NTC White           | S692N    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      | •            | 1 roll x 1000m           |                        |
| BW0291                 | PE75 NTC White           | S692N    | ✱BG33Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      | •            | 1 roll x 1000m           |                        |
| Conformable Clear      |                          |          |                 |                    |               |               |               |      |              |                          |                        |
| BW0065                 | PE85 Top Trans           | S692N    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      |              | 1 roll x 1000m           |                        |
| BW0146                 | PE85 NTC Trans           | S692N    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      | •            | 1 roll x 1000m           | Width 1525mm >> 1505mm |
| BW0290                 | PE75 NTC Trans           | S692N    | ✱BG33Wh Imp FSC | EXACT              | ✓             | 1505          | •             |      | •            | 1 roll x 1000m           | Width 1525mm >> 1505mm |
| Conformable Silver     |                          |          |                 |                    |               |               |               |      |              |                          |                        |
| BW9320A                | Bright Silver PE85 TC    | AF101    | ✱BG40Wh Imp FSC | Full Deckle        | ✓             | 1000          |               |      | •            | 1 roll x 1000mm x 2000m  |                        |

Specialty Film

Specialty Film

| Item            | Description<br>Facestock | Adhesive | Liner           | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      |      | MOQ                     | Remark |
|-----------------|--------------------------|----------|-----------------|--------------------|---------------|---------------|---------------|------|------|------|-------------------------|--------|
|                 |                          |          |                 |                    |               |               | 500           | 1000 | 1500 | 2000 |                         |        |
| Synthetic Paper |                          |          |                 |                    |               |               |               |      |      |      |                         |        |
| SY7050N.1000    | Synthetic Paper          | R480     | ✱BG40Wh Imp FSC | Full Deckle        | ✓             | 1000          | •             | •    |      |      | 1 roll x 1000mm x 1000m |        |
| BW0278          | Synthetic Paper TR75     | C2075    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      |      |      | 1 roll x 1000m          |        |
| SY7074          | Synthetic Paper          | AT20     | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1525          | •             |      |      |      | 1 roll x 1000m          |        |
| SY7122          | WBIJ synthetic paper     | S4700F   | ✱BG40Wh Imp FSC | Indent             |               | 1525          | •             |      |      |      | 1 roll x 1525mm x 1000m |        |
| SY7151          | WBIJ Synthetic Paper     | S4700F   | ✱CCK55 IMP FSC  | Indent             |               | 1000          | •             |      |      |      | 1 roll x 1000mm x 1000m |        |
| BW7567          | Synthetic Paper 7 TC     | SR133    | BG50#Wh Ni      | Indent             |               | 1070          |               |      | •    |      | 1 roll x 1070mm x 2000m |        |
| SY7021          | Synthetic Paper II       | S4700N   | ✱BG40Wh Imp FSC | Full Deckle        | ✓             | 1000          | •             |      |      |      | 1 roll x 1000mm x 1000m |        |
| SY7022          | Synthetic Paper II       | C7501    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1000          | •             |      |      |      | 1 roll x 1000m          |        |
| SY7155          | rPP Synthetic paper      | C7501    | ✱BG40Wh Imp FSC | EXACT              | ✓             | 1000          | •             |      |      |      | 1 roll x 1000m          |        |
| BW7667          | Synthetic Paper7 TC      | SR136    | BG50#WH Ni      | Indent             |               | 1070          |               |      | •    |      | 1 roll x 1070mm x 2000m |        |
| Rigid White     |                          |          |                 |                    |               |               |               |      |      |      |                         |        |
| SY7051N.1000    | PPNg Top White           | R480     | ✱BG40Wh Imp FSC | Full Deckle        | ✓             | 1000          | •             | •    |      |      | 1 roll x 1000mm x 1000m |        |
| BW7678          | 100u White PP TC         | SR136    | BG50#WH Ni      | Indent             |               | 1070          |               |      | •    |      | 1 roll x 1070mm x 2000m |        |
| SY7138          | WBIJ PP Top Gloss White  | S4700F   | ✱BG40Wh Imp FSC | Indent             |               | 1000          | •             |      |      |      | 1 roll x 1000mm x 2000m |        |
| SY7152          | WBIJ PP Top Gloss White  | S4700F   | ✱CCK55 IMP FSC  | Indent             |               | 1000          | •             |      |      |      | 1 roll x 1000mm x 1000m |        |
| BW0259          | PP40 Top Matte White     | S692N    | ✱BG40Wh Imp FSC | Full Deckle        | ✓             | 1000          | •             |      |      |      | 1 roll x 1000mm x 500m  |        |



Specialty Film (continued)

Specialty Film (continued)

| Item                   | Description<br>Facestock            | Adhesive | Liner                  | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      | MOQ                      | Remark |
|------------------------|-------------------------------------|----------|------------------------|--------------------|---------------|---------------|---------------|------|------|--------------------------|--------|
|                        |                                     |          |                        |                    |               |               | 500           | 1000 | 1500 |                          |        |
| Rigid Clear            |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| SY7049.1000            | PPNg Top Trans                      | R480     | ✱BG40Wh FSC            | Full Deckle        | ✓             | 1000          | •             | •    | •    | 1 roll x 1000mm x 1000m  |        |
| BW7569                 | 50um BOPP Clear TC                  | SR133    | BG50#Wh Ni             | Indent             |               | 1530          | •             | •    | •    | 1 roll x 1530mm x 1000m  |        |
| BW7669                 | 50u Clear PP TC                     | SR136    | BG50#WH Ni             | Indent             |               | 1070          | •             | •    | •    | 1 roll x 1070mm x 2000m  |        |
| BW5203                 | Clear BOPP                          | UR136    | BG50# WH imp           | Indent             |               | 1070          | •             | •    | •    | 1 roll x 1070mm x 2000m  |        |
| Semi Conformable White |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| SY7008                 | Transcode Plus White                | C7501    | ✱BG40Wh Imp FSC        | Full Deckle        | ✓             | 1525          | •             | •    | •    | 1 roll x 1525 mm x 1000m |        |
| Semi Conformable Clear |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| SY7114                 | Global Co-Ex™ Clear NTC             | S477A.MB | ✱BG40Wh Imp FSC        | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| Polyester (PET) Clear  |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| SY7119                 | PET Top Clear                       | S692N    | ✱BG50Wh Imp FSC        | Full Deckle        | ✓             | 1000          | •             | •    | •    | 1 roll x 1000mm x 1000m  |        |
| SY7129                 | PET Top Clear                       | S333     | ✱BG50Wh Imp FSC        | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| SY7130                 | PET Top White 50 micron             | S692N    | ✱BG40Wh Imp FSC        | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| BW7603                 | 50um Clear PET TC                   | SR123    | BG50#Wh Ni             | Indent             |               | 1070          | •             | •    | •    | 1 roll x 1070mm x 2000m  |        |
| BW7534                 | 100u Clear PET TC                   | SR123    | 80g glassine liner Imp | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| BWS1324                | 45um PET TC                         | S6000    | PET30 ni               | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| Conformable White      |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| SY7001                 | PE85 Top White                      | S2090    | ✱BG40Wh Imp FSC        | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| SY7179                 | PE HD TAMPER EVIDENT                | S700N    | ✱BG40Wh Imp FSC        | Indent             |               | 1525          | •             | •    | •    | 1 roll x 1525mm x 4000m  |        |
| SY7123                 | PE75 White NTC                      | S477A.MB | ✱BG40Wh Imp FSC        | Indent             |               | 1525          | •             | •    | •    | 1 roll x 1525mm x 3000m  |        |
| Conformable Clear      |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| SY7188                 | PE75 Trans NTC                      | S477A.MB | ✱BG40Wh Imp FSC        | Indent             |               | 1525          | •             | •    | •    | 1 roll x 1525mm x 6000m  |        |
| Direct Thermal         |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| SY7128                 | Direct Thermal PP85 TC              | C2076C   | ✱BG40Wh Imp FSC        | Indent             |               | 1525          | •             | •    | •    | 1 roll x 1525mm x 2000m  |        |
| SY7087                 | Direct Thermal PP85 TC              | C7501    | ✱BG40Wh Imp FSC        | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| SY7072                 | Direct Thermal PP85 TC              | S692N    | ✱BG40Wh Imp FSC        | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |
| Holographic            |                                     |          |                        |                    |               |               |               |      |      |                          |        |
| BW9100                 | HGF PP 60 Large Lens<br>Seamless TC | S692N    | PET30 ni               | Indent             |               | 1000          | •             | •    | •    | 1 roll x 1000mm x 2000m  |        |

Durable Film

| Item     | Description<br>Facestock | Adhesive | Liner           | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      |      | MOQ                     | Remark                              |
|----------|--------------------------|----------|-----------------|--------------------|---------------|---------------|---------------|------|------|------|-------------------------|-------------------------------------|
|          |                          |          |                 |                    |               |               | 500           | 1000 | 1500 | 2000 |                         |                                     |
| MZ0111N  | 1M CL PET TC             | S8020    | BG40Wh Imp      | Full Deckle        | ✓             | 1505          | •             | •    | •    | •    | 1 roll x 1505mm x 500m  |                                     |
| MZ0152-W | 1M MAT CH PET TC         | S333     | BG50Wh          | EXACT              | ✓             | 1000          | •             | •    | •    | •    | 1 roll x 500m           |                                     |
| MZ0102   | 2M WH PET TC             | S333     | BG50Wh          | EXACT              | ✓             | 1000          | •             | •    | •    | •    | 1 roll x 500m           |                                     |
| MZ0104   | 2M MAT CH PET TC         | S333     | BG50Wh          | EXACT              | ✓             | 1000          | •             | •    | •    | •    | 1 roll x 500m           |                                     |
| MZ0106   | Copy Code Ch PET Plus    | S333     | ✳BG50Wh FSC     | Indent             |               | 1000          | •             | •    | •    | •    | 1 roll x 1000mm x 1000m |                                     |
| MZ0054   | 2M Bright Silver PET     | S333     | ✳BG50Wh Imp FSC | Indent             |               | 1070          | •             | •    | •    | •    | 1 roll x 1070mm x 2000m |                                     |
| MZ2000W  | 1M Matte White PI HTC    | S8088S   | BG50Wh          | Ready Width        |               | 250, 500      | •             | •    | •    | •    | 1 roll x 250mm x 250m   | 6-8 weeks lead time if stock is out |
| MZ2001W  | 1M Gloss White PI HTC    | S8088S   | BG50Wh          | Ready Width        |               | 250, 500      | •             | •    | •    | •    | 1 roll x 250mm x 250m   | 6-8 weeks lead time if stock is out |
| MZ2002W  | 50um Matte White PI HTC  | S8088S   | BG50Wh          | Ready Width        |               | 250, 500      | •             | •    | •    | •    | 1 roll x 250mm x 250m   | 6-8 weeks lead time if stock is out |

Durable Film (continued)

| Item        | Description<br>Facestock            | Adhesive         | Liner                        | Service<br>Program | Stock Keeping | Width<br>(mm) | Length<br>(m) |      |      |      | MOQ                       | Remark                              |
|-------------|-------------------------------------|------------------|------------------------------|--------------------|---------------|---------------|---------------|------|------|------|---------------------------|-------------------------------------|
|             |                                     |                  |                              |                    |               |               | 500           | 1000 | 1500 | 2000 |                           |                                     |
| MZ2003W     | 2M Gloss White PI HTC               | S8088S           | BG50Wh                       | Ready Width        |               | 250, 500      |               |      |      |      | 1 roll x 250mm x 250m     | 6-8 weeks lead time if stock is out |
| MZ0097.1000 | 50micron Matte White Polyester TC   | S333             | ✧BG50WH FSC                  | Indent             |               | 1000          |               |      |      |      | • 1 roll x 1000mm x 2000m |                                     |
| MZ0363      | 50um White FR PET TCY               | S8025            | BG50Wh                       | Indent             |               | 1070          | •             | •    |      |      | 1 roll x 1070mm x 2000m   |                                     |
| MZ0212      | 2M WH PETC TC                       | S369             | BG50Wh                       | Ready Width        |               | 250           | •             | •    |      |      | 1 roll x 250mm x 500m     |                                     |
| SD8310.1525 | PPNg Top White                      | TS79N            | BG50Wh double silicone liner | Full Deckle        | ✓             | 1525          | •             | •    |      |      | 1 roll x 1525mm x 1000m   |                                     |
| SD8380      | PP Light Silver                     | TS79N            | BG50Wh                       | Indent             |               | 1525          |               |      |      |      | • 1 roll x 1525mm x 2000m |                                     |
| SY5008      | Barrier Foil 25 micron White PET TC | TS79N            | BG50Wh DOUBLE SIL            | Indent             |               | 1525          |               |      |      |      | • 1 roll x 1525mm x 6000m |                                     |
| BW9664.1000 | 3mil Synthetic Paper                | S333             | BG50Wh                       | Indent             |               | 1000          | •             |      |      |      | 1 roll x 1000mm x 2000m   |                                     |
| ADS1583     | 2M WH PET TC                        | S8020EX          | BG45WH                       | EXACT              | ✓             | 1070          | •             |      |      |      | 1 roll x 500m             |                                     |
| ADS1584     | 2M WH PET TC                        | P8030EX          | BG50WH                       | EXACT              | ✓             | 1070          | •             |      |      |      | 1 roll x 500m             |                                     |
| ADS1588     | 2mil MAT CH PET TC                  | S8020EX          | BG45WH                       | EXACT              | ✓             | 1070          | •             |      |      |      | 1 roll x 500m             |                                     |
| MZS2601     | 50mic White PET TC                  | UP601            | BG50WH                       | Ready Width        |               | 255, 1530     | •             | •    |      |      | 1roll x 255mm x 1000m     |                                     |
| ADS1413     | 38mic Matte Blue "VOID OPEN" PET TC | Non Trans. Perm. | BG50Wh ni                    | Ready Width        |               | 267, 1070     | •             |      |      |      | 1roll x 267mm x 1000m     |                                     |

Sheet Fed Portfolio

| Item        | Description<br>Facestock      | Adhesive | Liner             | Sizes Offered<br>(mm) | Stock<br>Keeping | Qty per Pack<br>(EA) | MOQ<br>(EA) |
|-------------|-------------------------------|----------|-------------------|-----------------------|------------------|----------------------|-------------|
| Prime Paper |                               |          |                   |                       |                  |                      |             |
| AW0335      | High Gloss Paper              | S1010    | rCCK80Wh Imp      | 1060 x 700            |                  | 100                  | 3000        |
|             |                               |          |                   | 483 x 330             |                  | 100                  | 13000       |
| AW0407F     | ✧ MC Prime FSC                | S1010    | rCCK80Wh Imp      | 1060 x 700            |                  | 100                  | 3000        |
|             |                               |          |                   | 483 x 330             |                  | 100                  | 13000       |
| AW0334F     | ✧ Vellum Elite FSC            | S1010    | rCCK80Wh Imp      | 1060 x 700            |                  | 100                  | 3000        |
| Prime Film  |                               |          |                   |                       |                  |                      |             |
| BW7034      | PPNG Top Trans                | S692N    | ✧CCK130Wh Imp FSC | 483 x 330             |                  | 100                  | 13000       |
| BW0295      | Synthetic Paper               | S692N    | ✧CCK130Wh Imp FSC | 483 x 330             |                  | 100                  | 13000       |
| BW7001      | PP50 Top White                | S692N    | ✧CCK130Wh Imp FSC | 483 x 330             |                  | 100                  | 13000       |
| SW8543      | Fasson 50U Clr PET TC         | S1800    | CCK130Wh Imp      | 483 x 330             |                  | 100                  | 5000        |
| SW8544      | Fasson 50U Wh PET TC          | S1800    | CCK130Wh Imp      | 483 x 330             |                  | 100                  | 5000        |
| SW8561      | Fasson 50U Matt Wh PET TC     | S6112    | CCK130Wh Imp      | 483 x 330             |                  | 100                  | 5000        |
| SW8563      | Fasson 50U Matt Silver PET TC | S1800    | CCK130Wh Imp      | 483 x 330             |                  | 100                  | 5000        |
| SW2179      | Fasson 50u Silver PET HPI     | S1800    | CCK130Wh Imp      | 483 x 330             |                  | 100                  | 5000        |
| SW8609      | Fasson 50U Gold PET HPTC      | S6112    | CCK130Wh Imp      | 483 x 330             |                  | 100                  | 5000        |

\*For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.485X325

# Conditions of Sale

## Payment

Payment is to be made in accordance with the agreed payment terms.

## Validity of Quotation

30 Days

## Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

## Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

## Select Solutions™ Mix & Match™



### The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

## Engineered Solutions

New Ideas  
New Approaches  
New Products  
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

**Avery Dennison Thailand Ltd.**  
Customer Service Department  
Phone: +66 2 740 4666 (ext 111-120)  
Fax: +66 2 740 4621-3  
Email: cs.thailand@ap.averydennison.com

Find more label solutions at  
[label.averydennison.com](https://label.averydennison.com)



**#MakingPossible**

© 2025 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



**MAKING POSSIBLE™**