

Product Services Guide

Singapore Q4 2025

CELEBRATING 90 YEARS
OF INNOVATION

How to read the Product Services Guide

Prime Paper

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	1500	2000	
AAG638 (AW0502F)	*rMC Primecoat FSC	S2010N	*BG33Wh Imp FSC	Indent		1525						• 1 roll x 1525mm x 2000m
AAD863 (AW0331AF)	*Fascoat 2 FSC	S1010	*BG40Wh Imp FSC	EXACT	✓	1525	•	•				1 roll x 500m
AAI024 (SW7325AF)	*Fascoat 2 FSC	S2420	*BG40Wh Imp FSC	Full Deckle	✓	1525	•					1 roll x 1525mm x 500m

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol *



Service Program:

The service program details how the product is sold to the market.

Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m

Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

» Product Transition – signifies changes in Item code, MOQ, Width, Length or Service Program

* New Product – signifies new items being offered

Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Ordering Point

Customer Service Department, Avery Dennison Singapore (Pte) Ltd
Email: cs.sg@ap.averydennison.com
Mon to Fri 8:30am - 5:30pm SGT

Delivery Service

Product Type	Cut-off Time	Delivery
Stock Keeping Products	Before 3:30pm SGT	Next working day
	After 3:30pm SGT	Day after next working day
Non Stock Keeping Products	Non stock keeping products supplied only on confirmed order. Availability and manufacturing lead times to be confirmed with Customer Service Team.	

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives at the end of each month

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

S\$250 per delivery. Otherwise, transportation charges of S\$95 per trip will be imposed.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Non Stock Keeping Products

All goods to be shipped out and invoiced within three months upon arrival of goods at distribution center. Avery Dennison reserves the right to release the goods for sale to other customers, after the three months period has expired.

Core Inside Diameter

76.2mm core, ± 0.15 mm

Roll Labels

Outside of the rolls and inner core

Minimum Slit Widths

50mm

Roll Length Tolerance

ASEAN manufactured products: $\pm 5\%$

Non ASEAN manufactured products: $\pm 10\%$

Slit Roll Width Tolerance

± 1 mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

ASEAN manufactured products			Non ASEAN Manufactured Products
Length	Paper	Film	
500m	1	1	1
1000m	1	1	2
1500m	1	2	3
2000m	2	2	3
3000m	2	2	N/A

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Damaged Roll

Complaint lodged within 3 working days from delivery date, full compensation will be made. Complaint lodged within 4-10 working days from delivery date, compensation will be made on damaged portions.

Complaint Handling Policy

Contact Point

Customer Care Cell Department,
Avery Dennison (Singapore) Pte. Ltd
Email: ads-claim@ap.averydennison.com
[My Avery Dennison Portal](#)



Resolution Lead Time

Investigation needed	Manufactured location	Typical Lead Time
No (Standard)		3 business days
Yes	ASEAN	7 business days *
	Non-ASEAN	14 business days *

* Investigation can take up to 21 business days if the root cause is unclear.

Required Documents

To enable a quick resolution, kindly include the following information when submitting your complaints.

- Item number
- Roll ID & Lot Number
- Claim Quantity in m²
- Defect type
- Photographic or video evidence
- CAR / CAPA, if needed
- Defect roll return request, if any

Damaged Roll

Days past delivery	Compensation
1 - 3 days	Full compensation
4 - 10 days	Only on damaged portions

Claim Type

Quality Related

Claims related to the product on performance & appearance.

Non-Quality Related

Claims related to other issues such as delivery and invoice errors.

Claim Acknowledgement

To be acknowledged within 1 working day upon submission.

Claim Approval or Rejection

Upon claim approval or rejection, an email notification will be sent to requester. For approved claims, credit note will be issued and will be notified by our Customer Care Cell (CCC).

CAR & CAPA Issuance

Corrective Action Report (CAR) & Corrective Action Preventive Action (CAPA) will only be issued on request.

Investigation Updates

We are committed to keep our requester informed on the investigation and hence an update will be sent via email on a weekly basis.

Claim Status

It is available on [My Avery Dennison Portal](#)

Converting & Application Support

Available through our Technical Service team.

Prime Paper

Prime Paper						Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
Item	Description Facestock	Adhesive	Liner	Service Program	250			500	1000	1500	2000		
Cast Coat													
AAG529 (AW0153)	High Gloss Paper	S2090	✳BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAG539 (AW0312)	High Gloss Paper	S2420	rCCK80Wh Imp	Full Deckle	✓	1525		•			1 roll x 1525mm x 500m		
AAG559 (AW0335)	High Gloss Paper	S1010	rCCK80Wh Imp	EXACT	✓	1525		•			1 roll x 500m		
AAD904 (AW0380-N)	High Gloss Paper	S2025N	✳BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAI030 (SW7331)	High Gloss Paper	S2420	✳BG40Wh Imp FSC	EXACT	✓	1525		•		•	1 roll x 1000m		
AAK056 (AW0524)	High Gloss White	S1010	✳BG40Wh Imp FSC	EXACT	✓	1525		•	•	•	1 roll x 500m		
AAG533 (AW0270)	High Gloss Paper	S1010	✳BG40Wh FSC	EXACT	✓	1525		•	•		1 roll x 500m		
AAG535 (AW0271)	High Gloss Paper	S1010	✳BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 500m		
Machine Coat													
AAG596 (AW0407F)	✳MC Prime FSC	S1010	rCCK80Wh Imp	Full Deckle	✓	1525		•			1 roll x 1525mm x 500m		
AAD908 (AW0416F)	✳MC Primecoat GP FSC	S2025N	✳BG40Wh Imp FSC	EXACT	✓	1525		•	•	•	1 roll x 500m		
AAG618 (AW0425F)	✳MC Primecoat GP FSC	S1002	✳BG33Wh Imp FSC	EXACT	✓	1525		•	•	•	1 roll x 500m		
AAD907 (AW0450F)	✳MC Primecoat GP FSC	S2010N	✳BG33Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 500m		
AAG562 (AW0343F)	✳MC Elite FSC	S1005	✳BG40Wh FSC	EXACT	✓	1525			•		1 roll x 1000m		
AAD912 (AW0379F-N)	✳MC Elite FSC	S2025N	✳BG40Wh Imp FSC	EXACT	✓	1525			•		1 roll x 1000m		
AAG642 (AW0512)	MC Prime Plus	S1010	✳BG33Wh Imp FSC	EXACT	✓	1525			•	•	1 roll x 1000m		
AAG568 (AW0501F)	✳rMC Primecoat FSC	S1010	✳BG33Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m		
AAG638 (AW0502F)	✳rMC Primecoat FSC	S2010N	✳BG33Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m		
AAD863 (AW0331AF)	✳Fascoat 2 FSC	S1010	✳BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 500m		
AAI024 (SW7325AF)	✳Fascoat 2 FSC	S2420	✳BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 500m		
AAH099 (AW0331P)	Fascoat 2 PEFC	S1010	✳BG40Wh Imp FSC	EXACT		1525			•		1 roll x 1000m		
Vellum													
AAG538 (AW0289F)	✳Vellum Elite FSC	S1010	✳BG40Wh Imp FSC	EXACT	✓	1525		•	•		1 roll x 500m		
AAG542 (AW0321F)	✳Vellum Elite FSC	S2420	✳BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 500m		
AAD884 (AW0334F)	✳Vellum Elite FSC	S1010	rCCK80Wh Imp	EXACT	✓	1525		•	•		1 roll x 500m		
AAG629 (AW0455F)	✳Vellum Elite FSC	S2010N	✳BG33Wh Imp FSC	EXACT	✓	1525			•		1 roll x 1000m		
AAH993 (SW7014F)	✳Vellum Elite FSC	S1002	✳BG40Wh Imp FSC	EXACT	✓	1525			•		1 roll x 1000m		
AAG547 (SW7327F)	✳Vellum Elite FSC	S2420	rCCK80Wh Imp	Full Deckle	✓	1525		•			1 roll x 1525mm x 500m		
AAH076 (AMB4350)	Vellum Extra	S2045	BG40Wh Imp	Full Deckle	✓	1000		•			1 roll x 1000mm x 500m		
AAG543 (AW0326F)	✳Vellum Elite FSC	S2492	rCCK80Wh	Ready Width	✓	210, 1525		•	•		1 roll x 500m		

Specialty Paper

Specialty Paper

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	1500		
Cast Coat												
AAG574 (AW0361N.1200)	High Gloss Paper	R450	✱BG40Wh Imp FSC	Ready Width	✓	150, 170, 185, 200, 225, 240, 250, 1200	•				1 roll x 500m	
AAC777 (AA1450 / AA042)	HGW Premium	R100	BG40Br Imp	Indent		1000	•				1 roll x 1000mm x 2000m	

Specialty Paper (continued)

Specialty Paper (continued)

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	1500		
Machine Coat												
AAH999 (SW7053F)	✦LW 60 FSC	S2090	✦BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m	
AAG580 (AW0362F:1200)	✦Fascoat Elite FSC	R450	✦BG40Wh Imp FSC	EXACT	✓	1200			•		1 roll x 1000m	
AAG772 (SW7342F)	✦MC Prime PB FSC	S2090	✦BG40Wh Imp FSC	Full Deckle	✓	1000			•		1 roll x 1000mm x 500m	
AAH997 (SW7045AF)	✦Fascoat 2 PB FSC	S2090	✦BG40Wh Imp FSC	Indent		1000			•		1 roll x 1000mm x 1000m	
AAH773 (SW7038F)	✦Fascoat 2 PB FSC	S2420	✦BG40Wh Imp FSC	Indent		1000			•		1 roll x 1000mm x 1000m	
SW7012F	✦Pharma Semi Gloss FSC	S901P	✦BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m	
AAD713 (AA0965 / AA031)	MC Primecoat	R100	BG40Br Imp	Indent		1000			•		1 roll x 1000mm x 2000m	
Uncoated												
AAG581 (AW0363F:1200)	✦Vellum Elite FSC	R450	✦BG40Wh Imp FSC	Full Deckle	✓	1200			•		1 roll x 1200mm x 500m	
AAG939 (F02901.1525)	✦Artisan rPLUS FSC	r2030MB	BG40WHN	Indent		1525			•		1 roll x 1525mm x 1000m	
AAH351 (F02900.1525)	✦Artisan rPLUS FSC	r2030MB	rPET30	Indent		1525					• 1 roll x 1525mm x 2000m	
AAH266 (F45520.1000)	✦Rad Yellow FSC	S2090	BG40WHN	EXACT	✓	1000			•		1 roll x 500m	
AAH274 (F45521.1000)	✦Rad Orange FSC	S2090	BG40WHN	EXACT	✓	1000			•		1 roll x 500m	
AAH280 (F45522.1000)	✦Rad Green FSC	S2090	BG40WHN	EXACT	✓	1000			•		1 roll x 500m	
AAH291 (F45523.1000)	✦Rad Red FSC	S2090	BG40WHN	EXACT	✓	1000			•		1 roll x 500m	
AAG590 (AW0401F:1000)	✦Radiant Red FSC	M3000	B100	Indent		1000			•		1 roll x 1000mm x 2000m	
AAG591 (AW0402F:1000)	✦Radiant Orange FSC	M3000	B100	Indent		1000			•		1 roll x 1000mm x 2000m	
AAG592 (AW0403F:1000)	✦Radiant Green FSC	M3000	B100	Indent		1000			•		1 roll x 1000mm x 2000m	
AAG594 (AW0404F:1000)	✦Radiant Yellow FSC	M3000	B100	Indent		1000			•		1 roll x 1000mm x 2000m	
AAG566 (AW0405F:1000)	✦Radiant Pink FSC	M3000	B100	Indent		1000			•		1 roll x 1000mm x 2000m	
AAG483 (A03846)	Vellum Extra	R100	BG40Br Imp	Indent		1000			•		1 roll x 1000mm x 2000m	
Direct Thermal												
AAI010 (SW7082F)	✦Direct Thermal 200GP FSC	R423	✦BG40BI FSC	Indent		1000					• 1 roll x 1000mm x 2000m	
Thermal Transfer												
AAH598 (MW0068F:1000)	✦Transtherm 2C FSC	R450	✦BG40Wh Imp FSC	Full Deckle	✓	1000			•		1 roll x 1000mm x 1000m	
AAH990 (SW7004F)	✦Transtherm 2C PB FSC	S2090	✦BG40Wh Imp FSC	Full Deckle	✓	1000			•		1 roll x 1000mm x 1000m	
AAC544 (MW2627)	TT Plus Premium\	AP104	BG40Wh	Full Deckle	✓	1000			•		1 roll x 1000mm x 1000m	
Foil												
AAG773 (SW7339F)	Bright Silver Foil Prime	M3300	✦BG40Wh Imp FSC	Full Deckle	✓	495, 1000			•		1 roll x 495mm x 500m	
Others												
AAC075 (OW2150)	Matte Inkjet Paper	AP103	BG40 Wh Imp	Full Deckle	✓	1070			•		1 roll x 1070mm x 500m	
AAC558 (OW2350)	Gloss Inkjet Paper	AP103	BG40 Wh imp	Full Deckle	✓	1070			•		1 roll x 1070mm x 500m	
AAH996 (SW7039F)	✦Metallica FSC	S2090	✦BG40Wh Imp FSC	Indent		1000					• 1 roll x 1000mm x 2000m	
OW2180	Matte Inkjet Paper Premium	AP103	BG40Wh Imp	Indent		1530					• 1 roll x 1530mm x 2000m	

Variable Information Printing

Variable Information Printing												
Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	1500		
Direct Thermal												
AAH905 (NW0045F-N)	✳️Direct Thermal 150RL FSC	S2025N	✳️BG40Wh Imp FSC	EXACT	✓	1525			•		1 roll x 1000m	
AAD921 (NW0066F)	✳️Direct Thermal 150RL FSC	S2025N	✳️BG33Wh Imp FSC	EXACT	✓	1525			•		1 roll x 1000m	
AAH917 (NW0080F)	✳️Direct Thermal 200GPL FSC	S2010N	✳️BG33Wh Imp FSC	Full Deckle	✓	1525			•		1 roll x 1525mm x 1000m	
AAH904 (NW0033F)	✳️Direct Thermal Premium FSC	S1010	✳️BG40Wh Imp FSC	Full Deckle	✓	1525			•		1 roll x 1525mm x 500m	
AAH908 (NW0050F)	✳️Direct Thermal 200WS FSC	S1010	✳️BG40Wh Imp FSC	EXACT	✓	1525			•	•	1 roll x 500m	
AAH919 (NW0083F)	✳️Direct Thermal 200LL FSC	S2025N	✳️BG33Wh Imp FSC	Indent		1525			•		1 roll x 1525mm x 2000m	
AAH992 (SW7005AF)	✳️Baggage Tag Elite FSC	S2025N	✳️BG40Wh FSC	Indent		1525			•	•	1 roll x 1525mm x 6000m	
AAH918 (NW0081)	Baggage Tag 300N	S2025N	✳️BG40Wh FSC	Full Deckle	✓	1525			•		1 roll x 1525mm x 1000m ➡️ to NW0092 in Sep'25	
AAH533 (NW0092)	rDT300N	S2025N	✳️BG40Wh FSC	Full Deckle	✓	1525			•		1 roll x 1525mm x 1000m ➡️ from NW0081 in Sep'25	
Thermal Transfer												
AAH584 (MW0035F)	✳️Premium Transtherm 1C FSC	S2090	✳️BG40Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m	
AAH610 (MW1616F)	✳️Transtherm 2C FSC	S2090	✳️BG40Wh FSC	EXACT	✓	1525			•	•	1 roll x 500m	
AAD855 (MW0066F)	✳️Transtherm Plus FSC	S1010	✳️BG40Wh Imp FSC	EXACT	✓	1525			•		1 roll x 1000m	
AAD918 (MW0069F)	✳️Transtherm Plus FSC	S2025N	✳️BG40Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m	
AAI031 (SW7334F)	✳️Transtherm Plus FSC	S1010	✳️BG40Wh FSC	EXACT	✓	1525			•		1 roll x 1000m	

Prime Film

Prime Film

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Semi Conformable Clear													
AAD953 (BW0153)	Synthetic Paper	S4700N	✳️BG40Wh Imp FSC	EXACT	✓	1525	•	•			1 roll x 500m		
AAG826 (BW0264)	Synthetic Paper 65	S4700N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAG829 (BW0270)	3 Mil Synthetic Paper	S4700N	✳️BG40Wh Imp FSC	EXACT	✓	1525	•	•			1 roll x 500m		
AAG833 (BW0277)	3 Mil Synthetic Paper	S2060	✳️BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAG843 (BW0295)	Synthetic Paper	S692N	✳️CCK130Wh Imp FSC	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m		
AAC788 (BW0151)	Primax® 300	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAG865 (BW7005)	PP Top Matte White	S692N	✳️BG33Wh Imp FSC	EXACT	✓	1525	•	•			1 roll x 500m		
Rigid White													
AAG879 (BW7032)	rPP Top White	S692N	✳️BG33Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAG902 (BW7106-M)	PP50 Top Pearlized White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAE728 (BW0174)	PPNg Top Pearlized White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAG824 (BW0255SN)	PP60 Top Pearlized White	SR3013N	✳️BG33Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m		
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Indent		1525				•	1 roll x 1525mm x 2000m		
AAG861 (BW7004)	PP60 Top White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•		•	1 roll x 1000m		
AAJ514 (BW7136)	PP60 Top White	S631	✳️BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAC795 (BW0227)	PP50 Top White	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525	•	•		•	1 roll x 500m		
AAG890 (BW7053)	PP50 Top Pearlized White	S3010N	✳️BG33Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
BW7054	PP50 Top Pearlized White	SR3013	✳️BG33Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m		
AAD934 (BW0293)	Opalux 55	S692N	✳️BG40Wh Imp FSC	EXACT	✓	1525		•		•	1 roll x 1000m		
AAG859 (BW7001)	PP50 Top White	S692N	✳️CCK130Wh Imp FSC	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m		
AAG866 (BW7015)	PP60 Top White	S692N	✳️BG40Wh FSC	EXACT	✓	1525	•	•			1 roll x 500m		
AAG825 (BW0259)	PP40 Top Matte White	S692N	✳️BG40Wh Imp FSC	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m		

Prime Film (continued)

Prime Film (continued)

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Rigid Clear													
AAG815 (BW0237)	PPNg Top Trans	S692N	PET23	Indent		1505					• 1 roll x 1525mm x 2000m	Width 1525mm >> 1505mm	
AAG570 (BW0230)	PPNg Top Trans	S692N	PET30	Full Deckle	✓	505, 1525	•				1 roll x 505mm x 500m		
AAG894 (BW7072)	PP50 Top Trans	SR3013N	*BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG896 (BW7081)	PP50 Top Trans	SR3013N	rPET23	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG573 (BW0266A)	PP50 TC Clear	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
AAG80 (BW7017)	PP40 Top Clear	S692N	*BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
BW7097	PP40 Top Clear	S7210	rPET23	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG877 (BW7026)	PP40 Top Clear	S631	rPET23	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG858 (BW7000)	PP50 NTC Clear	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			• 1 roll x 1000m		
AAG814 (BW0236)	PP30 Clear NTC	S692N	*BG50Wh FSC	EXACT	✓	1000	•				• 1 roll x 500m		
AAG732 (SY7025N)	Overlaminating Matte PP	S6800	*BG40Wh Imp FSC	Full Deckle	✓	1525	•				1 roll x 1525mm x 500m		
AAG793 (BW0112N)	Overlaminating Gloss PP	S6800	*BG40Wh Imp FSC	EXACT	✓	1525	•				1 roll x 500m		
AAG881 (BW7034)	PPNG Top Trans	S692N	*CCK130Wh Imp FSC	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m		
AAG782 (BW0062)	PPNg Top Trans	S692N	*BG40Wh Imp FSC	EXACT	✓	1525	•	•			1 roll x 500m		
AAD291 (BW0223)	PPNG Top Trans	S3000	*BG40Wh Imp FSC	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m		
BW7056	PP40 Top Clear	SR3013N	*BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
BW7055	PP40 Top Clear	SR3013N	rPET23	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG812 (BW0231)	PP30 Clear TC	S692N	*BG40Wh Imp FSC	Indent		1000					• 1 roll x 1000mm x 2000m		
AAG807 (BW0226)	PP30 Clear NTC	S692N	*BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
Rigid Silver													
AAG820 (BW0243)	PP50 Top Silver	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			• 1 roll x 1000m		
AAG830 (BW0272)	PP TC Silver Elite	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			1 roll x 1000m		
BW7002	PP50 Metalized Top XK	S692N	*CCK130Wh Imp FSC	Indent		1000					• 1 roll x 1000mm x 2000m		
Semi Conformable Clear													
AAC784 (BW0183)	Global Co-Ex™ Clear NTC	S692N	*BG40Wh Imp FSC	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m		
AAG868 (BW7016)	Flex+ Clear NTC	S692N	*BG33Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG873 (BW7020)	Flex+ Clear NTC	S692N	PET23	Indent		1505					• 1 roll x 1505mm x 2000m	Width 1525mm >> 1505mm	
AAG884 (BW7039)	Flex+ Clear NTC	SR3013	*BG33Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG887 (BW7042)	Flex+ Clear NTC	SR3013	rPET23	Indent		1525					• 1 roll x 1525mm x 2000m		
AAG800 (BW0150)	FasClear® 300	S692N	*BG40Wh Imp FSC	Full Deckle	✓	1525	•				1 roll x 1525mm x 500m		
AAG781 (BW0060)	FasClear® 250	S692N	*BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
Semi Conformable White													
AAG874 (BW7022)	Flex+ White NTC	S692N	*BG33Wh Imp FSC	EXACT		1525		•			1 roll x 1000m		
AAG876 (BW7023)	Flex+ White NTC	S692N	PET23	EXACT		1525		•			1 roll x 1000m		
AAG889 (BW7051)	Flex+ White NTC	SR3013	*BG33Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
Conformable White													
AAG790 (BW0064)	PE85 Top White	S692N	*BG40Wh Imp FSC	Full Deckle	✓	1525	•				1 roll x 1525mm x 500m		
AAG798 (BW0147)	PE85 NTC White	S692N	*BG40Wh Imp FSC	EXACT	✓	1525		•			• 1 roll x 1000m		
AAG842 (BW0291)	PE75 NTC White	S692N	*BG33Wh Imp FSC	EXACT	✓	1525		•			• 1 roll x 1000m		
Conformable Clear													
AAD290 (BW0146)	PE85 NTC Trans	S692N	*BG40Wh Imp FSC	EXACT	✓	1505		•			1 roll x 1000m	Width 1525mm >> 1505mm	
AAG840 (BW0290)	PE75 NTC Trans	S692N	*BG33Wh Imp FSC	EXACT	✓	1505		•			1 roll x 1000m	Width 1525mm >> 1505mm	
AAG792 (BW0065)	PE85 Top Trans	S692N	*BG40Wh Imp FSC	Indent		1525					• 1 roll x 1525mm x 2000m		
Conformable Silver													
AAC355 (BW9320A)	Bright Silver PE85 TC	AF101	*BG40Wh Imp FSC	Indent		1000					• 1 roll x 1000mm x 2000m		

Specialty Film

Specialty Film												
Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							250	500	1000	1500		
Synthetic Paper												
AAG730 (SY7050N)	Synthetic Paper	R480	✳️BG40Wh Imp FSC	Full Deckle	✓	495, 1000	•					1 roll x 495mm x 500m
AAG834 (BW0278)	Synthetic Paper TR75	C2075	✳️BG40Wh Imp FSC	Indent		1525						• 1 roll x 1525mm x 2000m
AAG733 (SY7022)	Synthetic Paper II	C7501	✳️BG40Wh Imp FSC	Full Deckle	✓	1000	•					1 roll x 1000mm x 500m
AAG724 (SY7074M)	Synthetic Paper	AT20	✳️BG40Wh Imp FSC	Full Deckle	✓	505, 1525	•					1 roll x 505mm x 500m
AAG711 (SY7122)	WBIJ synthetic paper	S4700F	✳️BG40Wh Imp FSC	Full Deckle	✓	1525	•					1 roll x 1525mm x 500m
SY7151	WBIJ Synthetic Paper	S4700F	✳️CCK55 IMP FSC	Indent		1000						• 1 roll x 1000mm x 2000m
AAG916 (BW7567)	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	Indent		1070						• 1 roll x 1070mm x 2000m
AAH286 (BW7667)	Synthetic Paper7 TC	SR136	BG50#WH Ni	Indent		1070						• 1 roll x 1070mm x 2000m
AAB819 (BW7517)	Synthetic Paper7 NTC	SR106	BG50#White ni	Indent		1530						• 1 roll x 1530mm x 3000m
AAG734 (SY7021)	Synthetic Paper II	S4700N	✳️BG40Wh Imp FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 1000m
AAK041 (ADS1389)	Synthetic Paper 3 TC	HP104	BG40# Wh Imp	Full Deckle	✓	1530		•				1 roll x 1530mm x 1000m
Rigid White												
AAG729 (SY7051N)	PPNg Top White	R480	✳️BG40Wh Imp FSC	Full Deckle	✓	495, 1000	•					1 roll x 495mm x 500m
AAG707 (SY7138)	WBIJ PP Top Gloss White	S4700F	✳️BG40Wh Imp FSC	Indent		1000						• 1 roll x 1000mm x 2000m
SY7152	WBIJ PP Top Gloss White	S4700F	✳️CCK55 IMP FSC	Indent		1000						• 1 roll x 1000mm x 2000m
AAC999 (AD980)	TRANSFER PP	AL171	BG40WH	Indent		1000		•				1 roll x 1000mm x 1000m
AAH288 (BW7678)	100u White PP TC	SR136	BG50#WH Ni	Indent		1070						• 1 roll x 1070mm x 2000m
AAC783 (AZ452)	PP TOP WHITE	S2196	BG40Wh	Indent		1000		•				1 roll x 1000mm x 1000m
Rigid Clear												
AAG731 (SY7049)	PPNg Top Trans	R480	✳️BG40Wh FSC	Full Deckle	✓	495, 1000	•					1 roll x 495mm x 500m
AAG917 (BW7569)	50um BOPP Clear TC	SR133	BG50#Wh Ni	Indent		1530						• 1 roll x 1530mm x 2000m
AAH287 (BW7669)	50u Clear PP TC	SR136	BG50#WH Ni	Indent		1070						• 1 roll x 1070mm x 2000m
BW5203	Clear BOPP	UR136	BG50# WH imp	Indent		1070						• 1 roll x 1070mm x 2000m
AAB826 (BB624)	PP LIGHT TOP CLEAR	S2196	BG40Wh	Indent		1000		•				1 roll x 1000mm x 1000m
AAH135 (AW404)	DIG WBIJ PP TOP CLEAR	S692N	BG40WH	Indent		1000		•				1 roll x 1000mm x 1000m
Semi Conformable White												
AAG614 (072197)	TransCode®	S475	50#SCK	Full Deckle	✓	1372	•					1 roll x 1372mm x 500m
Polyester (PET) Clear												
BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	Indent		1070						• 1 roll x 1070mm x 2000m
AAG915 (BW7534)	100u Clear PET TC	SR123	80g glassine liner Imp	Indent		1070		•				1 roll x 1070mm x 1000m
AAG927 (BWS1324)	45um PET TC	S6000	PET30 ni	Indent		1000						• 1 roll x 1000mm x 2000m
Conformable White												
AAG710 (SY7123)	PE75 White NTC	S477A.MB	✳️BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 2000m
AAG694 (SY7179)	PE HD TAMPER EVIDENT	S700N	✳️BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 1000m
Conformable Clear												
SY7188	PE75 Trans NTC	S477A.MB	✳️BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 2000m
Direct Thermal												
SY7006	Polythermal	S692N	PET30	Indent		1000						• 1 roll x 1000mm x 2000m
Holographic												
AI307	FLEXSECURE HOLOGRAPHIC	S700	BG45WH	Indent		790		•				1 roll x 790mm x 1000m

Specialty Film (continued)

Specialty Film (continued)

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Others													
AAH991 (079032)	Matte White Inkjet Medical Film	P902	40#SCK	Indent		1524				•		1 roll x 1524mm x 1280m	
AAI023 (079348)	5M Matte Wh Kimdura Inkjet	S4600	50#SCK	Indent		1524		•				1 roll x 1524mm x 508m	
AAH579 (077412)	Laser Code Drum label TC	S4600	50#MF	Indent		1372		•				1 roll x 1372mm x 508m	
Rapid Roll													
RYB614	Direct Thermal PP TC	-	-	Indent		1525			•		•	1 roll x 1525mm x 6000m	

Durable Film

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
AAH703 (MZ0111N)	1M CL PET TC	S8020	BG40Wh Imp	EXACT	✓	1525	•					1 roll x 500m	
AAH698 (MZ0111)	1M CL PET TC	S8020	PET30	Full Deckle	✓	1505	•					1 roll x 1505mm x 500m	Width 1525mm >> 1505mm
AAH705 (MZ0112)	1M Matte PET	S8020	G80	EXACT	✓	1065	•					1 roll x 500m	
AAH678 (MZ0102)	2M WH PET TC	S333	BG50Wh	EXACT	✓	1000	•					1 roll x 500m	
AAG472 (40443)	2M White PET TC	S730	50#SCK ABC	Full Deckle	✓	1372	•					1 roll x 1372mm x 500m	
AAG462 (70353C)	2M WH PET TC	R143	BG50Wh	Full Deckle	✓	1372	•					1 roll x 1372 mm x 500m	
AAH665 (MZ0097.1000)	50micron MAT WH PET TC	S333	✱BG50WH FSC ni	Full Deckle	✓	495, 1000	•					1 roll x 495mm x 500m	
AAB975 (MZ0104)	2M MAT CH PET TC	S333	BG50Wh	EXACT	✓	1000	•					1 roll x 500m	
AAG526 (AMH3602)	2M White VOID PET TC	Transferable Permanent	CK40	Indent		1000		•				1 roll x 1000mm x 1000m	
AAH577 (LMH9602)	2M Matte Chrome VOID PET	Transferable Permanent	CK40	Indent		1000		•				1 roll x 1000mm x 2000m	
AAH859 (MZ2000W)	1M Matte White PI HTC	S8088S	BG50# WH ni	Ready Width	✓	250, 500	•					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAD051 (MZ2001W)	1M Gloss White PI HTC	S8088S	BG50# WH ni	Ready Width	✓	250, 500	•					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAC035 (MZ2002W)	2M Matte White PI HTC	S8088S	BG50# WH ni	Ready Width	✓	250, 500	•					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAC728 (MZ2003W)	2M Gloss White PI HTC	S8088S	BG50# WH ni	Ready Width	✓	250, 500	•					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
AAG944 (75849)	3 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent		1372	•					1 roll x 1372mm x 508m	
AAG954 (75850)	5 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent		1372	•					1 roll x 1372mm x 508m	
AAI034 (79453)	2M PET TC	S8049	50#SCK	Indent		1372	•					1 roll x 1372mm x 508m	
AAG498 (ADS1415)	Tamperfas Vinyl Film	Permanent	BG50#WH ni	Ready Width	✓	80, 100, 120, 1070						1 roll x 400m	
AAD537 (BW9664.1000)	3mil Synthetic Paper	S333	BG50Wh	Full Deckle	✓	1000					•	1 roll x 1000mm x 2000m	
AAH040 (ADS1621)	1mil Clear PET TC	P8030EX	PET23	Ready Width		214, 535	•					1 roll x 214mm x 500m	
AAH903 (MZS2601)	50mic White PET TC	UP601	BG50WH	Ready Width		255, 1530		•			•	1roll x 500m	
AAG488 (41044)	2M Matte Chrome PET TC	S730	50#SCK	Indent		1372	•					1 roll x 1372mm x 508m	
AAG625 (72800)	Primax® 350	R143	50#SCK	Indent		1372	•					1 roll x 1372mm x 500m	
AAH928 (78197)	2M White Checkerboard PET TC	S8015W	50#SCK	Full Deckle	✓	1372	•					1 roll x 1372mm x 500m	
AAI013 (79325)	1 Mil Clear UV PET	S3000	1M PET	Indent		1524	•					1 roll x 1524mm x 508m	
AAG474 (79534)	2 Mil Matte Chrome Polyester TC	S8049	50#SCK	Indent		1372	•					1 roll x 1372mm x 508m	
AAI042 (81127)	2M White PET TC	R143NC	1.5M PET	Full Deckle	✓	1372	•					1 roll x 1372mm x 500m	
AAG996 (ADS1403)	Polyimide II WH TC14	S8088	PET50 ni	Indent		1000		•				1 roll x 1000mm x 1000m	
AAG997 (ADS1409)	Tamperfas Film	Permanent	BG50#WH ni	Indent		1070		•				1 roll x 1070mm x 1000m	
AAG496 (ADS1410)	25mic Matte White VOID PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•				1 roll x 1070mm x 1000m	
AAC300 (ADS1412)	38mic Matte Red "VOID OPEN" PET TC	Non-Transfer Perm	BG50Wh ni	Indent		1070		•				1 roll x 1070mm x 1000m	
AAD072 (ADS1413)	38mic Matte Blue "VOID OPEN" PET TC	Non Trans. Perm.	BG50Wh ni	Indent		1070		•				1 roll x 1070mm x 1000m	
AAG998 (ADS1414)	25mic Clear VOID PET TC	Non-Transferable Perm	BG50Wh ni	Indent		1070		•				1 roll x 1070mm x 1000m	
AAC653 (ADS1419)	38mic Matte Red "VOID OPEN" PET TC	Transferable Perm	BG50Wh ni	Indent		1070		•				1 roll x 1070mm x 1000m	

Durable Film (continued)

Item	Description Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
AAH003 (ADS1434)	Tamperfas Vinyl Film EZ MX	Permanent	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	
AAB838 (ADS1437)	25mic Gloss White VOID Neg PET TC	Transferable Perm	BG50Wh ni	Full Deckle	✓	1070			•			1 roll x 1070mm x 1000m	
AAG502 (ADS1454S)	50mic Bright Silver VOID	Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	
AAG740 (SY5003N.1525)	Barrier Foil 25 micron White PET TC	TS79N	P140 WH imp	Full Deckle	✓	1525			•			1 roll x 1525mm x 2000m	
AAG739 (SY5008)	Barrier Foil 25 micron White PET TC	TS79N	BG50Wh DOUBLE SIL	Indent		1525			•			1 roll x 1525mm x 2000m	
AAC318 (SD8310.1525)	PPNg Top White	TS79N	BG50Wh	Indent		1525			•			1 roll x 1525mm x 2000m	
AAH706 (MZ0152-W)	1M MAT CH PET TC	S333	BG50Wh	Full Deckle	✓	1000			•			1 roll x 1000mm x 500m	
AAH740 (MZ0207)	2M MAT CH PET TC	S2060	BG40Wh Imp	Full Deckle	✓	500, 1500			•			1 roll x 500mm x 500m	
AAH450 (MZ0321)	Polycarbonate	S333	30mic PET	Indent		1070				•		1 roll x 1070mm x 2000m	
AAH808 (MZ0363)	50um White FR PET TCY	S8025	BG50Wh	Indent		1070			•			1 roll x 1070mm x 1000m	
AAH835 (MZ1067A)	2MCLPETTC3	S8020	G80	Indent		1065						1 roll x 1065mm x 3000m	
AAH477 (MZ2000G)	25mic Light Green PI HT	S8080	BG50Wh	Indent		308			•			1 roll x 308mm x 500m	
AAD060 (OZ2120)	100mic Inkjet Synthetic Paper	AF101	BG40Wh Imp	Full Deckle	✓	1530			•			1 roll x 1530mm x 500m	
AAD280 (SY0035)	Foamtac II	AP104	BG40#White ni	Indent		1000			•			1 roll x 1000mm x 1000m	
AAG508 (ADS1559)	PET Tag 125 Top White			Full Deckle	✓	1390						• 1 roll x 1390mm x 2000m	
AAG511 (ADS1587)	150mic Matte White PP BS coated			Indent		1075						1 roll x 1075mm x 3000m	
*BAA875 (ADS1676)	2mil WH PET TC	P8030EX	BG50WH	EXACT		1070			•			1 roll x 500m	
*BAA845 (ADS1677)	2mil MAT CH PET TC	P8030EX	BG50WH	EXACT		1070			•			1 roll x 500m	
*(ADS1678)	2mil CL PET TC	P8030EX	BG50WH	Ready Width		214, 535			•			1 roll x 214mm x 500m	
*AAH518 (MZS903)	50 micron White PET TCY	S692N	Embossed Polycoated liner ni	Ready Width		214, 535			•			1 roll x 214mm x 500m	
*(ADS1680)	1mil WH PET TC	P8030EX	BG50WH	Ready Width		214, 535			•			1 roll x 214mm x 500m	
*(ADS1681)	1mil MAT CH PET TC	P8030EX	BG50WH	Ready Width		214, 535			•			1 roll x 214mm x 500m	

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas

New Approaches

New Products

New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Singapore (Pte) Ltd.
Email: cs.sg@ap.averydennison.com

Find more label solutions at
label.averydennison.com



#MakingPossible

© 2025 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



MAKING POSSIBLE™