Avery Dennison
Label and Packaging Materials
Product Services Guide

# **Product Services Guide**

Australia August 2023





# Introduction

Welcome to the August 2023 Product Services Guide. This Guide was created to provide you with a single document to inform you of the core product portfolios of Avery Dennison Label and Packaging Materials Australia.

## How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking location	Sustainable ADvantage	Comments
F12826.1525		S2045	BG40WH N	FULL DECKL	E 1525	1525		VIC QLD	Adhesive is manufactured with at least 30% sustainable	и
				EXACT		500	1500/3000	VIC QLD	certified biomass	,
				READY WIDTH	4 <u>1</u>	500		WA		

#### Item:

The item number identifies the product on your delivery documents and invoices.

### Facestock:

Identifies the facestock used in the construction.

#### Adhesive:

Identifies the particular adhesive used in the construction.

### Liner:

When liner codes end in the letter 'N' this signifies a nil imprint. PET liners never have a backprint.

## **Service Program:**

### • FULL DECKLE

Signifies the product is sold with the complete web width and the minimum length of 1000 metres. The trim will be charged, but not dispatched unless requested on your purchase order.

#### EXACT

Items are sold in any width with fixed lengths that vary for each program.

#### READY WIDTH

Offers slit rolls in set widths and lengths. See Ready Width section for details.

### HALF MASTER

Reduces the minimum order quantity (MOQ) by half. Half Master of a 1525mm wide item allows you to purchase from a master that is only 762mm wide by 1000 metres.

### Width (mm):

Identifies the available width(s)

### MOQ (m<sup>2</sup>):

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

### Length (m):

Identifies the length in lineal meters, offered in a service program

## **Stocking Location:**

The AD site the product is stocked in

### **Sustainable Advantage Products**

Indicates the Sustainable ADvantage categories that the product falls under. See page 4 for more information.

#### FSC® certified facestock or liner

\*Only the products identified as such count with Forest Stewardship Council® certification.



The mark of responsible forest

### **Comments:**

This column will also highlight any notice of impending change to the final facestock, adhesive or liner.

# **Additional Service Programs**

#### Mix and Match

Avery Dennison has the capability to produce custom products to meet your requirements. Please contact your Avery Dennison representative to discuss the possibilities of unique product constructions to meet your requirements.

## **Express Indent**

Airfrieght options are available in order to meet your requirements. Please refer to your Avery Dennison representative for further information.

# **Need more information?**

## **Business Support Team**

Avery Dennison has a Business Support Team ready to answer your enquiries.

Call them today to discuss product availability, ordering process or anything else you require.

1300 369 984

Mon to Fri 7.30am - 5.00pm AEST (excluding Australian Public Holidays)

### **Account Business Managers**

#### Victoria

Lynn Doney 0418 344 345 Angela Liodakis 0417 486 259

#### **New South Wales**

Sarah Baserdem 0405 317 600

### Queensland

Tony Cook 0488 390 230

#### **South Australia**

Simon Harris 0409 634 097

### **Business Support Manager**

#### Australia & New Zealand

Rhea Alwyn 0409 782 008

## **Account Enquiries**

#### Australia & New Zealand

P: 03 9271 0312

receivables.aust@ap.averydennison.com

### **Technical Support**

#### Australia & New Zealand

Steve Brook 03 9271 0300

#### Contact us:

#### **Australia**

4 Duigan Drive Moorabbin Airport VIC 3194 P: 1300 369 984

aus.sales@ap.averydennison.com

### label.averydennison.com

# Data & Specification Sheets

Click the product codes listed in this document to view specification sheets, or scan the QR code to search our online Product Finder.

## **Product Samples**

Should you require any samples of the products listed in this brochure please contact your local Avery Dennison representative.

## Pallet Pick Up

#### aus.sales@ap.averydennison.com

Should you have pallets for return, please ensure they are loaded onto the dedicated Avery Dennison truck when you receive your next delivery of stock. Please note: courier deliveries are excluded from this service.



Look for the marked Sustainable ADvantage products in this Product Services Guide



# **Enables Recycling, Reuse or Compostability**

What we use can be used again.

Solutions that enhance recyclability and enable reuse and recycling of packaging as well as the recycling and composting of label waste



## Reduction in the use of materials

Use only what is necessary.

Thinner facestock, adhesive, or liner that uses less raw materials to be manufactured



# **Contains recycled content**

Give a second life to what has already been used.

Facestocks and liners that include post-industrial waste or post-consumer recycled content



# Responsibly sourced

Products sourced from a supply chain that shows care for people and the environment.

Film made from renewable alternatives and paper certified by FSC® or other organizations



# **AD Gloss Plus FSC**

The next generation in gloss papers



- A cost effective 80gsm high gloss paper that exhibits high gloss levels post varnish
- Uncompromised converting performance, comparable printability
- Provides good resistance to edge wicking
- Good scuff and environmental resistance when offered with a suitable varnish
- Forest Stewardship Council (FSC) Certified a responsibly sourced paper
- Greater supply capacity to fulfill product demand addressing diminishing global capacity in cast gloss category
- Applications: Suitable for a variety of applications, including:
  - Food & beverage
  - Personal Care
  - Pharma
  - Wine
  - General Purpose

	Cast Coated	Gloss Plus	Semigloss
Glossiness (unprinted)	90%	80-83%	<65%
Glossiness (post varnish)	****	****	***

# New Products $^{\wedge}$

Prime Papers	Item	Facestock	Adhesive	Liner
Gloss Papers	F13806.1525	AD GLOSS PLUS FSC	S2045	BG40WH N
	F13813.1525	AD GLOSS PLUS FSC	rET9MB	rPET30
Semi-Gloss Papers	AW0320FM	AD MC70 FSC	S1005	BG40WH
	F18900.1525	AD rMC FSC	S2045N	BG33WHN

## **Prime Films**

Conformable Films	BW7016	Flex+ Clear NTC	S692N	BG33Wh Imp
	BW7022	Flex+ White NTC	S692N	BG33Wh Imp

## **Variable Information Papers**

Direct Thermal Paper	F33011.1525	AD DT60 T FSC	S2049	BG33WHN
Direct Thermal Linerless	NW5900	Premium Therm TC25 Linerless	HP103	-


# **Product Transitions** >>

Prime Pa	apers	Item	Facestock	Adhesive	Liner	Variable	Information F	Papers			
Gloss Papers	Complete	F10968.1000 F10968.1525	HIGH GLOSS WHITE FSC	R5000	BG40WH N	Direct Thermal Paper	Complete	F33564.1525 F33664.1525	DT200GP FSC  AD DT150RL FSC	rET9MB ↓ rET9	BG33WH NF BG33WH N
Semi- Gloss Papers	Q4,2023	F18829.1525 F18828.1525	MC PRIMECOAT FSC  AD MC70 FSC	S2049	BG33WH N	-	Complete	F33071.1000 F33071.1525	DT200HD FSC	R5000	BG40WH NF
	Q4,2023	F18826.1525 F18827.1525	MC PRIMECOAT FSC  AD MC70 FSC	S2045N	BG33WH N	-	Complete	F30310.1525 F32300.1525	DT200GP FSC AD DT150RL FSC	S2049	BG33WH NF BG33WH N
Vellum	Complete	F21733.1000 F21733.1525	SUPER VELLUM FSC	R5000	BG40WH N	Thermal Transfer Paper	Complete	F22471.1000 F22471.1525	TT ELITE FSC	R5000	BG40WH N
Prime Fi	lms					<u>Variable</u>	Information F	Films			
Rigid White Films	Complete	F62404.1000 F62404.1525	OPALUX 80N	SR2	BG40WHN	Laser / Inkjet Film	Q3, 2023	OZS200.1070 OZS200	100um IJ SYN PAPER	AF101	BG40WH N
Rigid Clear Films	Complete	F5418.1000 F5418.1525	PP50 TC CLEAR	SR2	BG40WH	Thermal Coated Films	Complete	F31200.1000 F31200.1525	SYNTHETIC PAPER	SR2	BG40WH N
Vinyl (PVC)/ Metallised BOPP/	Complete	BW0272 ↓ BW0272A	PPTC SILVER ELITE	S692N	BG40WH	Wine Po	rtfolio				
Digital - Film	Complete	F64694.1525 BW0273A	PP TC SILVER ELITE	S692N	rPET30N	Uncoated Paper	Q1, 2024	F29233.1525 F29333.1525	ESTATE #8 FSC  ARTISAN FSC	S2047	BG40WH N

# **Prime Papers**


	Item Cast Coat	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking location	s	ustain	able ADvantage	Comments
$\stackrel{\wedge}{\sim}$	F13806.1525	* AD GLOSS PLUS FSC	S2045	BG33WH N	FULL DECKLE	1525	1525		VIC QLD	(2)	₩	Adhesive is manufactured with at least 30% sustainably	Added EXACT!
					EXACT		500	1500/3000	VIC QLD			certified biomass	
$\stackrel{\wedge}{\sim}$	F13813.1525	AD GLOSS PLUS FSC	rET9MB	rPET30	FULL DECKLE	1525	1525		VIC	(2)			
	F12826.1525	♦ HIGH GLOSS WHITE FSC	S2045	BG40WHN	FULL DECKLE	1525	1525		VIC QLD			Adhesive is manufactured with at least 30% sustainably	
					EXACT		500	1500/3000	VIC QLD			certified biomass	
					READY WIDTH	1	500		WA				
	F12828.1525	♦ HIGH GLOSS WHITE FSC	S2049	BG40WHN	FULL DECKLE	1525	1525		VIC QLD			Adhesive is manufactured with at least 30% sustainably	
					EXACT		500	2000	VIC QLD			certified biomass	
					READY WIDTH	1	500		VIC WA				
	F12822.1525	♦ HIGH GLOSS WHITE FSC	C2075	BG40WHN	FULL DECKLE	1525	1525		VIC QLD			Adhesive is manufactured with at least 30% sustainably	
					HALF MASTER	762	762	1000	VIC QLD			certified biomass	
	F12820.1525	♦ HIGH GLOSS WHITE FSC	rET9MB	BG40WHN	FULL DECKLE	1525	1525		VIC QLD	(	<b>₩</b>	Adhesive is manufactured with at least 30% sustainably	
					READY WIDTH	1	500		VIC QLD			certified biomass	
	F10968.1525	* HIGH GLOSS WHITE FSC	R5000	BG40WH N	FULL DECKLE	1000	1000		VIC QLD				from 1000mm wide
	AA042	<b>∦HGW PREMIUM FSC</b>	R100	BG40BR	FULL DECKLE	1000	1000		VIC				
	Semi-Gloss Par	pers											
$\stackrel{\wedge}{\sim}$	AW0320FM	AD MC70 FSC	S1005	BG40WH	FULL DECKLE	1525	1525		VIC				
	F18829.1525	*MC PRIMECOAT FSC	S2049	BG33WHN	FULL DECKLE	1525	1525		VIC QLD	(2)	₩	Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner	DD to F18828.1525 in Q4
	F18826.1525	*MC PRIMECOAT FSC	S2045N	BG33WH N	FULL DECKLE	1525	1525		VIC QLD	(2)	₩	Adhesive is manufactured with at least 30% sustainably	DD to F18827.1525
					EXACT		500	1500/3000	VIC QLD			certified biomass Reduction in gsm of liner	in Q4
					READY WIDTH	Ţ	500		WA	<b>.</b>			
$\stackrel{\wedge}{\sim}$	F18900.1525	*AD rMC FSC	S2045N	BG33WHN	INDENT	1525	1525			# B (			Available via indent


















# Prime Papers (continued)

Item Light Weight	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking location	Sustaina	able ADvantage	Comments
F16502.1525	*LW60 FSC	S2045	BG40WH N	FULL DECKLE	1525	1525		VIC	-	Adhesive is manufactured with at least 30% sustainably	
				HALF MASTER	762	762	1000	VIC		certified biomass	
				READY WIDTH	1	500		VIC			
Vellum											
F2008.1000	*SUPER VELLUM FSC	ET9	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	₩		
F21733.1525	* SUPER VELLUM FSC	R5000	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			from 1000mm wide
AA016	* VELLUM EXTRA FSC	R100	BG40BR	FULL DECKLE	1000	1000		VIC	₩		
Coloured & Spe	ecialty Papers										
F45520.1000	*RADIANT YELLOW FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	₩		
				READY WIDTH	Ţ	500		VIC QLD WA			
F45521.1000	*RADIANT ORANGE FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	₩		
				READY WIDTH	Ţ	500		VIC QLD WA			
F45522.1000	<b>∦RADIANT GREEN FSC</b>	S2090	BG40WHN	FULL DECKLE	1000	1000		VIC QLD			
				READY WIDTH	1	500		VIC QLD WA			
F45523.1000	<b>∦ RADIANT RED FSC</b>	S2090	BG40WHN	FULL DECKLE	1000	1000		VIC QLD			
				READY WIDTH	1	500		VIC QLD WA			
F45524.1000	<b>∦RADIANT PINK FSC</b>	S2090	BG40WHN	FULL DECKLE	1000	1000		VIC QLD			
				READY WIDTH	1	500		VIC QLD WA			
AD640	<b>∜TYRE PLUS FSC</b>	TS79	∗BG45WHF	FULL DECKLE	1000	500		VIC QLD	₩		
				READY WIDTH	1	500		VIC QLD			
BL251	∗MC90 OPQ FSC	S2660	BG40BR	FULL DECKLE	1000	500		VIC			

Search **AU Product Finder** 





















# **Prime Films**


Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking location	Sustain	able ADvantage	Comments
Conformable Film	ns										
F64526.1525	PRIMAX® PLUS	R5000	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			moved from 1000mm wide
AF435	PRIMAX ® I	UVR145	BG45WH	FULL DECKLE	1000	1000		VIC QLD			
				READY WIDTH	Ţ	500		WA			
BW0181	GCX CLEAR NTC	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
				READY WIDTH	1	500		VIC QLD			
BW0182	GCX WHITE NTC	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
				EXACT		500	2000	VIC QLD			
BW7016     BW	Flex+ Clear NTC	S692N	BG33Wh Imp	FULL DECKLE	1525	1525			(2)		
<u></u> ₩7022	Flex+ White NTC	S692N	BG33Wh Imp	FULL DECKLE	1525	1525			[]		
AQ995	POLYEXACT WHTC	S692N	BG40WH N	FULL DECKLE	1000	1000		VIC		Adhesive meets APR HDPE Critical Guidance criteria	
AQ996	POLYEXACT CL TC	S692N	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
Rigid White Films	<b>;</b>										
F64226.1525	rPP TOP WHITE	SRP	BG33WHN	FULL DECKLE	1525	1525		VIC QLD	# B Ø ♥	Facestock contains 30% recycled content	
				EXACT		500	2000	VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
				READY WIDTH	Ţ	500		WA		Reduction in gsm of liner	
BW7045	PP60 Top Pearlized White	SR3013	BG33Wh Imp	FULL DECKLE	1525	1525	1000	VIC	ji [7]	Cleanflake technology enables recyclability Reduction in gsm of liner	
F64228.1525	rPP TOP WHITE	SPX	BG33WHN	FULL DECKLE	1525	1525		VIC QLD	BØ♥	Facestock contains 30% recycled content	
				EXACT		500	2000	VIC QLD		Reduction in gsm of liner	
				READY WIDTH	Ţ	500		WA			
F79343.1525	PP60 WH NTC	SPX	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			
				EXACT		500	3000	VIC QLD			
F79347.1525	PP60 WH NTC	S692N	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
				EXACT		500	2000	VIC QLD		Critical Guidance Criteria	



















10


# Prime Films (continued)


Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking location	Susta	inable ADvantage	Comments
Rigid White Films	(continued)										
F62333.1525	PP80 WH NTC	S2045	BG40WHN	FULL DECKLE	1525	1525		VIC		Adhesive is manufactured with at least 30% sustainably certified biomass	To be discontinued Q4 2023
F62109.1000	OPALUX 80N	SRP	BG40WH N	FULL DECKLE	1000	1000		VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
				READY WIDTH	1	500		VIC QLD WA			
F62404.1525	OPALUX 80N	SR2	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			DD from 1000mm wide
				READY WIDTH	1	500		VIC QLD	P <sup>i</sup>		
F62119.1000	PEARLUX 80N	SRP	BG40WH N	FULL DECKLE	1000	1000		QLD		Adhesive meets APR HDPE Critical Guidance criteria	
Rigid Clear Films											
78635.990	1.6M CLEAR BOPPTC	S7400	0.92M PET	FULL DECKLE	990	990		VIC QLD		Reduction in gsm of facestock and liner Adhesive meets APR HDPE Critical Guidance criteria	
F3139.1525	PP50 TC CLEAR N	SRP	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	Previously called Polyglass
				EXACT		500	2000	VIC QLD		Ontical Guidance enteria	called Folgglass
BW7052	PP50 TC CLEAR	SR3013	BG33Wh Imp	FULL DECKLE	1525	1525	1000	VIC		Cleanflake technology enables recyclability Reduction in gsm of liner	
F5418.1525	PP50 TC CLEAR	SR2	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			Moved from 1000mm wide
				READY WIDTH		500		VIC QLD			Added Ready Width!
F1169.1525	PP OLF-20	SRP	BG40Wh Imp	FULL DECKLE	1525	1525		VIC QLD			
Vinul (PVC) / Met	tallised BOPP / Digital Fil	m									
AH932	PVC WHITE	S692N	BG40WH N	FULL DECKLE	1000	1000		VIC			
				READY WIDTH	Ţ	500		WA			
BW0272A	PPTC SILVER	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD			DD from
				READY WIDTH	Ţ	500	2000	VIC QLD			BW0272
BW0273A	PP TC SILVER ELITE	S692N	rPET30	FULL DECKLE	1525	1525		VIC QLD	Q	Liner contains recycled content	F64694.1525
BW0220.330	PP80 WH DIG	S692N	BG40WH N	FULL DECKLE	330	3 Rolls (pallet)	2000	QLD			



















# **Variable Information Papers**

	Item EDP Paper	Facestock	Adhesive	Liner		dth im)	MOQ (m²)	Length (m)	Stocking location	Sustaina	able ADvantage	Comments
-	AL306	*ZIG ZAG FSC	S2045	HF80 N	FULL DECKLE 100	00	1000		QLD		Adhesive is manufactured with at least 30% sustainably certified biomass	
	Direct Thermal Pa	aper										
	F33617.1525	*DT200HD FSC	S2049	*BG33WH NF	FULL DECKLE 152	25	1525		VIC QLD		Adhesive is manufactured with at least 30% sustainably	
					EXACT		500	1500/3000	VIC QLD		certified biomass Reduction in gsm of liner	
					READY WIDTH	Ţ	500		WA			
-	F33625.1525	*DT200HD FSC	S2045N	*BG33WHN	FULL DECKLE 152	25	1525		VIC QLD		Adhesive is manufactured with at least 30% sustainablu	
					EXACT		500	1500/3000	VIC QLD		certified biomass Reduction in gsm of liner	
	F33664.1525	*DT200GP FSC	rET9MB	∗BG33WH NF	FULL DECKLE 152	25	1525		QLD	B ∅ ♥	Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner	F33564.1525
-	F33518.1525	*DT200HD FSC	C2075	*BG40WH NF	FULL DECKLE 152	25	1525	(Max 2000LM)	VIC QLD		Adhesive is manufactured with at least 30% sustainably certified biomass	
					HALF MASTER 76	52	762	1000	VIC QLD			
	F33071.1525	*DT200HD FSC	R5000	*BG40WH NF	FULL DECKLE 100	00	1000		VIC QLD			
					READY WIDTH	Ţ	500		VIC QLD WA			
	F32300.1525	*AD DT150RL FSC	S2049	*BG33WH NF	FULL DECKLE 152	25	1525		VIC QLD		Adhesive is manufactured with at least 30% sustainably	F30310.1525
					EXACT		500	1500/3000	VIC QLD		certified biomass Reduction in gsm of liner	1 303 10.1323
					READY WIDTH 1	Ţ	500		WA			
$\stackrel{\cdot}{\cancel{\sim}}$	F33011.1525	*AD DT60 T FSC	S2049	BG33WHN	FULL DECKLE 152	25	1525		VIC	(1) <b>(1)</b>	Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner	
-	F33547.1525	∜rDT300LD BPAF FSC	S2049	*BG33WH NF	FULL DECKLE 152	25	1525		VIC QLD	BØ₩	Facestock contains recycled of Adhesive is manufactured with	
					EXACT		500	1500/3000	VIC QLD		sustainably certified biomass Reduction in gsm of liner	

Search **AU Product Finder** 






















# Variable Information Papers (continued)


Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stockin location	-	Sustai	nable ADvantage	Comments
Direct Thermal L	Linerless											
<u>NW5900</u>	Premium Therm TC25 Linerless	HP103		PRESLIT	58 OR 80		65		(3		Reduction in the use of materials	
Thermal Transfe	er Paper											
F32601.1525	∻П ELITE FSC	S2049	BG33WH NF	FULL DECKLE	1525	1525		VIC QLD	[2	3	Adhesive is manufactured with at least 30% sustainably	
				EXACT		500	1500/3000	VIC QLD			certified biomass Reduction in gsm of liner	
				READY WIDTH	Ţ	500			WA			
F22471.1525	*∏ ELITE FSC	R5000	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		<b>*</b>	)	>> from 1000mm wide
				READY WIDTH	Ţ	500		VIC QLD				1000mm wide
Laser / Inkjet Pa	per											
AW1584.210	*LCJ PREMIUM FSC	LP430	HF55N	FULL DECKLE	210	630	3000	VIC QLD		₩	)	
AW1584.222	*LCJ PREMIUM FSC	LP430	HF55N	FULL DECKLE	222	666	3000	QLD			)	
AP445.210	*LCJ PREMIUM FSC	S2012HT	HF75	FULL DECKLE	210	630	3000	VIC			)	Moving to indent once stock depleted
AS492.210	*LCJ PREMIUM FSC	LR2N	HF55	FULL DECKLE	210	630	3000	VIC		₩	)	
AS492.222	*LCJ PREMIUM FSC	LR2N	HF55	FULL DECKLE	222	666	3000	VIC			)	
OW0053G.210	*LASERPRO FSC	S692N	CCK55	FULL DECKLE	210	630	3000	VIC	WA	-	)	
OWS236.1070	*GLOSS IJ PAPER FSC	AP103	BG40WH N	FULL DECKLE	1070	535	500	VIC		₩	)	

Search **AU Product Finder** 




















# **Variable Information Films**


Item	Facestock	Adhesive	Liner		idth nm)	MOQ (m²)	Length (m)	Stocking location	Sustainable ADvantage Comments
Direct Thermal Fi	ilm								
F72683.1525	DT300N	S2049	BG40WH N	FULL DECKLE 15	525	1525		VIC QLD	Adhesive is manufactured with at least 30% sustainably
				HALF MASTER 7	762	762	1000	VIC QLD	certified biomass
F71688.1000	POLYTHERMAL PLUS	SR2	BG40WH N	FULL DECKLE 10	000	1000		VIC QLD	
Thermal Transfer	Film								
BW0153.1000	SYNTHETIC PAPER	S4700	BG40WH N	FULL DECKLE 15	525	1525		VIC QLD	
				READY WIDTH	1	500		VIC QLD	
F41675.1000	SYNTHETIC PAPER	CD303	BG40WH N	FULL DECKLE 10	000	1000		VIC QLD	
				READY WIDTH	1	500		VIC QLD	
F41630.1525	DATA PE 80	SRP	BG40WH N	FULL DECKLE 15	525	1525		VIC QLD	▷▷ from 1000mm wide
				READY WIDTH	1	500		VIC QLD	
F50150.1525	DATA PE 80	CD303	BG40WH N	FULL DECKLE 15	525	1525		VIC QLD	▷▷ from 1000mm wide
				READY WIDTH	1	500		VIC QLD	
72828	2M WH PRT PET	S333	50 SCK	FULL DECKLE 15	524	775		VIC QLD	<b>UL recognised.</b> Extended PET range available as Express
				READY WIDTH	1	500		VIC QLD	Indent (2-3 week lead time)
72826	2M MATTE CH PET TC	S333	50 SCK	FULL DECKLE 15	524	775		VIC QLD	<b>UL recognised.</b> Extended PET range available as Express
				READY WIDTH	1	500		VIC QLD	Indent (2-3 week lead time)
F31200.1525	SYNTHETIC PAPER	SR2	BG40WH N	FULL DECKLE 15	525	1525		VIC	
				READY WIDTH	1	500		VIC	
Laser / Inkjet Film	n								
9168.1060	DATAFLEX	SRP	B100	FULL DECKLE 10	060	1060	Max 2500LM	VIC QLD	
9171.1060	DATAFLEX	CD303	B100	FULL DECKLE 10	060	1060	Max 2500LM	VIC QLD	
OZS200	100um IJ SYN PAPER	AF101	BG40WH N	FULL DECKLE 15	530	765	Max 2500LM	QLD	DD from OZS200.1070



















# Wine Portfolio


Item Gloss Paper	Facestock	Adhesive	Liner		Width (mm)	MOQ (m²)	Length (m)	Stocking location	Sustain	able ADvantage	Comments
F10920.1525	*CAST GLOSS ELITE FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	∅₩	Adhesive is manufacture	
				READY WIDTH	Ţ	500		VIC QLD		30% sustainably certified	d biomass
F12823.1525	*CAST GLOSS ELITE FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	<b>♥</b>	Adhesive is manufacture 30% sustainably certified Liner contains recycled of	d biomass
F10712.1525	*CAST GLOSS ELITE FSC	WLK202	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			
Uncoated Paper											
F02785.1525	*SUP WHITE OPAQUE FSC	S3037	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			
				EXACT 5		500 2000 VIC		VIC			
F12498.1525	*ARCTIC rPLUS FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	Ø₩	Adhesive is manufacture 30% sustainably certified Underlam and liner conta	d biomass
F29233.1525	*ESTATE #8 FSC	S2047	BG40WH N	FULL DECKLE	1525	1525		VIC			DD to F29333.1525 Q1 2024
F02986.1525	*ESTATE #8 PE FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		Adhesive is manufactured with at least 30% sustainably certified biomass	
				EXACT		500	2000	VIC QLD		50% sustainably contined blomass	
F02988.1525	*ESTATE #8 PE FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC		Adhesive is manufactured with at least 30% sustainably certified biomass	
				EXACT		500	2000	VIC	Liner contains recycled cont		
F02901.1525	*ARTISAN rPLUS FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Adhesive is manufactured with at least 30% sustainably certified biomass		
				EXACT		500	2000	VIC QLD		Underlam contains recyc	
F02900.1525	*ARTISAN rPLUS FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	♡₩	Adhesive is manufacture 30% sustainably certifie	
				EXACT		500	2000	VIC		Underlam and liner conta	
F02899.1525	*ESTATE #4 PE FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC	Ø₩	Adhesive is manufacture with at least 30% sustain	
				HALF MASTER	762	762	1000	VIC		certified biomass	
F12783.1525	*VINTAGE FSC	S2047	BG40WH N	FULL DECKLE	1525	1525		VIC			Available on rPET liner
				EXACT		500	2000	VIC		on	
				READY WIDTH	1	500		WA		Search AU Product Fin	der

















# Wine Portfolio (continued)

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)		Length (m)	Stocking location	Sustainable ADvantage	Comments
Metallised Papers	5									
F54169.1000	* MAXFLEX BR SILVER FSC	WLP	BG40WH N	FULL DECKLE	1000	1000		VIC		
F54206.1000	* MAXFLEX BR SILVER FSC	WLK202	BG40WH N	FULL DECKLE	1000	1000		VIC		
Specialty Paper										
BZ437	*FROZEN ORION DIAMOND V2 PLUS FSC	S2047N	BG45WH IMP	FULL DECKLE	1000	500		VIC		


# Rapid Roll Portfolio

Item Gloss Paper	Facestock	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking location	Sustainable ADvantage	Comments
RR5728	VALERONC2S 7.5Mil (190um)	FULL DECKL	E 1333	1340	1000	VIC		
RR9000	HIGH TEMP DT BOPP 90UM	FULL DECKL	E 1525	1525	1000	QLD		

Search **AU Product Finder** 




















# Ready Width Queensland

New South Wales serviced ex QLD. Orders must be placed before 2.00pm AEST for next day dispatch.



	Item	Description	MOQ (m²)	Length (m)	Ready Widths
Prime Papers					
Coloured & Specialty Prime	F45520.1000	RADIANT YELLOW \$2090 BG40WH N	500	1000	125, 166, 200, 250, 333
Papers	F45521.1000	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45522.1000	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45523.1000	RADIANT RED S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45524.1000	RADIANT PINK S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
	AD640	TYRE PLUS TS79 BG45WH F	500	500	166, 250, 333
Prime Films					
Conformable Films	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
Rigid White Films	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
	F62404.1525	OPALUX 80N SR2 BG40WH N	500	2000	250, 333
Rigid Clear Films	F5418.1525	PP50 TC CLEAR SR2 BG40WH N	500	2000	250, 333
Metallised BOPP	BW0272A	PPTC SILVER ELITE S692N BG40WH N	500	2000	125, 145, 165, 200, 250, 300, 333
Variable Information Papers	<b>S</b>				
Thermal Transfer Paper	F22471.1525	TT ELITE FSC R5000 BG40WH N	500	1500	250, 333
	F33071.1525	DT200HD FSC R5000 BG40WH N	500	2000	166, 200, 250, 333
Variable Information Films					
Thermal Transfer Film	BW0153.1525	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
	F41630.1525	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
	F50150.1525	DATA PE 80 CD303 BG40WH N	500	1000	200, 250, 333
	72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
	72826	2M MATTE CH PET S333 50 SCK	500	508	117, 254
	F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333
Wine Portfolio					
Gloss Paper	F10920.1525	CAST GLOSS ELITE rS2030MB BG40WH N	500	2000	200, 225, 250, 275, 300, 330

# **Ready Width Victoria**

**South Australia** serviced ex VIC. Orders must be placed before 2.00pm AEST for next day dispatch.

Prime Papers	Item	Description	MOQ (m²)	Length (m)	Ready Widths
Cast Coat	F12820.1525	HIGH GLOSS WHITE FSC rET9MB BG40WH	500	2000	250, 333
Lightweight	F16502.1525	LW60 FSC S2045 BG40WH	500	2000	250, 333
Coloured & Specialty Prime	F45520.1000	RADIANT YELLOW \$2090 BG40WH N	500	1000	125, 166, 200, 250, 333
Papers	F45521.1000	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45522.1000	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45523.1000	RADIANT RED S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45524.1000	RADIANT PINK S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	AD640	TYRE PLUS TS79 BG45WH F	500	500	166, 250, 333
Prime Films					



**AU Product** 

	F45522.1000	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45523.1000	RADIANT RED S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45524.1000	RADIANT PINK S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	AD640	TYRE PLUS TS79 BG45WH F	500	500	166, 250, 333
Prime Films					
Conformable Films	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
Rigid White Films	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
	F62404.1525	OPALUX 80N SR2 BG40WH N	500	2000	200, 250, 333
Rigid Clear Films	F5418.1525	PP50 TC CLEAR SR2 BG40WH N	500	2000	250,333
Metallised BOPP	BW0272A	PPTC SILVER ELITE S692N BG40WH N	500	2000	125, 145, 165, 200, 250, 300, 333
Variable Information Papers					
Thermal Transfer Paper	F22471.1525	TT ELITE FSC R5000 BG40WH N	500	1500	250, 333
	F33071.1525	DT200HD FSC R5000 BG40WH N	500	2000	166, 200, 250, 333
Variable Information Films					
Thermal Transfer Film	BW0153.1525	SYNTHETIC PAPER \$4700 BG40	500	1000	200, 250, 333
	F41630.1525	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
	F50150.1525	DATA PE 80 CD303 BG40WH N	500	1000	200, 250, 333
	72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
	72826	2M MATTE CH PET S333 50 SCK	500	508	117, 254
	F31200.1525	SYNTHETIC PAPER SR2 BG40	500	2000	200, 250, 333
	F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333
Wine Portfolio					
Gloss Paper	F10920.1525	CAST GLOSS ELITE rS2030MB BG40WH N	500	2000	200, 225, 250, 275, 300, 330

# Ready Width Western Australia

Orders must be placed before 10am AWST for same day dispatch (WA Ready Width).

WA Ready Widths only available for WA customers



Search AU Product Finder

	Item	Description	MOQ (m²)	Length (m)	Ready Widths
Prime Papers					
Cast Coat	F12826.1525	HIGH GLOSS WHITE FSC S2045 BG40WH N	500	1500	200, 225, 250, 270, 333
	F12828.1525	HIGH GLOSS WHITE FSC S2049 BG40WH N	500	2000	333
Machine Coat	F18826.1525	AD MC70 FSC S2045N BG33WH N	500	1500	125, 145, 165, 180, 200, 225, 250
Radiant	F45520.1000	RADIANT YELLOW FSC S2090 BG40WH N	500	1000	125, 166, 200, 250
	F45521.1000	RADIANT ORANGE FSC S2090 BG40WH N	500	1000	125, 166, 200, 250
	F45522.1000	RADIANT GREEN FSC S2090 BG40WH N	500	1000	125, 166, 200, 250
	F45523.1000	RADIANT RED FSC S2090 BG40WH N	500	1000	125, 166, 200, 250
	F45524.1000	RADIANT PINK FSC S2090 BG40WH N	500	1000	125, 166, 200, 250
Prime Films					
Conformable Films	AF435	PRIMAX ® UVR145 BG45WH	500	1000	250
Rigid White Films	F64226.1525	rPP TOP WHITE SRP BG40WH N	500	2000	180, 200, 225, 250, 333
	F64228.1525	rPP TOP WHITE SPX BG40WH N	500	2000	125, 166, 200, 222, 250, 333
	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	333
Vinyl (PVC)	AH932	PVC WHITE S692N BG40WH N	500	1000	250
Variable Information Papers	S				
Direct Thermal Paper	F33617.1525	DT200HD FSC S2049 BG33WH NF	500	1500	145, 166, 180, 200, 225, 250, 333
	F33071.1525	DT200HD FSC R5000 BG40WH N	500	1000	200, 250
	F30310.1525	DT200GP FSC S2049 BG40WH N	500	1500	200, 225, 250, 333
Thermal Transfer Paper	F32601.1525	TT ELITE FSC S2049 BG33WH NF	500	1500	125, 200, 225, 250, 333
Wine Portfolio					
Uncoated Paper	F12783.1525	VINTAGE FSC S2047 BG40WH N	500	2000	225, 250, 270

# Commercial Terms & Conditions

### Minimum Order Quantity and/or Value

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

### **GST**

All prices quoted are excluding GST. GST of 10% will be added to all Australian invoices.

### **Service Policy**

Business Support Team hours are Monday to Friday, 7.30am to 5.00pm AEST. The office is closed on Australian Public Holidays.

All orders received prior to 2.00pm AEST will be dispatched the following day excluding, WA Ready Width.

Please refer to Transit Lead Times to calculate interstate deliveries.

Please note that all orders should be received via e-mail as we cannot accept phone orders.

Lead time for order pick-up is a minimum of 2 hours after an order has been received.

WA orders	Deliveries from Melbourne:
	Cut-off time is 2:00pm AEST each Monday, for a Tuesday dispatch, and 2:00pm AEST each Thursday, for a Friday dispatch. (NB. There is a 12:00pm AEST cut-off time for all same day dispatches out of Perth)
Indent Products Non stocked product codes supplied only on confirmed order	Sea Freight orders for all states delivery within 12-19 weeks*.  Availability and manufacturing lead times to be confirmed with Business Support Team.

<sup>\*</sup> Note: While every effort is made to meet the above delivery times, due to stock outs in raw materials, manufacturing capacity and shipping issues - some delays may occur.

### **Delivery Charges**

No delivery fee will apply on shipping to a single metropolitan customer branch. A fee will apply:

- · if an urgent delivery is requested
- delivery is requested to non-metropolitan destinations

The Customer can choose to book and pay for a courier to pick up their goods.

No deliveries will be made to alternative locations without prior authorisation from Avery Dennison.

### **Transit Times for Interstate Deliveries**

Destination	Days from Melbourne DC	Days from Brisbane DC
Adelaide	1-2	3-4
Brisbane / Gold Coast	2	same day/ next day
Canberra / ACT	2	2
Melbourne	same day/ next day	2-3
Perth	4 (Tue & Fri trucks)	6
Sydney	1	1
Auckland	2 weeks	2 weeks

All interstate deliveries will be made by close of business, 5.00pm.

Transit times to non metropolitan areas will incur longer transit lead times. Should you require further clarification, please contact our Business Support Team.

# Commercial Terms & Conditions (continued)

### **Re-stocking Fee**

There is a \$50.00 AUD fee per roll to re-stock customer orders that were placed incorrectly at the time of ordering (customer error). This fee covers the cost of collecting the goods and delivering a new order. Product must be unopened, in the original packaging, and a Goods Returned Docket must accompany all returned items. Acceptance of return will be at the discretion of Avery Dennison.

### **Product Quality Complaints**

An Avery Dennison Quality Complaint Form must be filled out and a sample and/or photographs of the product sent to Avery Dennison within 15 days of the complaint occurring. No Returns or Claims will be accepted on packaged or partially consumed products that have exceeded their shelf life.

### **Product Changes**

Avery Dennison reserves the right, without liability to the CUSTOMER, to discontinue or limit the manufacture or sale of PRODUCTS, to make any technical, material, colour or design changes in PRODUCT, add new and additional products to its line, substitute such altered products for the prior PRODUCTS in filling orders and/or change its sales and distribution policies, after giving the CUSTOMER appropriate notification, in advance thereof.

### **Prices**

The prices at which the PRODUCTS shall be sold to the CUSTOMER shall be the prices as set forth in the "PRICE LIST". All prices are in Australian Dollars unless otherwise stated. Avery Dennison's standard terms and conditions of sale shall apply to all sales hereunder, as set forth on Avery Dennison's invoice and upon request, and as may be subsequently modified by Avery Dennison, except to the extent expressly inconsistent with this Agreement.

### **Orders and Delivery**

The parties may use their normal commercial forms in placing and acknowledging orders hereunder. Any such forms shall be used for convenience only and any terms or provisions which may be contained therein inconsistent with or in addition to those contained herein, other than provisions specifying the quantity and type of PRODUCTS ordered, requested delivery dates and invoicing and shipping instructions, shall have no force or effect whatsoever between the parties. Shipping dates given prior to actual shipment shall be deemed to be estimates only. A purchase order number is required on every purchase order request.

#### **Confidential Information**

All information designated in writing by Avery Dennison as being confidential or proprietary shall be received and held by the CUSTOMER in strict confidence and shall not at any time be disclosed to others, used for the CUSTOMER's benefit or the benefit of others or in any manner detrimental to Avery Dennison.

## Force Majeure

Avery Dennison shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by accident, fire, strike, riot, civil commotion, insurrection, war, the elements, embargo, failure of carrier, inability to obtain transportation facilities, government requirements, acts of God or public enemy, prior orders from others or limitations on Avery Dennison's or its suppliers' products or marketing activities or any other cause or contingency beyond Avery Dennison's control.

#### Non-waiver

Avery Dennison's (a) failure to insist upon strict performance of any of the terms or conditions, (b) failure or delay to exercise any rights or remedies provided herein or by law, (c) failure properly to notify the CUSTOMER in the event of breach or (d) acceptance of payment for any PRODUCTS sold hereunder, shall not be deemed a waiver of any right of Avery Dennison to insist upon strict performance hereof or of any of its rights or remedies, or as to any prior or subsequent default hereunder.

# **Imported Container Charges**

Avery Dennison offers our customers the option to import full container loads of label material direct to a specified warehouse. Under this service arrangement, charges relating to the shipment, unloading and cleaning of containers are the responsibility of the customer. Charges additional to shipment can include, but are not limited to:

### **Detention**

Detention is a fee charged for the use of a shipping container outside the port terminal. Consignees are permitted a limited number of free days starting from when the container is available from the port (these will vary depending on the carrier and location but are typically 8-10 days). Detention starts when the full container is picked up from the terminal, continues during its delivery to the consignee, and ends upon return of the empty container to the container yard.

Detention charges are billed per container per day and will vary depending on carrier, location and container type. This cost can range between \$175 - \$250 a day and will increase incrementally, for example: 1-5 days may cost \$200, increasing to \$250 for 6-10 days

### Cleaning

A container cleaning fee may be charged by shipping lines to consignees for cleaning a container after it has been imported and returned to the container depot. Desiccant bags and the rings they hang on must be removed from the container before it is sent back, otherwise the consignee may be charged by the shipping line once they receive the container back. These charges are typically between \$80-\$85.

### **Waiting time**

Fee for holding up a delivery driver. Consignees are given 1 hour free for a delivery driver once on site. If the delivery driver is held up 25 minutes over 1 hour the consignee will be charged. This charge can range anywhere between \$120-\$130 per hour.

### **Futile Trip**

This fee is incurred when an empty container is not available for collection upon arrival of the cartage vehicle at the consignee's premises. This may be because the container was not ready at the time of pickup or the driver could not access the container.

# Operational Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted

### Mix and Match Ordering Guidelines

Talk with your local Avery Dennison representative to find an emulsion Mix and Match solution Different MOQs and lead times apply, pending agreed product selection

### **Core Diameter**

• 76mm

### **Splice Standard**

Maximum:

- 500 lm 0 splice
- 1000 lm 1 splice
- 1500 lm 1 splice
- 2000 lm 2 splices
- 3000 lm 3 splices

# Minimum Distance Between Splices and to Start/End of a Roll

200 lm

## Splice Tape

- Top tape 24mm wide red
- Middle tape 19mm wide clear
- Bottom tape 36mm wide red

## **Splice Configuration**

• 3 part splice is standard

### **Splice Indication**

Number of splices recorded on cheese label, located on the side of the roll

### **Offcut Disposition**

Offcuts less than 90 mm are scrapped, customer will be charged

### Slit Width

- · Minimum slit width is 90mm
- · Maximum slit width is 1524mm

#### Slit Roll Width Tolerances

- Full width tolerance +/- 2mm
- 1mm +/- each side

## **Roll Length Tolerance**

- Roll length tolerance +/- 10%
- Minimum standard roll length 1000lm

## Miminum Roll Length

Metre wide items in the Half Master program are sold in lengths of 500 metres or greater

## **Maximum Roll Length**

Approximately 4500 linear metres depending on each product

### **Total Order Quantity**

Orders supplied +/- 10%

### **Packaging Method**

- Rolls less than 1500lm will be 'Chimney Stacked'
- Rolls greater than 1500lm will be packaged with the 'Roll On' Style

### **Roll Tag Labels**

Roll label on outside of roll with 1 core label in core

### Separate Sizes by Width

One width size per stack, will segregate sizes within stack if less than sufficient quantity

### Pallet sizes

- Size 770mm x 1050mm
- Size 1200mm x 1200mm

### **Pallets and Chocks**

Remain the property of Avery Dennison and are to be returned. Coordination of return is the responsibility of the customer

## **Maximum Stack Height**

• 1 metre

### Minimum Order Quantity

- Standard MOQ is 1000 lineal metres of the full web width. Specified programs like Half Master, Ready Width & Exact have different MOO's
- Standard products only, not custom make or indent

#### **Custom Make Products**

Refer to Avery Dennison representatives for business rules

### **Returns / Claims**

- Should be made within 30 days of receipt of material
- Avery Dennison approval required before material is picked up

### **Material Quality Matters**

- Material is to remain at customers pending testing/evaluation
- Roll label details to be provided to Avery Dennison and full justification of any amount

Avery Dennison
Label and Packaging Materials Australia
4 Duigan Dr
Moorabbin Airport, VIC 3194
Sales: 1300 369 984

**General Enquiries:** 

lpm.anz@ap.averydennison.com

Orders can be placed at:

aus.sales@ap.averydennison.com

label.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's general terms and conditions of sale, see http://terms.averydennison.com. © 2022 Avery Dennison Corporation. All rights reserved, Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.