Materials Group Label and Packaging Materials Product Guide Australia 2024

# Product Services Guide

Australia November 2024





### Introduction

Welcome to the November 2024 Product Services Guide. This Guide was created to provide you with a single document to inform you of the core product portfolios of Avery Dennison Label and Packaging Materials Australia.

ltem	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
<b>Gloss Papers</b>	5									
<u>F12826.1525</u>	*HIGH GLOSS WHITE FSC	S2045	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		
				EXACT		500	1500/ 3000	VIC QLD		
				READY WIDTH	I I	500		WA		

### How to read the Product Services Guide

### Item:

The item number identifies the product on your delivery documents and invoices.

### Facestock:

Identifies the facestock used in the construction.

### Adhesive:

Identifies the particular adhesive used in the construction.

### Liner:

When liner codes end in the letter 'N' this signifies a nil imprint. PET liners never have a backprint.

### Service Program:

- FULL DECKLE

Signifies the product is sold with the complete web width and the minimum length of 1000 metres. The trim will be charged, but not dispatched unless requested on your purchase order.

- EXACT
   Items are sold in any width with fixed
   lengths that vary for each program.
- Ready Width
   Offers slit rolls in set widths and lengths.
   See Ready Width section for details.
- Half Master
   Reduces the minimum order quantity (MOQ)
   by half. Half Master of a 1525mm wide
   item allows you to purchase from a master
   that is only 762mm wide by 1000 metres.

### Width (mm):

Identifies the available width(s)

### MOQ (m<sup>2</sup>):

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

### Length (m):

Identifies the length in lineal meters, offered in a service program

### **Stocking Location:**

The AD site the product is stocked in

### Sustainable Advantage Products

Indicates the Sustainable ADvantage categories that the product falls under. See page 4 for more information. FSC® certified facestock or liner

FSC\* C111395

The mark of esponsible forestr

\* Only the products identified as such count with Forest Stewardship Council® certification.

### Comments:

This column will also highlight any notice of impending change to the final facestock, adhesive or liner.

### Additional Service Programs

### **Mix and Match**

Avery Dennison has the capability to produce custom products to meet your requirements. Please contact your Avery Dennison representative to discuss the possibilities of unique product constructions to meet your requirements.

### Indent

Sea freight or Airfreight options are available in order to meet your requirements. Please refer to your Avery Dennison representative for further information.

### Page 2 of 26

### **Need more information?**

### **Business Support Team**

### 1300 369 984

Mon to Fri 7.30am - 5.00pm AEST (excluding Australian Public Holidays)

Avery Dennison has a Business Support Team ready to answer your enquiries. Call them today to discuss product availability, ordering process or anything else you require.

Account	Business	Managers

Victoria	
Lynn Doney	0418 344 345
Angela Liodakis	0417 486 259
New South Wales	
Sarah Baserdem	0405 317 600
Queensland	
Tony Cook	0488 390 230
South Australia	
Simon Harris	0409 634 097

### **Business Support Manager**

Australia & New Zealand Bill Ishak 0400 847 252

### Account Enquiries

Australia & New Zealand P:0392710312 receivables.aust@ap.averydennison.com

### **Technical Support**

Australia & New Zealand Steve Brook 03 9271 0300

### Contact us:

### Australia

4 Duigan Drive Moorabbin Airport VIC 3194 P: 1300 369 984 aus.sales@ap.averydennison.com label.averydennison.com

### Data & Specification

### Sheets

Click the product codes listed in this document to view specification sheets, or scan the QR code to search our online Product Finder.

### **Product Samples**

Should you require any samples of the products listed in this brochure please contact your local Avery Dennison representative.

### Pallet Pick Up

aus.sales@ap.averydennison.com

Should you have pallets for return, please ensure they are loaded onto the dedicated Avery Dennison truck when you receive your next delivery of stock. Please note: courier deliveries are excluded from this service.



Look for the marked

### Enables Recycling, Reuse or Compostability

### What we use can be used again.

Solutions that enhance recyclability and enable reuse and recycling of packaging as well as the recycling and composting of label waste



### Reduction in the use of materials

Use only what is necessary.

Thinner facestock, adhesive, or liner that uses less raw materials to be manufactured

Sustainable ADvantage products in this Product Services Guide



### Contains recycled content

Give a second life to what has already been used.

Facestocks and liners that include post-industrial waste or post-consumer recycled content



### Responsibly sourced

Products sourced from a supply chain that shows care for people and the environment.

Film made from renewable alternatives and paper certified by FSC® or other organizations



The mark of responsible forestry



# Have a safe and happy holiday!

### Avery Dennison Australia Holiday Season Closure 2024-2025

From all of the team at Avery Dennison, we would like to thank our customers for their ongoing support throughout 2024 and would like to extend our well wishes to you and your loved ones during the holiday season. May you enjoy this festive season and have a happy and prosperous New Year in 2025.

Please note our Offices and Warehouses will be closed Australia-wide during the following period:

Closed as of 5:00pm Friday, 20th December 2024

Reopen as of 8:00am Monday, 6th January 2025

### **Delivery Schedule**

At Avery Dennison we value our customers and the service that we provide. As we approach the Holiday Season break, to assist you with receiving deliveries prior to our closure date, please refer to the table below detailing the recommended last order dates based on your delivery location.

In order to allow us to serve you efficiently, as soon as confirmed please also advise our Business Support Team of your closure and recommencement dates during this period as well as any specific delivery time requirements. End of year order cutoff dates based on the estimated delivery schedule to your location:

Delivery	Location	Place Orders by (2pm cut off)
VIC	Metro	Wednesday 18th December 2024
	Regional	Tuesday 17th December 2024
NSW	Metro	Tuesday 17th December 2024
	Regional	Monday 16th December 2024
QLD	Metro	Wednesday 18th December 2024
	Regional	Monday 16th December 2024
SA		Tuesday 17th December 2024
WA		Thursday 12th December 2024
TAS, AC	т	Wednesday 11th December 2024
NT		Thursday 5th December 2024

Orders placed after these dates cannot be guaranteed for delivery in 2024 and will be scheduled for the next available day, after our return, in 2025.

Please note the above dates are an estimate only, please contact your Business Support Representative for delivery confirmation.

### Transitions

		Code	Facestock	Adhesive	Liner
Prime Pa	pers				
Gloss Papers	Complete	F10968.1525 ↓ F10968.1000	HIGH GLOSS WHITE FSC	R5000	BG40WH N
Vellum	Complete	F2008.1000 ↓ F2009.1000	SUPER VELLUM FSC ↓ VELLUM ELITE FSC	ET9	BG40WH N
Variable I	nformation	Papers			
Laser / Inkjet Paper	Complete	OW0053G.210 ↓ OWK0006.210	LASERPRO FSC	S692N	CCK55 ↓ <mark>CCK55/N</mark>
Wine Por	tfolio				
Uncoated Paper	Q4 2024	F29233.1525 ↓ F29333.1525	ESTATE #8 FSC ↓ ARTISAN FSC	S2047	BG40WH N

### **Prime Papers**

								_				
Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)		cking ation		Sustainable ADvantage	Comments
Gloss Papers	S											
F12826.1525	*HIGH GLOSS WHITE FSC	S2045	BG40WH N	FULL DECKLE	1525	1525		VIC Q	LD	Ð		
				EXACT		500	1500/ 3000	VIC Q	LD			
				READY WIDTH	I I	500			WA			
F12828.1525	*HIGH GLOSS WHITE FSC	S2049	BG40WH N	FULL DECKLE	1525	1525		VIC Q	LD	Ŧ	Adhesive is manufactured with at	
				EXACT		500	2000	VIC Q	LD		least 30% sustainably certified biomass	
				READY WIDTH	I I	500		VIC	WA			
F12822.1525	*HIGH GLOSS WHITE FSC	C2075	BG40WH N	FULL DECKLE	1525	1525		VIC Q	LD	⊙ ♥		
				HALF MASTER	R 762	762	1000	VIC Q	LD			
<u>F12820.1525</u> *F	*HIGH GLOSS WHITE FSC	rET9MB	BG40WH N	FULL DECKLE	1525	1525		VIC Q	LD	⊙ ♥	Adhesive is manufactured with at	
				READY WIDTH	I I	500		VIC Q	LD		least 30% sustainably certified biomass	
-10968.1000	*HIGH GLOSS WHITE FSC	R5000	BG40WH N	FULL DECKLE	1000	1000		VIC Q	LD	(		⋫ from F10968.1525
AA042	*HGW PREMIUM FSC	R100	BG40BR	FULL DECKLE	1000	1000		VIC		(		
Semi-Gloss I	Papers											
F18828.1525	*AD MC70 FSC	S2049	BG33WH N	FULL DECKLE	1525	1525		VIC Q	LD	= 7 0 ₽		
F18827.1525	*AD MC70 FSC	S2045N	BG33WH N	FULL DECKLE	1525	1525		VIC QLD		[] ♡ ♥	Adhesive is manufactured with at	
				EXACT		500	1500/ 3000	VIC Q	LD		least 30% sustainably certified biomass	
				READY WIDTH	I ∔	500			WA		Reduction in gsm of line	er
F18900.1525	*AD rMC FSC	1C FSC S2045N	I BG33WH N	INDENT	1525	1525	<b>1525</b>		₫????♥	Facestock contains 309 recycled content	% Available via	

### **Prime Papers**

				o ·				<u> </u>	
Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location	Sustainable ADvantage Comments
Light Weight	:								
F16502.1525	∻LW60 FSC	S2045	BG40WH N	FULL DECKLE	1525	1525		VIC	Adhesive is manufactured with at
				HALF MASTER	R 762	762	1000	VIC	least 30% sustainably certified biomass
				READY WIDTH	łł	500		VIC	
Vellum									
<u>F2009.1000</u>	*SUPER VELLUM FSC	ET9	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	$\oplus$
F21734.1000	*SUPER VELLUM FSC	R5000	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	
<u>AA016</u>	*VELLUM EXTRA FSC	R100	BG40BR	FULL DECKLE	1000	1000		VIC	
Coloured & S	Specialty Papers								
F45520.1000	*RADIANT YELLOW FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	÷
				READY WIDTH	łł	500		VIC QLD WA	
F45521.1000	*RADIANT ORANGE FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	
				READY WIDTH	łł	500		VIC QLD WA	
F45522.1000	*RADIANT GREEN FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	
				READY WIDTH	łł	500		VIC QLD WA	
F45523.1000	*RADIANT RED FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	
				READY WIDTH	łł	500		VIC QLD WA	
F45524.1000	*RADIANT PINK FSC	S2090	BG40WH N	FULL DECKLE	1000	1000		VIC QLD	(F)
				READY WIDTH	I I	500		VIC QLD WA	
AD640	*TYRE PLUS FSC	TS79	*BG45WH F	FULL DECKLE	1000	500		VIC QLD	
				READY WIDTH	łł	500		VIC QLD	
<u>BL251</u>	♦MC90 OPQ FSC	S2660	BG40BR	FULL DECKLE	1000	500		VIC	

Reduction in the Use of Materials

### **Prime Films**

Contormable Films         BW2022       Flex+ White NTC       S692N       BG33Wh Imp       FULL DECKLE       1525       VIC       VIC       C       Addressive meets ARP + DPE Critical decision (framework area)         BW0164       CCX UHITE NTC       S692N       BG40WH       FULL DECKLE       1525       VIC       QLD       Addressive meets ARP + DPE Critical decidence or train         BW0064       PE85 CL TC       S692N       BG40WH Imp       FULL DECKLE       1525       VIC       QLD       Addressive meets ARP + DPE Critical decidence or train         BW0065       PE85 CL TC       S692N       BG40WH Imp       FULL DECKLE       1000       VIC       QLD       Addressive meets ARP + DPE Critical decidence or train         E44326.1000       PRIMAX % ILUS       R5000       BG40WH Imp       FULL DECKLE       1000       VIC       QLD       Addressive meets ARP + DPE Critical decidence or train         E44326.1000       PRIMAX % ILUS       R5000       BG40WH Imp       FULL DECKLE       1000       VIC       QLD	Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location		Sustainable ADvantage	Comments
$ \frac{1}{10024}  Preximiter From Point Area and a second and a second area and a se$	Conformable	e Films										
BW0181         GCX CLEAR NIC         S692N         BG40WH         FULL DECKLE         1525         1525         VIC QLD         Image: Contrained contentined contentice contrained contententined contrained contre	<u>BW7022</u>	Flex+ White NTC	S692N	BG33Wh Imp	FULL DECKLE	1525	1525		VIC	[]		facestock, supply
BW0182       GCX WHITE NTC       S692N       BG40WH       FULL DECKLE 1525       1525       VIC       QLD       Adhesive meets APR HDPE Critical Guidance criteria         BW0064       PE85 TC White       S692N       BG40WH Imp       FULL DECKLE 1525       1525       VIC       P       Adhesive meets APR HDPE Critical Guidance criteria         BW0065       PE85 CL TC       S692N       BG40WH Imp       FULL DECKLE 1525       1525       VIC       P       Adhesive meets APR HDPE Critical Guidance criteria         F645261000       PRIMAX® PLUS       R5000       BG40WH Imp       FULL DECKLE 1000       1000       VIC       QLD       Adhesive meets APR HDPE Critical Guidance criteria         F645261000       PRIMAX® PLUS       R5000       BG40WH N       FULL DECKLE 1000       1000       VIC       QLD       Adhesive meets APR HDPE Critical Guidance criteria         AE435       PRIMAX® I       UVR145       BG45WH       FULL DECKLE 1000       1000       VIC       QLD       Freetor Adhesive meets APR HDPE Critical Guidance criteria         Figid White Films       F       UVR145       BG43WH       FULL DECKLE 1525       1525       VIC       QLD       Freetork contains 30% recurcled containt Appendem meets APR HDPE Critical Guidance criteria         BW7045       PP60 Top Pearlized White       SR3013	<u>BW0181</u>	GCX CLEAR NTC	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD	Б.		
BW0162         BC4.WHILE NICe         S092N         BC4.0WH         POLL DECKLE 1023         1523         Wick QLD         Cuidance criteria           BW0064         PE85 TC White         S692N         BG40WH Imp         FULL DECKLE 1525         1525         VIC         Adhesive meets APR HDPE Critical Guidance criteria           BW0065         PE85 CL TC         S692N         BG40WH Imp         FULL DECKLE 1000         1000         VIC         QLD         Adhesive meets APR HDPE Critical Guidance criteria           F64526.1000         PRIMAX® PLUS         R5000         BG40WH Imp         FULL DECKLE 1000         1000         VIC         QLD         Adhesive meets APR HDPE Critical Guidance criteria           F64526.1000         PRIMAX® PLUS         R5000         BG40WH Imp         FULL DECKLE 1000         1000         VIC         QLD           READY WIDTH         1         500         VIC         QLD         WA         Adhesive meets APR HDPE Critical Guidance criteria           READY WIDTH         1         500         VIC         QLD         VIC         Concentral Adhesive meets APR HDPE Critical Guidance criteria           Regult White Films         FULL DECKLE 1000         1000         VIC         QLD         Facestock contains 50% recupied Critical Guidance criteria           F64226.1525         <					READY WIDTH	ι Ŧ	500		VIC QLD			
BW0064         PE85 TC White         S692N         BG40WH Imp BW0065         FULL DECKLE         1525         VIC         Adhesive meets APR HDPE Critical Guidance criteria           BW0065         PE85 CL TC         S692N         BG40WH Imp         FULL DECKLE         1000         VIC         LD         Adhesive meets APR HDPE Critical Guidance criteria           BW0065         PE85 CL TC         S692N         BG40WH Imp         FULL DECKLE         1000         VIC         QLD         Adhesive meets APR HDPE Critical Guidance criteria           F64526.1000         PRIMAX® PLUS         R5000         BG40WH N         FULL DECKLE         1000         VIC         QLD           AE435         PRIMAX® I         UVR145         BG45WH         FULL DECKLE         1000         VIC         QLD           REaDY WIDTH         I         500         VIC         VIC         QLD         Facestock contains 30% recycled Content Adhesive meets APR HDPE Critical Guidance criteria           READY WIDTH         I         500         VIC         VIC         Pacestock contains 30% recycled Content Adhesive meets APR HDPE Critical Guidance criteria           F64226.1525         rPP TOP WHITE         SRP         BG33WH Imp HUL DECKLE         FISS         VIC         QLD         Facestock contains 30% recycled Content Adhesive meets APR HDPE Criteria A	<u>BW0182</u>	GCX WHITE NTC	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD	r.		
BM0004         PEB for Wintle         S092/N         BOROWINITIP         POLL DECKLE         1020         IVC         IPC         Guidance criteria           READY WIDTH         500         VIC         IVC         QLD         IPC         Adhesive meets APR HDPE Critical Guidance criteria           64526.1000         PRIMAX® PLUS         R5000         BG40WH N         FULL DECKLE         1000         VIC         QLD         IPC         Adhesive meets APR HDPE Critical Guidance criteria           64526.1000         PRIMAX® PLUS         R5000         BG40WH N         FULL DECKLE         1000         VIC         QLD         IPC         Adhesive meets APR HDPE Critical Guidance criteria           64525.1000         PRIMAX® I         UVR145         BG45WH         FULL DECKLE         1000         VIC         QLD         IPC         IPC <t< td=""><td></td><td></td><td></td><td></td><td>EXACT</td><td></td><td>500</td><td>2000</td><td>VIC QLD</td><td></td><td></td><td></td></t<>					EXACT		500	2000	VIC QLD			
BW0065       PE85 CL TC       S692N       BG40WH Imp       FULL DECKLE 1000       1000       VIC       QLD       Mdesive meets APR HDPE Oritical Guidance criteria         F64526.1000       PRIMAX® PLUS       R5000       BG40WH N       FULL DECKLE 1000       1000       VIC       QLD         AE435       PRIMAX®I       UVR145       BG45WH       FULL DECKLE 1000       1000       VIC       QLD         AE435       PRIMAX®I       UVR145       BG45WH       FULL DECKLE 1000       1000       VIC       QLD         READY WIDTH       1       500       VIC       WA         F10LL DECKLE 1000       1000       VIC       QLD       VIC       VIC         READY WIDTH       1       500       VIC       VIC       VIC       VIC         F64226.1525       rPP TOP WHITE       SRP       BG33WHN       FULL DECKLE 1525       1525       VIC       QLD       Content Adhesive meets APR HDPE Critical Guidance or theria Reduction ing and filmer         F64226.1525       rPP TOP WHITE       SR3013       BG33WH Imp       FULL DECKLE 1525       1525       1000       VIC       VIC       Cleanflake technology enables recyclability Reduction ing and filmer         F64228.1525       rPP TOP WHITE       SPX       BG33WHN	<u>BW0064</u>	PE85 TC White	S692N	BG40WH Imp	FULL DECKLE	1525	1525		VIC	<u> </u>		
$\frac{1}{1} \frac{1}{1} \frac{1}$					READY WIDTH	ł ∓	500		VIC			
READY WIDTH       1       500       VIC         AE435       PRIMAX ® I       UVR145       BG45WH       FULL DECKLE 1000       1000       VIC QLD         READY WIDTH       1       500       WA         Rigid White Films       F000       VIC QLD       WA         F64226.1525       rPP TOP WHITE       SRP       BG33WHN       FULL DECKLE 1525       1525       VIC QLD       Facestock contains 30% recycled         E64226.1525       rPP TOP WHITE       SRP       BG33WHN       FULL DECKLE 1525       1525       VIC QLD       Facestock contains 30% recycled         BW7045       PP60 Top Pearlized       SR3013       BG33WHN       FULL DECKLE 1525       1525       1000       VIC       Image: Content Addressive meets APR HDPE Content Addresis APR HDPE Content Addresis APR HDPE Conte	<u>BW0065</u>	PE85 CL TC	S692N	BG40WH Imp	FULL DECKLE	1000	1000		VIC QLD			
AF435       PRIMAX ® I       UVR145       BG45WH       FULL DECKLE 1000       1000       VIC QLD         Rigid White Films       READY WIDTH       1       500       WA         F64226.1525       rPP TOP WHITE       SRP       BG33WHN       FULL DECKLE 1525       1525       VIC QLD       Image: Content Adhesive meets APR HDPE content Adhes	F64526.1000	PRIMAX <sup>®</sup> PLUS	R5000	BG40WH N	FULL DECKLE	E 1000	1000		VIC QLD			
READY WIDTH       1       500       WA         Rigid White Films       F64226.1525       rPP TOP WHITE       SRP       BG33WHN       FULL DECKLE       1525       1525       VIC       QLD       Pacestock contains 30% recycled content Adhesive meets APR HDPE Content Adhesit APR HDPE Content Adhesive meets APR HDPE Content Adhesive meets					READY WIDTH	ł ∓	500		VIC			
Rigid White Films         F64226.1525       rPP TOP WHITE       SRP       BG33WHN       FULL DECKLE       1525       VIC       QLD       Facestock contains 30% recupied content Adhesive meets APP HDPE Content Adhesive meets APP HDPE Cont	AF435	PRIMAX ® I	UVR145	BG45WH	FULL DECKLE	1000	1000		VIC QLD			
F64226.1525       rPP TOP WHITE       SRP       BG33WHN       FULL DECKLE       1525       1525       VIC       QLD       Pick       Facestock contains 30% recycled content Adhesive meets APR HDPE Content Reduction in gsm of liner					READY WIDTH	łŦ	500		WA			
EXACT 500 2000 VIC QLD   READY WIDTH 500 VIC QLD   Wate Wite SR3013 BG33Wh Imp FULL DECKLE 1525 1525 1525 1525 VIC VIC QLD SPA SPX BG33WHN FULL DECKLE 1525 1525 1520 VIC VIC QLD SPX SPX BG33WHN FULL DECKLE 1525 1525 1520 VIC VIC QLD SPX SPX BG33WHN FULL DECKLE 1525 1520 1520 VIC QLD SPX SPX SPX BG33WHN FULL DECKLE 1525 1520 1520 VIC QLD SPX SPX SPX SPX BG33WHN SPX SPX SPX BG33WHN SPX	<b>Rigid White F</b>	Films										
EXACT 500 2000 VIC QLD   READY WIDTH 500 VIC QLD   Wate Wite SR3013 BG33Wh Imp FULL DECKLE 1525 1525 1525 1525 VIC VIC QLD SPA SPX BG33WHN FULL DECKLE 1525 1525 1520 VIC VIC QLD SPX SPX BG33WHN FULL DECKLE 1525 1525 1520 VIC VIC QLD SPX SPX BG33WHN FULL DECKLE 1525 1520 1520 VIC QLD SPX SPX SPX BG33WHN FULL DECKLE 1525 1520 1520 VIC QLD SPX SPX SPX SPX BG33WHN SPX SPX SPX BG33WHN SPX	F64226.1525	rPP TOP WHITE	SRP	BG33WHN	FULL DECKLE	1525	1525		VIC QLD	rinc♥	Facestock contains 30% recycled	
BW7045       PP60 Top Pearlized White       SR3013       BG33Wh Imp       FULL DECKLE       1525       1000       VIC       Cleanflake technology enables recyclability Reduction in gsm of liner         F64228.1525       rPP TOP WHITE       SPX       BG33WHN       FULL DECKLE       1525       1525       VIC       QLD       Facestock contains 30% recycled content Reduction in gsm of liner         EXACT       500       2000       VIC       QLD       Facestock contains 30% recycled content Reduction in gsm of liner					EXACT		500	2000	VIC QLD		Critical Guidance criteria	-
White     PP TOP WHITE     SPX     BG33WHN     FULL DECKLE     1525     1525     VIC     QLD       EXACT     500     2000     VIC     QLD					READY WIDTH	ł ∓	500		WA			
EXACT 500 2000 VIC QLD	<u>BW7045</u>	PP60 Top Pearlized White	SR3013	BG33Wh Imp	FULL DECKLE	1525	1525	1000	VIC	j.	recyclability	
	F64228.1525	rPP TOP WHITE	SPX	BG33WHN	FULL DECKLE	1525	1525		VIC QLD	80♥	Facestock contains 30% recycled content Reduction in gsm of liner	
READY WIDTH 🛓 500 WA					EXACT		500	2000	VIC QLD			
					READY WIDTH	łł	500		WA			

Reduction in the Use of Materials



### **Prime Films**

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location		Sustainable ADvantage	Comments
<b>Rigid White F</b>	Films (continued)										
<u>F79343.1525</u>	PP60 WH NTC	SPX	BG40WH N	FULL DECKLE	E 1525	1525		VIC QLD			
				EXACT		500	3000	VIC QLD			
<u>F79347.1525</u>	PP60 WH NTC	S692N	BG40WH N	FULL DECKLE	E 1525	1525		VIC QLD		Adhesive meets APR HDPE Critica Guidance criteria	l
				EXACT		500	2000	VIC QLD			
F62109.1000	OPALUX 80N	SRP	BG40WH N	FULL DECKLE	E 1000	1000		VIC QLD		Adhesive meets APR HDPE Critica Guidance criteria	I
				READY WIDTH	+ Ŧ	500		VIC QLD WA			
<u>F62404.1000</u>	OPALUX 80N	SR2	BG40WH N	FULL DECKLE	E 1000	1000		VIC QLD			
				READY WIDTH	-l – ∓	500		VIC QLD			
F62119.1000	PEARLUX 80N	SRP	BG40WH N	FULL DECKLE	E 1000	1000		QLD		Adhesive meets APR HDPE Critica Guidance criteria	I
Rigid Clear F	ilms										
F77001.1525	PP40 CL TC	S7400	rPET23	FULL DECKLE	E 1525	1525		QLD	j" C ♡	Reduction in gsm of facestock and liner	k
				READY WIDTH	-l – ₹	500		QLD		Adhesive meets APR HDPE Critica Guidance criteria	l
F78001.1525	PP50 CL TC	S7400	rPET23	FULL DECKLE	E 1525	1525		QLD			
				READY WIDTH	-l – F	500		QLD			
F3139.1525	PP50 TC CLEAR N	SRP	BG40WH N	FULL DECKLE	E 1525	1525		VIC QLD	ب ا	Adhesive meets APR HDPE Critica Guidance criteria	I
				EXACT		500	2000	VIC QLD			
<u>BW7052</u>	PP50 TC CLEAR	SR3013	BG33Wh Imp	FULL DECKLE	E 1525	1525	1000		¢	Cleanflake technology enables recyclability Reduction in gsm of liner	Available on Indent
F5418.1000	PP50 TC CLEAR	SR2	BG40WH N	FULL DECKLE	E 1000	1000		VIC QLD			
				READY WIDTH	-l ∓	500		VIC QLD			
F1169.1525	PP OLF-20	SRP	BG40Wh Imp	FULL DECKLE	E 1525	1525		VIC QLD			

### **Prime Films**

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location		Sustainable ADvantage	Comments
Vinyl (PVC)	/ Metallised BOPP / Dig	ital Film									
BW0272A	PP TC SILVER	S692N	BG40WH	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Crit Guidance criteria	ical
				READY WIDTH	łŦ	500	2000	VIC QLD			
<u>BW0273A</u>	PP TC SILVER ELITE	S692N	rPET30	FULL DECKLE	1525	1525	(Max 2000LM)	VIC QLD	Ś	Liner contains recycled contentAdhesive meets APR HI Critical Guidance criteria	DPE
BW0220.330	PP80 WH DIG	S692N	BG40WHN	FULL DECKLE		3 Rolls (pallet)	2000	QLD		Adhesive meets APR HDPE Crit Guidance criteria	ical
<u>AH932</u>	PVC WHITE	S692N	BG40WH N	FULL DECKLE	E 1000	1000		VIC		Adhesive meets APR HDPE Crit Guidance criteria	ical

### Variable Information Papers

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)		tocking ocation		Sustainable ADvantage	Comments
EDP Paper												
<u>AL306</u>	*ZIG ZAG FSC	S2045	HF80 N	FULL DECKLE	1000	1000			QLD	<ul><li>₩</li></ul>	Adhesive is manufactured with at least 30% sustainably certified biomass	
<b>Direct</b> Therr	mal Paper											
F33617.1525	*DT200HD FSC	S2049	*BG33WH NF	FULL DECKLE	1525	1525		VIC	QLD	R I I	Adhesive is manufactured with at least 30% sustainably certified	
				EXACT		500	1500/ 3000	VIC	QLD		biomass Reduction in gsm of liner	
				READY WIDTH	ł Ŧ	500			WA			
F30310.1525	DT200GP FSC	S2049	BG33WH NF	FULL DECKLE	1525	1525		VIC	QLD	I 🖓 🖤	Adhesive is manufactured with at least 30% sustainably certified	
				EXACT		500	1500/ 3000	VIC	QLD		biomass Reduction in gsm of liner	
F33664.1525	*AD DT150RL FSC	rET9MB	*BG33WH NF	FULL DECKLE	1525	1525			QLD	[]⊙♥	Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner	» to F33564.1525 in Q1 2025
F33518.1525	*DT200HD FSC	C2075	*BG40WH NF	FULL DECKLE	1525	1525	(Max 2000LM)	VIC	QLD	I 🐨	Adhesive is manufactured with at least 30% sustainably certified	
				HALF MASTER	R 762	762	1000	VIC	QLD		biomass	
F33071.1000	*DT200HD FSC	R5000	*BG40WH NF	FULL DECKLE	1000	1000		VIC	QLD	The second secon		
				READY WIDTH	1	500			QLD WA	V		
F32300.1525	*AD DT150RL FSC	S2049	*BG33WH NF	FULL DECKLE	1525	1525			QLD	700₩	Adhesive is manufactured with at least 30% sustainably certified	
				EXACT		500	1500/ 3000	VIC	QLD	(	biomass Reduction in gsm of liner	
				READY WIDTH	łŦ	500			WA		-	
F33547.1525	*rDT300LD BPAF FSC	S2049	*BG33WH NF	FULL DECKLE	1525	1525		VIC	QLD		Facestock contains recycled content	
				EXACT		500	1500/ 3000	VIC	QLD		Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner	

### Variable Information Papers

				-							
Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location		Sustainable ADvantage	Comments
Direct Therr	mal Linerless										
<u>NW5900S</u>	Premium Therm TC25 Linerless	HP103		INDENT	58 OR 80		65	VIC	0	Reduction in the use of materials	Available on request
NW5920S	Premium-Therm TC24 Linerless	HP103		INDENT	58 OR 80		65	VIC	(7)		Available on request
<u>NW5940S</u>	Premium-Therm TC25 Linerless	HR630		INDENT	58 OR 80		65	VIC	0		Available on request
Thermal Trai	nsfer Paper										
F32601.1525	*Π ELITE FSC	S2049	BG33WH NF	FULL DECK	LE 1525	1525		VIC QLD		Adhesive is manufactured with at least 30% sustainably certified	
				EXACT		500	1500/ 3000	VIC QLD		biomass Reduction in gsm of liner	
				READY WID	TH 1	500		V	VA		
F22471.1000	<b>∻∏ ELITE FSC</b>	R5000	BG40WH N	FULL DECK	LE 1000	1000		VIC QLD			
				READY WID	TH 1	500		VIC QLD			
Laser / Inkje	et Paper										
AW1584.210	*LCJ PREMIUM FSC	LP430	HF55N	FULL DECK	LE 210	630	3000	VIC QLD		Image: A start of the start	
AW1584.222	*LCJ PREMIUM FSC	LP430	HF55N	FULL DECK	LE 222	666	3000	QLD		÷	Available via indent
AS492.210	*LCJ PREMIUM FSC	LR2N	HF55	FULL DECK	LE 210	630	3000	VIC		$\bigoplus$	
AS492.222	*LCJ PREMIUM FSC	LR2N	HF55	FULL DECK	LE 222	666	3000	VIC			
OWK0006.21	<u>0</u> *LASERPRO FSC	S692N	CCK55/N	FULL DECK	LE 210	630	3000	VIC W	îئ Av		▶ from OW0053G.21
<u> 2WS236.1070</u>	) *GLOSS IJ PAPER FSC	AP103	BG40WHN	FULL DECK	LE 1070	535	500	VIC		$\bigoplus$	

Reduction in the Use of Materials

### **Variable Information Films**

YTHERMAL PLUS	SR2	BG40WH N BG40WH N	FULL DECKLE HALF MASTER FULL DECKLE	762	1525 762		VIC QLD	Ś	Adhesive is manufactured with at least 30% sustainably	
YTHERMAL PLUS	SR2		HALF MASTER	762			VIC QLD	Q	with at least 30% sustainably	
ilm		BG40WH N			762					
ilm		BG40WH N	FULL DECKLE			1000	VIC QLD		certified biomass	
				1000	1000		VIC QLD			
THETIC PAPER S										
	64700	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
			READY WIDTH	Ŧ	500		VIC QLD			
THETIC PAPER C	CD303	BG40WH N	FULL DECKLE	1000	1000		VIC QLD			
			READY WIDTH	Ŧ	500		VIC QLD			
A PE 80 9	SRP	BG40WH N	FULL DECKLE	1525	1525		VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
			READY WIDTH	Ŧ	500		VIC QLD			
APE 80 C	CD303	BG40WH N	FULL DECKLE	1525	1525		VIC QLD			
			READY WIDTH	Ŧ	500		VIC QLD			
WH PRT PET S	S333	50 SCK	FULL DECKLE	1524	775		VIC QLD			UL recognised. Extended PET range
			READY WIDTH	Ŧ	500		VIC QLD			available as Indent
MATTE CH PET TC S	S333	50 SCK	FULL DECKLE	1524	775		VIC QLD			UL recognised. Extended PET range
			READY WIDTH	Ŧ	500		VIC QLD			available as Indent
THETIC PAPER	SR2	BG40WH N	FULL DECKLE	1000	1000		VIC			
			READY WIDTH	Ŧ	500		VIC			
AFLEX	SRP	B100	FULL DECKLE	1060	1060	Max 2500LM	VIC QLD		Adhesive meets APR HDPE Critical Guidance criteria	
AFLEX C	CD303	B100	FULL DECKLE	1060	1060	Max 2500LM	VIC QLD			
ım IJ SYN PAPER A	4F101	BG40WH N	FULL DECKLE	1530	765	Max 2500LM	QLD			
	A PE 80 A PE 80 C IH PRT PET ATTE CH PET TC THETIC PAPER AFLEX AFLEX AFLEX C MIJ SYN PAPER	APE 80 SRP APE 80 CD303 /H PRT PET S333 IATTE CH PET TC S333 THETIC PAPER SR2 AFLEX SRP AFLEX CD303 m IJ SYN PAPER AF101	A PE 80 SRP BG40WH N A PE 80 CD303 BG40WH N M PRT PET S333 50 SCK MATTE CH PET TC S333 50 SCK THETIC PAPER SR2 BG40WH N FLEX SRP B100 AFLEX CD303 B100 m IJ SYN PAPER AF101 BG40WH N	READY WIDTH A PE 80 SRP BG40WH N FULL DECKLE READY WIDTH A PE 80 CD303 50 SCK FULL DECKLE READY WIDTH A THETIC PAPER SR2 BG40WH N FULL DECKLE READY WIDTH A FLEX SRP B100 FULL DECKLE A FLEX CD303 B100 FULL DECKLE M J SYN PAPER A F101 BG40WH N FULL DECKLE A FLEX CD303 B100 FULL DECKLE M J SYN PAPER A F101 BG40WH N FULL DECKLE	READY WIDTH 1 A PE 80 SRP BG40WH N FULL DECKLE 1525 READY WIDTH 1 A PE 80 CD303 BG40WH N FULL DECKLE 1525 READY WIDTH 1 A PE 80 CD303 SO SCK FULL DECKLE 1524 A PE 80 CD303 SO SCK FULL DECKLE 1524 READY WIDTH 1 A PE 80 CD303 SO SCK FULL DECKLE 1524 READY WIDTH 1 A PE 80 SR2 BG40WH N FULL DECKLE 1000 READY WIDTH 1 A FLEX SRP B100 FULL DECKLE 1060 A FLEX CD303 B100 FULL DECKLE 1060 M J SYN PAPER A F101 BG40WH N FULL DECKLE 1530	READY WIDTH       1       500         RPE 80       SRP       BG40WH N       FULL DECKLE       1525       1525         READY WIDTH       1       500         RPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525         READY WIDTH       1       500         APE 80       CD303       BG40WH N       FULL DECKLE       1525       1525         READY WIDTH       1       500         // H PRT PET       S333       50 SCK       FULL DECKLE       1524       775         READY WIDTH       1       500         // H PRT PET       S333       50 SCK       FULL DECKLE       1524       775         READY WIDTH       1       500       1000       1000       1000         IATTE CH PET TC       S333       50 SCK       FULL DECKLE       1000       1000         THETIC PAPER       SR2       BG40WH N       FULL DECKLE       1000       1000         KFLEX       SRP       B100       FULL DECKLE       1060       1060         KFLEX       CD303       B100       FULL DECKLE       1060       1060         MIJ SYN PAPER       AF101       BG40WH N       FULL DECKLE<	NPE 80       SRP       BG40WHN       FULL DECKLE       1525         NPE 80       SRP       BG40WHN       FULL DECKLE       1525         NPE 80       CD303       BG40WHN       FULL DECKLE       1524         NH PRT PET       S333       50 SCK       FULL DECKLE       1524       775         NATTE CH PET TC       S333       50 SCK       FULL DECKLE       1524       775         NATTE CH PET TC       S333       50 SCK       FULL DECKLE       1524       775         READY WIDTH       1       500       1000       1000         THETIC PAPER       SR2       BG40WH N       FULL DECKLE       1000       1000         FLEX       SRP       B100       FULL DECKLE       1060       Max 2500LM         NFLEX       CD303       B100       FULL DECKLE       1060       Max 2500LM         MIJ SYN PAPER       AF101	READY WIDTH       1       500       VIC       QLD         NPE 80       SRP       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1524       775       VIC       QLD         NH PRT PET       S333       50 SCK       FULL DECKLE       1524       775       VIC       QLD         NATTE CH PET TC       S333       50 SCK       FULL DECKLE       1524       775       VIC       QLD         READY WIDTH       1       500       VIC       QLD       READY WIDTH       1       500       VIC       VIC         NFLEX       SR2       BG40WH N       FULL DECKLE       1060       1060       Max 2500LM <td>READY WIDTH       1       500       VIC       QLD         NPE 80       SRP       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         NH PRT PET       S333       50 SCK       FULL DECKLE       1524       775       VIC       QLD         NATTE CH PET TC       S333       50 SCK       FULL DECKLE       1524       775       VIC       QLD         NHETIC PAPER       SR2       BG40WH N       FULL DECKLE       1000       1000       VIC       VIC         NFLEX       SRP       B100       FULL DECKLE       1060       Max 2500LM       VIC       QLD         NFLEX       SRP       B100       FULL DECKLE       1060       1060       Max 2500LM       VIC       QLD</td> <td>READY WIDTH       I       500       VIC       QLD         APE 80       SRP       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         Adhesive meets APR HDPE Critical Guidance criteria       READY WIDTH       I       500       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1524       775       VIC       QLD         APE 80       SSS       FULL DECKLE       1524       775       VIC       QLD       VIC       QLD         IATTE CH PET TC       S333       50 SCK       FULL DECKLE       1000       1000       VIC       QLD       Adhesive meets APR HDPE         FLEX       SRP       B100       FULL DECKLE       1060       Max 2500LM       VIC       QLD       Adhesive meets APR HDPE</td>	READY WIDTH       1       500       VIC       QLD         NPE 80       SRP       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         NPE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         NH PRT PET       S333       50 SCK       FULL DECKLE       1524       775       VIC       QLD         NATTE CH PET TC       S333       50 SCK       FULL DECKLE       1524       775       VIC       QLD         NHETIC PAPER       SR2       BG40WH N       FULL DECKLE       1000       1000       VIC       VIC         NFLEX       SRP       B100       FULL DECKLE       1060       Max 2500LM       VIC       QLD         NFLEX       SRP       B100       FULL DECKLE       1060       1060       Max 2500LM       VIC       QLD	READY WIDTH       I       500       VIC       QLD         APE 80       SRP       BG40WH N       FULL DECKLE       1525       1525       VIC       QLD         Adhesive meets APR HDPE Critical Guidance criteria       READY WIDTH       I       500       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1525       VIC       QLD         APE 80       CD303       BG40WH N       FULL DECKLE       1524       775       VIC       QLD         APE 80       SSS       FULL DECKLE       1524       775       VIC       QLD       VIC       QLD         IATTE CH PET TC       S333       50 SCK       FULL DECKLE       1000       1000       VIC       QLD       Adhesive meets APR HDPE         FLEX       SRP       B100       FULL DECKLE       1060       Max 2500LM       VIC       QLD       Adhesive meets APR HDPE

### Wine Portfolio

ltem	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location		Sustainable ADvantage	Comments
<b>Gloss Paper</b>											
F10920.1525	*CAST GLOSS ELITE	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Q \$	Adhesive is manufactured with at least 30% sustainably	
	FSC			READY WIDTH	ł Ŧ	500		VIC QLD		certified biomass	
<u>F12823.1525</u>	*CAST GLOSS ELITE FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	⊙ ♥	Adhesive is manufactured with at least 30% sustainably certified biomass Liner contains recycled conter	nt
Uncoated P	aper										
F14010.1525	*rSABLE FSC rPLUS	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC	Q \$	Adhesive is manufactured with at least 30% sustainably certified biomass	
F14020.1525	*rSABLE FSC rPLUS	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	Adhesive is manufactured with at least 30% sustainably		
				EXACT		500	2000	VIC		certified biomass Liner contains recycled conter	
AD871L	COTTON WHITE	S2030	BG40WH N	FULL DECKLE	1000	1000		VIC			
				READY WIDTH	ł Ŧ	500		VIC			
<u>BJ387</u>	COTTON TOUCH PLUS FSC	S2047N	*BG45WH FSC	FULL DECKLE	1000	1000			Ø		Available on Indent
<u>AW682</u>	COTTON EXTRA WHITE	S2047	BG45WH	FULL DECKLE	1000	1000					Available on Indent
F02785.1525	*SUP WHITE OPAQUE	S3037	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	Ŧ		
	FSC			EXACT		500	2000	VIC			
<u>F12498.1525</u>	*ARCTIC rPLUS FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	⊙ ♥	Adhesive is manufactured with at least 30% sustainably certified biomass Underlam and liner contain recycled content	
F29233.1525	*ESTATE #8 FSC	S2047	BG40WH N	FULL DECKLE	1525	1525		VIC	ŧ		

### Wine Portfolio

ltem	Facestock	Adhesive	Liner	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location		Sustainable ADvantage	Comments
Uncoated Pa	aper (continued)										
F02901.1525	*ARTISAN rPLUS FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC QLD	I 🖓 🖤		
				EXACT		500	2000	VIC QLD		certified biomass Underlam contains recycled content	
F02900.1525	*ARTISAN rPLUS FSC	rS2030MB	rPET30	FULL DECKLE	1525	1525		VIC	I 💭 🎔	Adhesive is manufactured with at least 30% sustainably	
				EXACT		500	2000	VIC		certified biomass Underlam and liner contain recycled content	
F02899.1525	*ESTATE #4 PE FSC	rS2030MB	BG40WH N	FULL DECKLE	1525	1525		VIC	Adhesive is manufactured with at least 30% sustainably certified biomass		
				HALF MASTER	R 762	762	1000	VIC	~~ V	certified biomass	
F12783.1525	*VINTAGE FSC	S2047	BG40WH N	FULL DECKLE	1525	1525		VIC	$\oplus$		Available on rPET liner on Indent
				EXACT		500	2000	VIC			
				READY WIDTH	ι Ŧ	500		WA			
Metallised P	apers										
<u>F54169.1000</u>	*MAXFLEX BR SILVER FSC	WLP	BG40WH N	FULL DECKLE	E 1000	1000		VIC	Ŧ		
	FSC			READY WIDTH	ł ∓	500		VIC			
F54206.1000	*MAXFLEX BR SILVER FSC	WLK202	BG40WH N	FULL DECKLE	E 1000	1000		VIC	Ŧ		
	F3C			READY WIDTH	+ ∔						
Specialty Pa	aper										
<u>BZ437</u>	*FROZEN ORION DIAMOND V2 PLUS FSC	S2047N	BG45WH IMP	FULL DECKLE	E 1000	500		VIC			

### Rapid Roll Portfolio

Item	Facestock	Service Program	Width (mm)	MOQ (m²)	Length (m)	Stocking Location	Sustainable ADvantage	Comments
<b>Gloss Paper</b>	r							
<u>RR5728</u>	VALERONC2S 7.5Mil (190um)	FULL DECKLE	1333	1340	1000	VIC		
<u>RR9000</u>	HIGH TEMP DT BOPP 90UM	FULL DECKLE	1525	1525	1000	QLD		

### Ready Width - Queensland

		Item	Description	MOQ (sqm)	Length (LM)	Ready Widths
Prime Papers	CAST COAT	F12820.1525	HIGH GLOSS WHITE FSC rET9MB BG40WH	500	2000	250, 333
	COLOURED & SPECIALTY PRIME PAPERS	F45520.1000	RADIANT YELLOW S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	PRIME PAPERS	F45521.1000	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45522.1000	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45523.1000	RADIANT RED S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45524.1000	RADIANT PINK S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
		AD640	TYRE PLUS TS79 BG45WH F	500	500	125, 166, 250, 333
Prime Films	CONFORMABLE FILMS	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
	RIGID WHITE FILMS	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
		F62404.1000	OPALUX 80N SR2 BG40WH N	500	2000	250, 333
	RIGID CLEAR FILMS	F77001.1525	PP40 CL TC S7400 rPET23	500	2000	200, 250, 333, 375
		F5418.1000	PP50 TC CLEAR SR2 BG40WH N	500	2000	250, 333
		F78001.1525		500	2000	250, 333
	METALLISED BOPP	BW0272A	PP TC SILVER ELITE S692N BG40WH N	500	2000	125, 145, 165, 200, 250, 300, 333
Variable Information Papers	THERMAL TRANSFER PAPER	F22471.1000	TT ELITE FSC R5000 BG40WH N	500	1500	250, 333
		F33071.1000	DT200HD FSC R5000 BG40WH N	500	2000	166, 200, 250, 333
Variable Information Films	THERMAL TRANSFER FILM	BW0153.1000	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
		F41630.1525	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
		F50150.1525	DATA PE 80 CD303 BG40WH N	500	1000	200, 250, 333
		72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
		72826	2M MATTE CH PET S333 50 SCK	500	508	117, 254
		F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333
Wine Portfolio	GLOSS PAPER	F10920.1525	CAST GLOSS ELITE rS2030MB BG40WH N	500	2000	200, 225, 250, 275, 300, 330

### Ready Width - Victoria

		Item	Description	MOQ (sqm)	Length (LM)	Ready Widths
Prime Papers	CAST COAT	F12820.1525	HIGH GLOSS WHITE FSC rET9MB BG40WH	500	2000	250, 333
		F12828.1525	HIGH GLOSS WHITE FSC S2049 BG40WH N	500	2000	333
	LIGHTWEIGHT	F16502.1525	LW60 FSC S2045 BG40WH	500	2000	250, 333
	COLOURED & SPECIALTY	F45520.1000	RADIANT YELLOW S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	PRIME PAPERS	F45521.1000	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45522.1000	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45523.1000	RADIANT RED S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		F45524.1000	RADIANT PINK S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
		AD640	TYRE PLUS TS79 BG45WH F	500	500	125, 166, 250, 333
Prime Films	CONFORMABLE FILMS	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
		BW0064	PE85 WH TC S692N BG40WH IMP	500	2000	250, 333
		F64526.1000	PRIMAX <sup>®</sup> PLUS	500	2000	250, 333
	RIGID WHITE FILMS	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
		F62404.1000	OPALUX 80N SR2 BG40WH N	500	2000	200, 250, 333
	RIGID CLEAR FILMS	F5418.1000	PP50 TC CLEAR SR2 BG40WH N	500	2000	250, 333
	METALLISED BOPP	BW0272A	PP TC SILVER ELITE S692N BG40WH N	500	2000	125, 145, 165, 200, 250, 300, 333
Variable Information Papers	THERMAL TRANSFER PAPER	F22471.1000	TT ELITE FSC R5000 BG40WH N	500	1500	250, 333
		F33071.1000	DT200HD FSC R5000 BG40WH N	500	2000	166, 200, 250, 333
Variable Information Films	THERMAL TRANSFER FILM	BW0153.1000	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
		F41630.1525	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
		F50150.1525	DATA PE 80 CD303 BG40WH N	500	1000	200, 250, 333
		72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
		72826	2M MATTE CH PET S333 50 SCK	500	508	117, 254
		F31200.1000	SYNTHETIC PAPER SR2 BG40	500	2000	200, 250, 333
		F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333

## Ready Width - Victoria

		Item	Description	MOQ (sqm)	Length (LM)	Ready Widths
Wine Portfolio	GLOSS PAPER	F10920.1525	CAST GLOSS ELITE rS2030MB BG40WH N	500	2000	200, 225, 250, 275, 300, 330
	UNCOATED PAPER	AD871L	COTTON WHITE S2030 BG40WH N	500	2000	330
	METALLISED PAPER	F54169.1000	MAXFLEX BR SILVER FSC	500	1000	330
		F54206.1000	MAXFLEX BR SILVER FSC	500	1000	330

### Ready Width - Western Australia

Prime Papers         CAST COAT         F12826.1525         HIGH GLOSS WHITE FSC S2045           F12828.1525         HIGH GLOSS WHITE FSC S2049         HIGH GLOSS WHITE FSC S2049         HIGH GLOSS WHITE FSC S2049           MACHINE COAT         F18827.1525         AD MC70 FSC S2045N BG33WH           RADIANT         F45520.1000         RADIANT YELLOW FSC S2090 B	BG40WH N         500           H N         500	1500 2000 1500	200, 225, 250, 270, 333 333 125, 145, 165, 180, 200,250
MACHINE COAT F18827.1525 AD MC70 FSC S2045N BG33WH	HN 500	1500	
			125, 145, 165, 180, 200,250
RADIANT F45520.1000 RADIANT YELLOW FSC S2090 E	3G40WHN 500		
		1000	166, 200, 250
F45521.1000 RADIANT ORANGE FSC S2090 E	BG40WH N 500	1000	125, 166, 200, 250
F45522.1000 RADIANT GREEN FSC S2090 BG	640WHN 500	1000	125, 166, 200, 250
F45523.1000 RADIANT RED FSC S2090 BG40	WHN 500	1000	125, 166, 200, 250
F45524.1000 RADIANT PINK FSC S2090 BG40	0WH N 500	1000	125, 166, 200, 250
Prime Films         CONFORMABLE FILMS         AF435         PRIMAX ® UVR145 BG45WH	500	1000	250
RIGID WHITE FILMS F64226.1525 rPP TOP WHITE SRP BG40WH N	I 500	2000	180, 200, 250, 333
F64228.1525 rPP TOP WHITE SPX BG40WH N	500	2000	125, 166, 200, 222, 250, 333
F62109.1000 OPALUX 80N SRP BG40WH N	500	2000	333
VINYL (PVC) AH932 PVC WHITE S692N BG40WH N	500	1000	250
Variable Information Papers DIRECT THERMAL PAPER F33617.1525 DT200HD FSC S2049 BG33WH	NF 500	1500	145, 166, 180, 200, 225, 250, 333
F33071.1000 DT200HD FSC R5000 BG40WH	N 500	1000	200, 250
F32300.1525 AD DT150RL FSC S2049 BG33W	VH NF 500	1500	200, 225, 250, 333
Variable Information Films THERMAL TRANSFER PAPER F32601.1525 TT ELITE FSC S2049 BG33WH N	F 500	1500	125, 200, 225, 250, 333
Wine Portfolio         UNCOATED PAPER         F12783.1525         VINTAGE FSC S2047 BG40WH N	N 500	2000	225, 250, 270

### **Commercial Terms & Conditions**

Any exceptions to the standards are subject to an upcharge unless otherwise noted

#### Minimum Order Quantity and/or Value

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

#### GST

All prices quoted are excluding GST. GST of 10% will be added to all Australian invoices.

### **Service Policy**

Business Support Team hours are Monday to Friday, 7.30am to 5.00pm AEST. The office is closed on Australian Public Holidays.

All orders received prior to 2.00pm AEST will be dispatched the following day excluding, WA Ready Width.

Please refer to Transit Lead Times to calculate interstate deliveries.

Please note that all orders should be received via e-mail as we cannot accept phone orders.

Lead time for order pick-up is a minimum of 2 hours after an order has been received.

WA orders	Deliveries from Melbourne:
	Cut-off time is 2:00pm AEST each Monday, for a Tuesday dispatch, and 2:00pm AEST each Thursday, for a Friday dispatch. (NB. There is a 12:00pm AEST cut- off time for all same day dispatches out of Perth)
Indent Products	Sea Freight orders for all states delivery within 12-19 weeks*.
Non stocked product codes supplied only on confirmed order	Availability and manufacturing lead times to be confirmed with Business Support Team.

#### **Delivery Charges**

No delivery fee will apply on shipping to a single metropolitan customer branch. A fee will apply:

- if an urgent delivery is requested
- delivery is requested to non-metropolitan destinations

The Customer can choose to book and pay for a courier to pick up their goods.

No deliveries will be made to alternative locations without prior authorisation from Avery Dennison.

### **Transit Times for Interstate Deliveries**

Destination	Days from Melbourne DC	Days from Brisbane DC
Adelaide	1-2	3-4
Brisbane /Gold Coast	2	same day/ next day
Canberra / ACT	2	2
Melbourne	same day/ next day	2-3
Perth	4 (Tue & Fri trucks)	6
Sydney	1	1
Auckland	2 weeks	2 weeks

All interstate deliveries will be made by close of business, 5.00pm.

Transit times to non metropolitan areas will incur longer transit lead times. Should you require further clarification, please contact our Business Support Team.

### **Commercial Terms & Conditions**

#### **Re-stocking Fee**

There is a \$50.00 AUD fee per roll to re-stock customer orders that were placed incorrectly at the time of ordering (customer error). This fee covers the cost of collecting the goods and delivering a new order. Product must be un-opened, in the original packaging, and a Goods Returned Docket must accompany all returned items. Acceptance of return will be at the discretion of Avery Dennison.

#### **Product Quality Complaints**

An Avery Dennison Quality Complaint Form must be filled out and a sample and/or photographs of the product sent to Avery Dennison within 15 days of the complaint occurring. No Returns or Claims will be accepted on packaged or partially consumed products that have exceeded their shelf life.

#### **Product Changes**

Avery Dennison reserves the right, without liability to the CUSTOMER, to discontinue or limit the manufacture or sale of PRODUCTS, to make any technical, material, colour or design changes in PRODUCT, add new and additional products to its line, substitute such altered products for the prior PRODUCTS in filling orders and/or change its sales and distribution policies, after giving the CUSTOMER appropriate notification, in advance thereof.

#### **Prices**

The prices at which the PRODUCTS shall be sold to the CUSTOMER shall be the prices as set forth in the "PRICE LIST". All prices are in Australian Dollars unless otherwise stated. Avery Dennison's standard terms and conditions of sale shall apply to all sales hereunder, as set forth on Avery Dennison's invoice and upon request, and as may be subsequently modified by Avery Dennison, except to the extent expressly inconsistent with this Agreement.

#### **Orders and Delivery**

The parties may use their normal commercial forms in placing and acknowledging orders hereunder. Any such forms shall be used for convenience only and any terms or provisions which may be contained therein inconsistent with or in addition to those contained herein, other than provisions specifying the quantity and type of PRODUCTS ordered, requested delivery dates and invoicing and shipping instructions, shall have no force or effect whatsoever between the parties. Shipping dates given prior to actual shipment shall be deemed to be estimates only. A purchase order number is required on every purchase order request.

#### **Confidential Information**

All information designated in writing by Avery Dennison as being confidential or proprietary shall be received and held by the CUSTOMER in strict confidence and shall not at any time be disclosed to others, used for the CUSTOMER's benefit or the benefit of others or in any manner detrimental to Avery Dennison.

#### **Force Majeure**

Avery Dennison shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by accident, fire, strike, riot, civil commotion, insurrection, war, the elements, embargo, failure of carrier, inability to obtain transportation facilities, government requirements, acts of God or public enemy, prior orders from others or limitations on Avery Dennison's or its suppliers' products or marketing activities or any other cause or contingency beyond Avery Dennison's control.

#### Non-waiver

Avery Dennison's (a) failure to insist upon strict performance of any of the terms or conditions, (b) failure or delay to exercise any rights or remedies provided herein or by law, (c) failure properly to notify the CUSTOMER in the event of breach or (d) acceptance of payment for any PRODUCTS sold hereunder, shall not be deemed a waiver of any right of Avery Dennison to insist upon strict performance hereof or of any of its rights or remedies, or as to any prior or subsequent default hereunder.

### **Imported Container Charges**

Avery Dennison offers our customers the option to import full container loads of label material direct to a specified warehouse. Under this service arrangement, charges relating to the shipment, unloading and cleaning of containers are the responsibility of the customer. Charges additional to shipment can include, but are not limited to:

#### Detention

Detention is a fee charged for the use of a shipping container outside the port terminal. Consignees are permitted a limited number of free days starting from when the container is available from the port (these will vary depending on the carrier and location but are typically 8-10 days). Detention starts when the full container is picked up from the terminal, continues during its delivery to the consignee, and ends upon return of the empty container to the container yard.

Detention charges are billed per container per day and will vary depending on carrier, location and container type. This cost can range between \$175 - \$250 a day and will increase incrementally, for example: 1-5 days may cost \$200, increasing to \$250 for 6-10 days

#### Cleaning

A container cleaning fee may be charged by shipping lines to consignees for cleaning a container after it has been imported and returned to the container depot. Desiccant bags and the rings they hang on must be removed from the container before it is sent back, otherwise the consignee may be charged by the shipping line once they receive the container back. These charges are typically between \$80-\$85.

#### Waiting time

Fee for holding up a delivery driver. Consignees are given 1 hour free for a delivery driver once on site. If the delivery driver is held up 25 minutes over 1 hour the consignee will be charged. This charge can range anywhere between \$120-\$130 per hour.

#### **Futile Trip**

This fee is incurred when an empty container is not available for collection upon arrival of the cartage vehicle at the consignee's premises. This may be because the container was not ready at the time of pickup or the driver could not access the container.

### **Operational Terms & Conditions**

Any exceptions to the standards are subject to an upcharge unless otherwise noted

#### **Mix and Match Ordering Guidelines**

Talk with your local Avery Dennison representative to find an emulsion Mix and Match solution Different MOQs and lead times apply, pending agreed product selection

### **Core Diameter**

76mm

### **Splice Standard**

Maximum:

- 500 lm 0 splice
- 1000 lm 1 splice
- 1500 lm 1 splice
- 2000 lm 2 splices
- 3000 lm 3 splices

**Minimum Distance Between Splices** and to Start/End of a Roll 200 lm

#### Splice Tape

- Top tape 24mm wide red
- Middle tape 19mm wide clear
- Bottom tape 36mm wide red

### **Splice Configuration**

3 part splice is standard

### Splice Indication

Number of splices recorded on cheese label, located on the side of the roll

### **Offcut Disposition**

Offcuts less than 90 mm are scrapped. customer will be charged

### Slit Width

- Minimum slit width is 90mm
- Maximum slit width is 1524mm

#### Slit Roll Width Tolerances

- Full width tolerance +/- 2mm
- 1mm +/- each side

### **Roll Length Tolerance**

- Roll length tolerance +/- 10% \_
- Minimum standard roll length 1000lm

### **Miminum Roll Length**

Metre wide items in the Half Master program are sold in lengths of 500 metres or greater

### **Maximum Roll Length**

Approximately 4500 linear metres depending on each product

### **Total Order Quantity**

Orders supplied +/- 10%

### **Packaging Method**

- Rolls less than 1500lm will be 'Chimney Stacked'
- Rolls greater than 1500lm will be packaged with the 'Roll On' Style

### **Roll Tag Labels**

Roll label on outside of roll with 1 core label in core

#### Separate Sizes by Width

One width size per stack, will segregate sizes within stack if less than sufficient quantity

### **Pallet sizes**

- Size 770mm x 1050mm
- Size 1200mm x 1200mm

### **Pallets and Chocks**

Remain the property of Avery Dennison and are to be returned. Coordination of return is the responsibility of the customer

#### **Maximum Stack Height**

1 metre

### Minimum Order Quantity

- Standard MOO is 1000 lineal metres of the full web width. Specified programs like Half Master, Ready Width & Exact have different MOQ's
- Standard products only, not custom make or indent

### **Custom Make Products**

Refer to Avery Dennison representatives for business rules

### **Returns / Claims**

- Should be made within 30 days of receipt of material
- Avery Dennison approval required before material is picked up

### **Material Quality Matters**

- Material is to remain at customers pending testing/evaluation
- Roll label details to be provided to Avery Dennison and full justification of any amount

Label and Packaging Materials

Product Guide Australia 2024

Avery Dennison Label and Packaging Materials Australia 4 Duigan Dr Moorabbin Airport, VIC 3194 Sales: 1300 369 984

General Enquiries: lpm.anz@ap.averydennison.com

Orders can be placed at: aus.sales@ap.averydennison.com

Learn more at label.averydennison.com

in f

#MakingPossible

© 2024 Avery Dennison Corporation. All rights reserved. The "Making Possible" tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



