



Product Services Guide

Australia
July 2025

Introduction

Welcome to the July 2025 Product Services Guide. This Guide was created to provide you with a single document to inform you of the core product portfolios of Avery Dennison Label and Packaging Materials Australia.

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|-------------|--------------|----------|------------|-----------------|------------|-----------------------|--------------|-------------------|---|----------|
| F33518.1525 | ✱DT200HD FSC | C2075 | ✱BG40WH NF | FULL DECKLE | 1525 | 1525 | (Max 2000LM) | VIC QLD |  | |
| | | | | HALF MASTER | 762 | 762 | 1000 | VIC QLD | | |
| F33071.1000 | ✱DT200HD FSC | R5000 | ✱BG40WH NF | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |

How to read the Product Services Guide

- Item:**
The item number identifies the product on your delivery documents and invoices.

Facestock:
Identifies the facestock used in the construction.

Adhesive:
Identifies the particular adhesive used in the construction.

Liner:
When liner codes end in the letter ‘N’ this signifies a nil imprint. PET liners never have a backprint.

Service Program:

 - FULL DECKLE
Signifies the product is sold with the complete web width and the minimum length of 1000 metres. The trim will be charged, but not dispatched unless requested on your purchase order.
- EXACT
Items are sold in any width with fixed lengths that vary for each program.

– Ready Width
Offers slit rolls in set widths and lengths. See Ready Width section for details.

– Half Master
Reduces the minimum order quantity (MOQ) by half. Half Master of a 1525mm wide item allows you to purchase from a master that is only 762mm wide by 1000 metres.

Width (mm):
Identifies the available width(s)

MOQ (m²):
All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

- Length (m):**
Identifies the length in lineal meters, offered in a service program
- Stocking Location:**
The AD site the product is stocked in
- Sustainable Advantage Products**
Indicates the Sustainable ADvantage categories that the product falls under. See page 4 for more information.
- FSC® certified facestock or liner
- ✱ Only the products identified as such count with Forest Stewardship Council® certification.



- Comments:**
This column will also highlight any notice of impending change to the final facestock, adhesive or liner.

Additional Service Programs

- Mix and Match**
Avery Dennison has the capability to produce custom products to meet your requirements. Please contact your Avery Dennison representative to discuss the possibilities of unique product constructions to meet your requirements.
- Indent**
Sea freight or Airfreight options are available in order to meet your requirements. Please refer to your Avery Dennison representative for further information.

Need more information?

Business Support Team

1300 369 984

Mon to Fri 7.30am – 5.00pm AEST
(excluding Australian Public Holidays)

Avery Dennison has a Business Support Team ready to answer your enquiries. Call them today to discuss product availability, ordering process or anything else you require.

Account Business Managers

Victoria

| | |
|-----------------|--------------|
| Lynn Doney | 0418 344 345 |
| Angela Liodakis | 0417 486 259 |

New South Wales

| | |
|----------------|--------------|
| Sarah Baserdem | 0405 317 600 |
|----------------|--------------|

Queensland

| | |
|-----------|--------------|
| Tony Cook | 0488 390 230 |
|-----------|--------------|

South Australia

| | |
|--------------|--------------|
| Simon Harris | 0409 634 097 |
|--------------|--------------|

Business Support Manager

Australia & New Zealand

| | |
|------------|--------------|
| Bill Ishak | 0400 847 252 |
|------------|--------------|

Account Enquiries

Australia & New Zealand

P: 03 9271 0312
receivables.aust@ap.averydennison.com

Technical Support

Australia & New Zealand

| | |
|-------------|--------------|
| Steve Brook | 03 9271 0300 |
|-------------|--------------|

Contact us:

Australia

4 Duigan Drive
Moorabbin Airport VIC 3194
P: 1300 369 984
aus.sales@ap.averydennison.com
label.averydennison.com

Data & Specification Sheets

Click the product codes listed in this document to view specification sheets, or scan the QR code to search our online Product Finder.

Product Samples

Should you require any samples of the products listed in this brochure please contact your local Avery Dennison representative.


Pallet Pick Up

aus.sales@ap.averydennison.com

Should you have pallets for return, please ensure they are loaded onto the dedicated Avery Dennison truck when you receive your next delivery of stock. Please note: courier deliveries are excluded from this service.




Look for the marked
Sustainable ADvantage
products in this
Product Services Guide



Enables Recycling, Reuse or Compostability

What we use can be used again.


Solutions that enhance recyclability and enable reuse and recycling of packaging as well as the recycling and composting of label waste



Reduction in the use of materials

Use only what is necessary.

Thinner facestock, adhesive, or liner that uses less raw materials to be manufactured



Contains recycled content

Give a second life to what has already been used.

Facestocks and liners that include post-industrial waste or post-consumer recycled content



Responsibly sourced

Products sourced from a supply chain that shows care for people and the environment.

Film made from renewable alternatives and paper certified by FSC® or other organizations













Transitions

| | | Code | Facestock | Adhesive | Liner |
|-------------------------------------|---------|---------------------------------|---|------------------------|-----------------------------------|
| Variable Information Papers | | | | | |
| Direct Thermal Film | Q3 2025 | F72683.1525 ↓ F72684.1525 | DT300N ↓ rDT300 | S2049 | BG40WH N |
| | Q3 2025 | F72693.1525 ↓ F72694.1525 | DT300N ↓ rDT300 | AT20 | BG40WH N |
| Prime Films | | | | | |
| Rigid White Films | Q1 2025 | BW7045 ↓ F3540.1525 | PP60 Top Pearlized White ↓ PP60 TC Pearl WH | SR3013 ↓ SR3013N | BG33Wh Imp ↓ BG33Wh Imp FSC |
| | Q2 2025 | BW0272A ↓ BW0272.1000 | PP TC SILVER | S692N | BG40WH |
| Wine and Premium Labeling Portfolio | | | | | |
| Uncoated Paper | Q3 2025 | F29233.1525 ↓ F29333.1525 | ESTATE #8 FSC ↓ ARTISAN FSC | S2047 | BG40WH N |
| | Q3 2025 | F12498.1525 ↓ F12598.1525 | ARCTIC rPLUS FSC ↓ ARCTIC rPL FSC V2 | rS2030MB | rPET30 |






Prime Papers




| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|-------------------|-----------------------|----------|----------|-----------------|------------|-----------------------|------------|-------------------|---|----------------------|
| Gloss Papers | | | | | | | | | | |
| F12826.1525 | *HIGH GLOSS WHITE FSC | S2045 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | Adhesive is manufactured with at least 30% biobased content | |
| | | | | EXACT | | 500 | 1500/ 3000 | VIC QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | WA | | |
| F12828.1525 | *HIGH GLOSS WHITE FSC | S2049 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | Adhesive is manufactured with at least 30% biobased content | |
| | | | | EXACT | | 500 | 2000 | VIC QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | WA | | |
| F12822.1525 | *HIGH GLOSS WHITE FSC | C2075 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | | |
| | | | | HALF MASTER | 762 | 762 | 1000 | VIC QLD | | |
| F12820.1525 | *HIGH GLOSS WHITE FSC | rET9MB | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | Adhesive is manufactured with at least 30% biobased content | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD | | |
| F10968.1000 | HIGH GLOSS WHITE FSC | R5000 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD | | |
| AA042 | *HGW PREMIUM FSC | R100 | BG40BR | FULL DECKLE | 1000 | 1000 | | VIC | | |
| Semi-Gloss Papers | | | | | | | | | | |
| F18828.1525 | *AD MC70 FSC | S2049 | BG33WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner | |
| F18827.1525 | *AD MC70 FSC | S2045N | BG33WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner | |
| | | | | EXACT | | 500 | 1500/ 3000 | VIC QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | WA | | |
| F18900.1525 | *AD rMC FSC | S2045N | BG33WH N | INDENT | 1525 | 1525 | | | Facestock contains 30% recycled content Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner | Available via indent |

Prime Papers

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|-----------------------------|----------------------|----------|------------|-----------------|------------|-----------------------|------------|-------------------|---|----------|
| Light Weight | | | | | | | | | | |
| F16502.1525 | ✳️LW60 FSC | S2045 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC |   Adhesive is manufactured with at least 30% biobased content | |
| | | | | HALF MASTER | 762 | 762 | 1000 | VIC | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | | |
| Vellum | | | | | | | | | | |
| F2009.1000 | ✳️SUPER VELLUM FSC | ET9 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| F21734.1000 | ✳️SUPER VELLUM FSC | R5000 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| AA016 | ✳️VELLUM EXTRA FSC | R100 | BG40BR | FULL DECKLE | 1000 | 1000 | | VIC |  | |
| Coloured & Specialty Papers | | | | | | | | | | |
| F45520.1000 | ✳️RADIANT YELLOW FSC | S2090 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |
| F45521.1000 | ✳️RADIANT ORANGE FSC | S2090 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |
| F45522.1000 | ✳️RADIANT GREEN FSC | S2090 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |
| F45523.1000 | ✳️RADIANT RED FSC | S2090 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |
| F45524.1000 | ✳️RADIANT PINK FSC | S2090 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |
| AD640 | ✳️TYRE PLUS FSC | TS79 | ✳️BG45WH F | FULL DECKLE | 1000 | 500 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD | | |
| BL251 | ✳️MC90 OPQ FSC | S2660 | BG40BR | FULL DECKLE | 1000 | 500 | | VIC |  | |

Conformable Films


| | | | | | | | | | | |
|--------------------|-----------------|--------|------------|-------------|------|----------|-----|-----|---|--|
| <u>BW7022</u> | Flex+ White NTC | S692N | BG33Wh Imp | FULL DECKLE | 1525 | 1525 | VIC | QLD |  | ► to Recycled Facestock in Q3 '25. Available in Clear facestock via indent |
| <u>BW0181</u> | GCX CLEAR NTC | S692N | BG40WH | FULL DECKLE | 1525 | 1525 | VIC | QLD |  | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| | | | | READY WIDTH | ↓ | 500 | VIC | QLD | | |
| <u>BW0182</u> | GCX WHITE NTC | S692N | BG40WH | FULL DECKLE | 1525 | 1525 | VIC | QLD |  | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| | | | | EXACT | | 500 2000 | VIC | QLD | | |
| <u>BW0064</u> | PE85 TC White | S692N | BG40WH Imp | FULL DECKLE | 1525 | 1525 | VIC | |  | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| | | | | READY WIDTH | ↓ | 500 | VIC | | | |
| <u>BW0065</u> | PE85 CL TC | S692N | BG40WH Imp | FULL DECKLE | 1525 | 1525 | VIC | QLD |  | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| <u>F64526.1000</u> | PRIMAX® PLUS | R5000 | BG40WH N | FULL DECKLE | 1000 | 1000 | VIC | QLD | | |
| | | | | READY WIDTH | ↓ | 500 | VIC | | | |
| <u>AF435</u> | PRIMAX® I | UVR145 | BG45WH | FULL DECKLE | 1000 | 1000 | VIC | QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | WA | | |

| | | | | | | | | | | | | |
|--------------------|------------------|--------|----------------|-------------|------|------|------|-----|-----|---|--|--|
| <u>F64226.1525</u> | rPP TOP WHITE | SRP | BG33WHN | FULL DECKLE | 1525 | 1525 | | VIC | QLD |  | Facestock contains 30% recycled content Adhesive meets APR HDPE Critical Guidance recyclability criteria Reduction in gsm of liner | |
| | | | | EXACT | | 500 | 2000 | VIC | QLD | | | |
| | | | | READY WIDTH | ↓ | 500 | | | WA | | | |
| <u>BW7045</u> | PP60 TC Pearl WH | SR3013 | BG33Wh Imp FSC | FULL DECKLE | 1525 | 1525 | 1000 | VIC | |  | Cleanflake enables PET recyclability (APR PET Bottles Critical Guidance) Reduction in gsm of liner | ► to SR3013N (APEO free Adhesive) in Q3'25 |
| <u>F64228.1525</u> | rPP TOP WHITE | SPX | BG33WHN | FULL DECKLE | 1525 | 1525 | | VIC | QLD |  | Facestock contains 30% recycled content Reduction in gsm of liner | |
| | | | | EXACT | | 500 | 2000 | VIC | QLD | | | |
| | | | | READY WIDTH | ↓ | 500 | | | WA | | | |

















Prime Films

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|-------------------------------|-------------|----------|----------------|-----------------|------------|-----------------------|------------|-------------------|-----------------------|---|
| Rigid White Films (continued) | | | | | | | | | | |
| F79343.1525 | PP60 WH NTC | SPX | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | | |
| | | | | EXACT | | 500 | 3000 | VIC QLD | | |
| F79347.1525 | PP60 WH NTC | S692N | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| | | | | EXACT | | 500 | 2000 | VIC QLD | | |
| F62109.1000 | OPALUX 80N | SRP | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD | | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |
| F62404.1000 | OPALUX 80N | SR2 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD | | |
| F62119.1000 | PEARLUX 80N | SRP | BG40WH N | FULL DECKLE | 1000 | 1000 | | QLD | | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| Rigid Clear Films | | | | | | | | | | |
| F77001.1525 | PP40 TC CL | S7400 | rPET23 | FULL DECKLE | 1525 | 1525 | | QLD | | Reduction in gsm of facestock and liner Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| | | | | READY WIDTH | ↓ | 500 | | QLD | | |
| BW0237N | PP50 TC CL | S692N | rPET23 | FULL DECKLE | 1525 | 1525 | | QLD | | » from F78001.1525 |
| | | | | READY WIDTH | ↓ | 500 | | QLD | | |
| F3139.1525 | PP50 TC CL | SRP | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | | Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| | | | | EXACT | | 500 | 2000 | VIC QLD | | |
| F3640.1525 | PP50 TC CL | SR3013N | BG33Wh Imp FSC | FULL DECKLE | 1525 | 1525 | 1000 | | | Cleanflake enables PET recyclability (APR PET Bottles Critical Guidance) Reduction in gsm of liner |
| F5418.1000 | PP50 TC CL | SR2 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD | | Available on Indent » from BW7052 |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD | | |
| F1169.1525 | PP OLF-20 | SRP | BG40Wh Imp | FULL DECKLE | 1525 | 1525 | | VIC QLD | | |

Prime Films

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m²) | Length (m) | Stocking Location | | Sustainable Advantage | Comments |
|--|--------------------|----------|----------|-----------------|------------|------------------|--------------|-------------------|-----|---|---|
| Vinyl (PVC) / Metallised BOPP / Digital Film | | | | | | | | | | | |
| BW0272.1000 | PP TC SILVER | S692N | BG40WH | FULL DECKLE | 1000 | 1000 | | VIC | QLD | Adhesive meets APR HDPE Critical Guidance recyclability criteria | » in progress from 1525mm to 1000mm Deckle Width |
| | | | | READY WIDTH | ↓ | 500 | 2000 | VIC | QLD | | |
| BW0273A | PP TC SILVER ELITE | S692N | rPET30 | FULL DECKLE | 1525 | 1525 | (Max 2000LM) | VIC | QLD |  | Liner contains recycled content Adhesive meets APR HDPE Critical Guidance recyclability criteria |
| BW0220.330 | PP80 WH DIG | S692N | BG40WH N | FULL DECKLE | 330 | 3 Rolls (pallet) | 2000 | | QLD | | |
| AH932 | PVC WHITE | S692N | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | | | |
| | | | | READY WIDTH | ↓ | 500 | | | WA | | |






Variable Information Papers

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|----------------------|--------------------|----------|------------|-----------------|------------|-----------------------|--------------|-------------------|---|-----------------------------------|
| EDP Paper | | | | | | | | | | |
| AL306 | *ZIG ZAG FSC | S2045 | HF80 N | FULL DECKLE | 1000 | 1000 | | QLD |   Adhesive is manufactured with at least 30% biobased content | |
| Direct Thermal Paper | | | | | | | | | | |
| F33617.1525 | *DT200HD FSC | S2049 | *BG33WH NF | FULL DECKLE | 1525 | 1525 | | VIC QLD |    Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner | |
| | | | | EXACT | | 500 | 1500/ 3000 | VIC QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | WA | | |
| F30310.1525 | *DT200GP FSC | S2049 | *BG33WH NF | FULL DECKLE | 1525 | 1525 | | VIC QLD |   Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner | |
| | | | | EXACT | | 500 | 1500/ 3000 | VIC QLD | | |
| F33564.1525 | *DT200GP FSC | rET9MB | *BG33WH NF | FULL DECKLE | 1525 | 1525 | | QLD |    Adhesive is manufactured with at least 30% sustainably certified biomass Reduction in gsm of liner | |
| F33518.1525 | *DT200HD FSC | C2075 | *BG40WH NF | FULL DECKLE | 1525 | 1525 | (Max 2000LM) | VIC QLD |   | |
| | | | | HALF MASTER | 762 | 762 | 1000 | VIC QLD | | |
| F33071.1000 | *DT200HD FSC | R5000 | *BG40WH NF | FULL DECKLE | 1000 | 1000 | | VIC QLD |  | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD WA | | |
| F33547.1525 | *rDT300LD BPAF FSC | S2049 | *BG33WH NF | FULL DECKLE | 1525 | 1525 | | VIC QLD |    Facestock contains recycled content Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner | » to BPS Free Facestock in Q3 '25 |
| | | | | EXACT | | 500 | 1500/ 3000 | VIC QLD | | |








Variable Information Papers

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|--------------------------|------------------------------|----------|-----------|-----------------|------------|-----------------------|------------|-------------------|-----------------------------------|--|
| Direct Thermal Linerless | | | | | | | | | | |
| NW5900S | Premium Therm TC25 Linerless | HP103 | | INDENT | VARIOUS | 10,000 | VARIOUS | | Reduction in the use of materials | Available via indent |
| NW5920S | Premium-Therm TC24 Linerless | HP103 | | INDENT | VARIOUS | 10,000 | VARIOUS | | Reduction in the use of materials | Available via indent |
| NW5940S | Premium-Therm TC25 Linerless | HR630 | | INDENT | VARIOUS | 10,000 | VARIOUS | | Reduction in the use of materials | Available via indent |
| Thermal Transfer Paper | | | | | | | | | | |
| F32601.1525 | ✱TT ELITE FSC | S2049 | BG33WH NF | FULL DECKLE | 1525 | 1525 | | VIC QLD | | Adhesive is manufactured with at least 30% biobased content Reduction in gsm of liner |
| | | | | EXACT | | 500 | 1500/ 3000 | VIC QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | WA | | |
| F22471.1000 | ✱TT ELITE FSC | R5000 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC QLD | | |
| Laser / Inkjet Paper | | | | | | | | | | |
| AW1584.210 | ✱LCJ PREMIUM FSC | LP430 | HF55N | FULL DECKLE | 210 | 630 | 3000 | VIC QLD | | |
| AW1584.222 | ✱LCJ PREMIUM FSC | LP430 | HF55N | FULL DECKLE | 222 | 2664 | 3000 | | | Available via indent |
| AS492.210 | ✱LCJ PREMIUM FSC | LR2N | HF55 | FULL DECKLE | 210 | 630 | 3000 | VIC | | |
| AS492.222 | ✱LCJ PREMIUM FSC | LR2N | HF55 | FULL DECKLE | 222 | 666 | 3000 | VIC | | |
| OWK0006.210 | ✱LASERPRO FSC | S692N | CCK55/N | FULL DECKLE | 210 | 630 | 3000 | VIC | | |
| OWS236.1070 | ✱GLOSS IJ PAPER FSC | AP103 | BG40WH N | FULL DECKLE | 1070 | 535 | 500 | VIC | | |

Variable Information Films

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m²) | Length (m) | Stocking Location | | Sustainable Advantage | Comments |
|-----------------------|---|---------------------------|---|---|--|---|---------------------------|-------------------|-----|---|---|
| Direct Thermal Film | | | | | | | | | | | |
| F72683.1525 | DT300 | S2049 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC | QLD |  Adhesive is manufactured with at least 30% sustainably certified biomas | » to rDT300N - F72684.1525 Aug '25 |
| | | | | HALF MASTER | 762 | 762 | 1000 | VIC | QLD | | |
| F72694.1525 | rDT300 | AT20 | BG40WHN | FULL DECKLE | 1525 | 1525 | | VIC | QLD | | New Product available in Q3 '25 |
| F71688.1000 | POLYTHERMAL PLUS | SR2 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | QLD | | |
| Thermal Transfer Film | | | | | | | | | | | |
| BW0153.1000 | SYNTHETIC PAPER | S4700 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | QLD | | |
| F41675.1000 | SYNTHETIC PAPER | CD303 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | QLD | | |
| F41630.1525 | DATA PE 80 | SRP | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC | QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | QLD | | |
| F50150.1525 | DATA PE 80 | CD303 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC | QLD | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | QLD | | |
| 72828 | 2M WH PRT PET | S333 | 50 SCK | FULL DECKLE | 1524 | 775 | | VIC | QLD | | UL recognised. Extended PET range available as Indent |
| | | | | READY WIDTH | ↓ | 500 | | VIC | QLD | | |
| 72826 | 2M MATTE CH PET TC | S333 | 50 SCK | FULL DECKLE | 1524 | 775 | | VIC | QLD | | UL recognised. Extended PET range available as Indent |
| | | | | READY WIDTH | ↓ | 500 | | VIC | QLD | | |
| F31200.1000 | SYNTHETIC PAPER | SR2 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | | | |
| Laser / Inkjet Film | | | | | | | | | | | |
| 9168.1060 | DATAFLEX | SRP | B100 | FULL DECKLE | 1060 | 1060 | Max 2500LM | VIC | QLD | | |
| 9171.1060 | DATAFLEX | CD303 | B100 | FULL DECKLE | 1060 | 1060 | Max 2500LM | VIC | QLD | | |
| OZS200 | 100um IJ SYN PAPER | AF101 | BG40WH N | FULL DECKLE | 1530 | 765 | Max 2500LM | | QLD | | |
| ★ New | ✱ Forest Stewardship Council® certification | ↓ See Ready Width section |  Enable Recyclability, Reuse or Compostability |  Reduction in the Use of Materials |  Contains Recycled or Renewable content |  Responsibly Sourced | » Transition (details p5) | | | | |

Wine Portfolio

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|----------------|-----------------------|----------|-------------|-----------------|-------------|-----------------------|------------|-------------------|--|--|
| Gloss Paper | | | | | | | | | | |
| F10920.1525 | *CAST GLOSS ELITE FSC | rS2030MB | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD |  Adhesive is manufactured with at least 30% sustainably certified biomass | |
| | | | | | READY WIDTH | ↓ | 500 | VIC QLD | | |
| F12823.1525 | *CAST GLOSS ELITE FSC | rS2030MB | rPET30 | FULL DECKLE | 1525 | 1525 | | VIC |  Adhesive is manufactured with at least 30% sustainably certified biomass Liner contains recycled content | |
| Uncoated Paper | | | | | | | | | | |
| F14010.1525 | *rSABLE FSC rPLUS | rS2030MB | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC |  Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine contains recycled content | |
| F14020.1525 | *rSABLE FSC rPLUS | rS2030MB | rPET30 | FULL DECKLE | 1525 | 1525 | | VIC |  Adhesive is manufactured with at least 30% sustainably certified biomass Liner contains recycled content | |
| | | | | EXACT | | 500 | 2000 | VIC | | |
| AD871L | COTTON WHITE | S2030 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | | |
| BJ387 | COTTON TOUCH PLUS FSC | S2047N | *BG45WH FSC | FULL DECKLE | 1000 | 1000 | | |  | Available on Indent |
| AW682 | COTTON EXTRA WHITE | S2047 | BG45WH | FULL DECKLE | 1000 | 1000 | | | | Available on Indent |
| F02785.1525 | *SUP WHITE OPAQUE FSC | S3037 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD |  | |
| | | | | EXACT | | 500 | 2000 | VIC | | |
| F12598.1525 | *ARCTIC rPL FSC V2 | rS2030MB | rPET30 | FULL DECKLE | 1525 | 1525 | | VIC |  Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine and liner contain recycled content | » from F12498.1525, Q1'25 |
| F29333.1525 | ARTISAN FSC | S2047 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC | | » from F29233.1525 Estate#8 FSC S2047 BG40WH N |

Wine Portfolio

| Item | Facestock | Adhesive | Liner | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable Advantage | Comments |
|----------------------------|------------------------------------|----------|------------|-----------------|------------|-----------------------|------------|-------------------|--|--|
| Uncoated Paper (continued) | | | | | | | | | | |
| F02901.1525 | ✳️ARTISAN rPLUS FSC | rS2030MB | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC QLD | Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine contains recycled content | |
| | | | | EXACT | | 500 | 2000 | VIC QLD | | |
| F02900.1525 | ✳️ARTISAN rPLUS FSC | rS2030MB | rPET30 | FULL DECKLE | 1525 | 1525 | | VIC | Adhesive is manufactured with at least 30% sustainably certified biomass Underlamine and liner contain recycled content | Temporary ➡️ to virgin PET Liner - F12900.1525 |
| | | | | EXACT | | 500 | 2000 | VIC | | |
| F02899.1525 | ✳️ESTATE #4 PE FSC | rS2030MB | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC | Adhesive is manufactured with at least 30% sustainably certified biomass | |
| | | | | HALF MASTER | 762 | 762 | 1000 | VIC | | |
| F12783.1525 | ✳️VINTAGE FSC | S2047 | BG40WH N | FULL DECKLE | 1525 | 1525 | | VIC | | Available on rPET liner on Indent |
| | | | | EXACT | | 500 | 2000 | VIC | | |
| | | | | READY WIDTH | ↓ | 500 | | WA | | |
| Metallised Papers | | | | | | | | | | |
| F54169.1000 | ✳️MAXFLEX BR SILVER FSC | WLP | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | | |
| F54206.1000 | ✳️MAXFLEX BR SILVER FSC | WLK202 | BG40WH N | FULL DECKLE | 1000 | 1000 | | VIC | | |
| | | | | READY WIDTH | ↓ | 500 | | VIC | | |
| Specialty Paper | | | | | | | | | | |
| BZ437 | ✳️FROZEN ORION DIAMOND V2 PLUS FSC | S2047N | BG45WH IMP | FULL DECKLE | 1000 | 500 | | VIC | | |

Rapid Roll Portfolio

| Item | Facestock | Service Program | Width (mm) | MOQ (m ²) | Length (m) | Stocking Location | Sustainable ADvantage | Comments |
|---------------|---------------------------|-----------------|------------|-----------------------|------------|-------------------|-----------------------|----------|
| Gloss Paper | | | | | | | | |
| <u>RR5728</u> | VALERONC2S 7.5Mil (190um) | FULL DECKLE | 1333 | 1333 | 1000 | VIC | | |
| <u>RR9000</u> | HIGH TEMP DT BOPP 90UM | FULL DECKLE | 1525 | 1525 | 1000 | QLD | | |

Ready Width – Queensland

| | | Item | Description | MOQ (sqm) | Length (LM) | Ready Widths |
|-----------------------------|-----------------------------------|-------------|------------------------------------|-----------|-------------|-----------------------------------|
| Prime Papers | CAST COAT | F12820.1525 | HIGH GLOSS WHITE FSC rET9MB BG40WH | 500 | 2000 | 250, 333 |
| | COLOURED & SPECIALTY PRIME PAPERS | F45520.1000 | RADIANT YELLOW S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45521.1000 | RADIANT ORANGE S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45522.1000 | RADIANT GREEN S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45523.1000 | RADIANT RED S2049 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45524.1000 | RADIANT PINK S2049 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | AD640 | TYRE PLUS TS79 BG45WH F | 500 | 500 | 125, 166, 250, 333 |
| Prime Films | CONFORMABLE FILMS | BW0181 | GCX CLEAR NTC S692N 40#BG | 500 | 2000 | 166, 200, 247, 300, 330 |
| | RIGID WHITE FILMS | F62109.1000 | OPALUX 80N SRP BG40WH N | 500 | 2000 | 166, 250, 333 |
| | | F62404.1000 | OPALUX 80N SR2 BG40WH N | 500 | 2000 | 250, 333 |
| | RIGID CLEAR FILMS | F65100.1525 | PP40 TC CL S692N rPET23 | 500 | 2000 | 200, 250, 333, 375 |
| | | F5418.1000 | PP50 TC CLEAR SR2 BG40WH N | 500 | 2000 | 250, 333 |
| | | F78001.1525 | PP50 TC CL S692N rPET23 | 500 | 2000 | 250, 333 |
| | METALLISED BOPP | BW0272.1000 | PP TC SILVER ELITE S692N BG40WH N | 500 | 2000 | 125, 145, 165, 200, 250, 300, 333 |
| Variable Information Papers | THERMAL TRANSFER PAPER | F22471.1000 | TT ELITE FSC R5000 BG40WH N | 500 | 1500 | 250, 333 |
| | | F33071.1000 | DT200HD FSC R5000 BG40WH N | 500 | 2000 | 166, 200, 250, 333 |
| Variable Information Films | THERMAL TRANSFER FILM | BW0153.1000 | SYNTHETIC PAPER S4700 BG40 | 500 | 1000 | 200, 250, 333 |
| | | F41630.1525 | DATA PE 80 SRP BG40WH N | 500 | 1000 | 200, 250, 333 |
| | | F50150.1525 | DATA PE 80 CD303 BG40WH N | 500 | 1000 | 200, 250, 333 |
| | | 72828 | 2M WH PRT PET S333 50 SCK | 500 | 508 | 117, 254 |
| | | 72826 | 2M MATTE CH PET S333 50 SCK | 500 | 508 | 117, 254 |
| | | F41675.1000 | SYNTHETIC PAPER CD303 BG40 | 500 | 1000 | 200, 250, 333 |
| Wine Portfolio | GLOSS PAPER | F10920.1525 | CAST GLOSS ELITE rS2030MB BG40WH N | 500 | 2000 | 200, 225, 250, 275, 300, 330 |

Ready Width – Victoria

| | | Item | Description | MOQ (sqm) | Length (LM) | Ready Widths |
|-----------------------------|-----------------------------------|-------------|------------------------------------|-----------|-------------|-----------------------------------|
| Prime Papers | CAST COAT | F12820.1525 | HIGH GLOSS WHITE FSC rET9MB BG40WH | 500 | 2000 | 250, 333 |
| | LIGHTWEIGHT | F16502.1525 | LW60 FSC S2045 BG40WH | 500 | 2000 | 250, 333 |
| | COLOURED & SPECIALTY PRIME PAPERS | F45520.1000 | RADIANT YELLOW S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45521.1000 | RADIANT ORANGE S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45522.1000 | RADIANT GREEN S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45523.1000 | RADIANT RED S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | F45524.1000 | RADIANT PINK S2090 BG40WH N | 500 | 1000 | 125, 166, 200, 250, 333 |
| | | AD640 | TYRE PLUS TS79 BG45WH F | 500 | 500 | 125, 166, 250, 333 |
| Prime Films | CONFORMABLE FILMS | BW0181 | GCX CLEAR NTC S692N 40#BG | 500 | 2000 | 166, 200, 247, 300, 330 |
| | | BW0064 | PE85 WH TC S692N BG40WH IMP | 500 | 2000 | 250, 333 |
| | | F64526.1000 | PRIMAX® PLUS | 500 | 2000 | 250, 333 |
| | RIGID WHITE FILMS | F62109.1000 | OPALUX 80N SRP BG40WH N | 500 | 2000 | 166, 250, 333 |
| | | F62404.1000 | OPALUX 80N SR2 BG40WH N | 500 | 2000 | 200, 250, 333 |
| | RIGID CLEAR FILMS | F5418.1000 | PP50 TC CLEAR SR2 BG40WH N | 500 | 2000 | 250, 333 |
| | METALLISED BOPP | BW0272.1000 | PP TC SILVER ELITE S692N BG40WH N | 500 | 2000 | 125, 145, 165, 200, 250, 300, 333 |
| Variable Information Papers | THERMAL TRANSFER PAPER | F22471.1000 | TT ELITE FSC R5000 BG40WH N | 500 | 1500 | 250, 333 |
| | | F33071.1000 | DT200HD FSC R5000 BG40WH N | 500 | 2000 | 166, 200, 250, 333 |
| Variable Information Films | THERMAL TRANSFER FILM | BW0153.1000 | SYNTHETIC PAPER S4700 BG40 | 500 | 1000 | 200, 250, 333 |
| | | F41630.1525 | DATA PE 80 SRP BG40WH N | 500 | 1000 | 200, 250, 333 |
| | | F50150.1525 | DATA PE 80 CD303 BG40WH N | 500 | 1000 | 200, 250, 333 |
| | | 72828 | 2M WH PRT PET S333 50 SCK | 500 | 508 | 117, 254 |
| | | 72826 | 2M MATTE CH PET S333 50 SCK | 500 | 508 | 117, 254 |
| | | F31200.1000 | SYNTHETIC PAPER SR2 BG40 | 500 | 2000 | 200, 250, 333 |
| | | F41675.1000 | SYNTHETIC PAPER CD303 BG40 | 500 | 1000 | 200, 250, 333 |

Ready Width – Victoria

| | | Item | Description | MOQ (sqm) | Length (LM) | Ready Widths |
|----------------|------------------|-------------|------------------------------------|-----------|-------------|------------------------------|
| Wine Portfolio | GLOSS PAPER | F10920.1525 | CAST GLOSS ELITE rS2030MB BG40WH N | 500 | 2000 | 200, 225, 250, 275, 300, 330 |
| | UNCOATED PAPER | AD871L | COTTON WHITE S2030 BG40WH N | 500 | 2000 | 330 |
| | METALLISED PAPER | F54169.1000 | MAXFLEX BR SILVER FSC | 500 | 1000 | 330 |
| | | F54206.1000 | MAXFLEX BR SILVER FSC | 500 | 1000 | 330 |

Ready Width – Western Australia

| | | Item | Description | MOQ (sqm) | Length (LM) | Ready Widths |
|-----------------------------|------------------------|-------------|-------------------------------------|-----------|-------------|-----------------------------------|
| Prime Papers | CAST COAT | F12826.1525 | HIGH GLOSS WHITE FSC S2045 BG40WH N | 500 | 1500 | 200, 225, 250, 270, 333 |
| | | F12828.1525 | HIGH GLOSS WHITE FSC S2049 BG40WH N | 500 | 2000 | 333 |
| | MACHINE COAT | F18827.1525 | AD MC70 FSC S2045N BG33WH N | 500 | 1500 | 125, 145, 165, 180, 200, 250 |
| | RADIANT | F45520.1000 | RADIANT YELLOW FSC S2090 BG40WH N | 500 | 1000 | 166, 250 |
| | | F45521.1000 | RADIANT ORANGE FSC S2090 BG40WH N | 500 | 1000 | 166, 250 |
| | | F45522.1000 | RADIANT GREEN FSC S2090 BG40WH N | 500 | 1000 | 166, 200, 250 |
| | | F45523.1000 | RADIANT RED FSC S2090 BG40WH N | 500 | 1000 | 166, 200, 250 |
| | | F45524.1000 | RADIANT PINK FSC S2090 BG40WH N | 500 | 1000 | 166, 250 |
| Prime Films | CONFORMABLE FILMS | AF435 | PRIMAX ® UVR145 BG45WH | 500 | 1000 | 250 |
| | RIGID WHITE FILMS | F64226.1525 | rPP TOP WHITE SRP BG40WH N | 500 | 2000 | 180, 200, 250, 333 |
| | | F64228.1525 | rPP TOP WHITE SPX BG40WH N | 500 | 2000 | 125, 166, 200, 222, 250, 333 |
| | | F62109.1000 | OPALUX 80N SRP BG40WH N | 500 | 2000 | 333 |
| | VINYL (PVC) | AH932 | PVC WHITE S692N BG40WH N | 500 | 1000 | 250 |
| Variable Information Papers | DIRECT THERMAL PAPER | F33617.1525 | DT200HD FSC S2049 BG33WH NF | 500 | 1500 | 145, 166, 180, 200, 225, 250, 333 |
| | | F33071.1000 | DT200HD FSC R5000 BG40WH N | 500 | 1000 | 200, 250 |
| | THERMAL TRANSFER PAPER | F32601.1525 | TT ELITE FSC S2049 BG33WH NF | 500 | 1500 | 125, 200, 225, 250, 333 |
| Wine Portfolio | UNCOATED PAPER | F12783.1525 | VINTAGE FSC S2047 BG40WH N | 500 | 2000 | 225, 250 |

Commercial Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted

Minimum Order Quantity and/or Value

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

GST

All prices quoted are excluding GST. GST of 10% will be added to all Australian invoices.

Service Policy

Business Support Team hours are Monday to Friday, 7.30am to 5.00pm AEST. The office is closed on Australian Public Holidays.

All orders received prior to 2.00pm AEST will be dispatched the following day excluding, WA Ready Width.

Please refer to Transit Lead Times to calculate interstate deliveries.

Please note that all orders should be received via e-mail as we cannot accept phone orders.

Lead time for order pick-up is a minimum of 2 hours after an order has been received.

| | |
|--|--|
| WA orders | Deliveries from Melbourne: Cut-off time is 2:00pm AEST each Monday, for a Tuesday dispatch, and 2:00pm AEST each Thursday, for a Friday dispatch. (NB. There is a 12:00pm AEST cut-off time for all same day dispatches out of Perth) |
| Indent Products <small>Non stocked product codes supplied only on confirmed order</small> | Sea Freight orders for all states delivery within 12-19 weeks*. Availability and manufacturing lead times to be confirmed with Business Support Team. |

Delivery Charges

No delivery fee will apply on shipping to a single metropolitan customer branch. A fee will apply:

- if an urgent delivery is requested
- delivery is requested to non-metropolitan destinations

The Customer can choose to book and pay for a courier to pick up their goods.

No deliveries will be made to alternative locations without prior authorisation from Avery Dennison.

Transit Times for Interstate Deliveries

| Destination | Days from Melbourne DC | Days from Brisbane DC |
|----------------------|------------------------|-----------------------|
| Adelaide | 1-2 | 3-4 |
| Brisbane /Gold Coast | 2 | same day/ next day |
| Canberra / ACT | 2 | 2 |
| Melbourne | same day/ next day | 2-3 |
| Perth | 4 (Tue & Fri trucks) | 6 |
| Sydney | 1 | 1 |
| Auckland | 2 weeks | 2 weeks |

All interstate deliveries will be made by close of business, 5.00pm.

Transit times to non metropolitan areas will incur longer transit lead times.

Should you require further clarification, please contact our Business Support Team.

Commercial Terms & Conditions

Re-stocking Fee

There is a \$50.00 AUD fee per roll to re-stock customer orders that were placed incorrectly at the time of ordering (customer error). This fee covers the cost of collecting the goods and delivering a new order. Product must be un-opened, in the original packaging, and a Goods Returned Docket must accompany all returned items. Acceptance of return will be at the discretion of Avery Dennison.

Product Quality Complaints

An Avery Dennison Quality Complaint Form must be filled out and a sample and/or photographs of the product sent to Avery Dennison within 15 days of the complaint occurring. No Returns or Claims will be accepted on packaged or partially consumed products that have exceeded their shelf life.

Product Changes

Avery Dennison reserves the right, without liability to the CUSTOMER, to discontinue or limit the manufacture or sale of PRODUCTS, to make any technical, material, colour or design changes in PRODUCT, add new and additional products to its line, substitute such altered products for the prior PRODUCTS in filling orders and/or change its sales and distribution policies, after giving the CUSTOMER appropriate notification, in advance thereof.

Prices

The prices at which the PRODUCTS shall be sold to the CUSTOMER shall be the prices as set forth in the "PRICE LIST". All prices are in Australian Dollars unless otherwise stated. Avery Dennison's standard terms and conditions of sale shall apply to all sales hereunder, as set forth on Avery Dennison's invoice and upon request, and as may be subsequently modified by Avery Dennison, except to the extent expressly inconsistent with this Agreement.

Orders and Delivery

The parties may use their normal commercial forms in placing and acknowledging orders hereunder. Any such forms shall be used for convenience only and any terms or provisions which may be contained therein inconsistent with or in addition to those contained herein, other than provisions specifying the quantity and type of PRODUCTS ordered, requested delivery dates and invoicing and shipping instructions, shall have no force or effect whatsoever between the parties. Shipping dates given prior to actual shipment shall be deemed to be estimates only. A purchase order number is required on every purchase order request.

Confidential Information

All information designated in writing by Avery Dennison as being confidential or proprietary shall be received and held by the CUSTOMER in strict confidence and shall not at any time be disclosed to others, used for the CUSTOMER's benefit or the benefit of others or in any manner detrimental to Avery Dennison.

Force Majeure

Avery Dennison shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by accident, fire, strike, riot, civil commotion, insurrection, war, the elements, embargo, failure of carrier, inability to obtain transportation facilities, government requirements, acts of God or public enemy, prior orders from others or limitations on Avery Dennison's or its suppliers' products or marketing activities or any other cause or contingency beyond Avery Dennison's control.

Non-waiver

Avery Dennison's (a) failure to insist upon strict performance of any of the terms or conditions, (b) failure or delay to exercise any rights or remedies provided herein or by law, (c) failure properly to notify the CUSTOMER in the event of breach or (d) acceptance of payment for any PRODUCTS sold hereunder, shall not be deemed a waiver of any right of Avery Dennison to insist upon strict performance hereof or of any of its rights or remedies, or as to any prior or subsequent default hereunder.

Imported Container Charges

Avery Dennison offers our customers the option to import full container loads of label material direct to a specified warehouse. Under this service arrangement, charges relating to the shipment, unloading and cleaning of containers are the responsibility of the customer. Charges additional to shipment can include, but are not limited to:

Detention

Detention is a fee charged for the use of a shipping container outside the port terminal. Consignees are permitted a limited number of free days starting from when the container is available from the port (these will vary depending on the carrier and location but are typically 8-10 days). Detention starts when the full container is picked up from the terminal, continues during its delivery to the consignee, and ends upon return of the empty container to the container yard.

Detention charges are billed per container per day and will vary depending on carrier, location and container type. This cost can range between \$175 - \$250 a day and will increase incrementally, for example: 1-5 days may cost \$200, increasing to \$250 for 6-10 days

Cleaning

A container cleaning fee may be charged by shipping lines to consignees for cleaning a container after it has been imported and returned to the container depot. Desiccant bags and the rings they hang on must be removed from the container before it is sent back, otherwise the consignee may be charged by the shipping line once they receive the container back. These charges are typically between \$80-\$85.

Waiting time

Fee for holding up a delivery driver. Consignees are given 1 hour free for a delivery driver once on site. If the delivery driver is held up 25 minutes over 1 hour the consignee will be charged. This charge can range anywhere between \$120-\$130 per hour.

Futile Trip

This fee is incurred when an empty container is not available for collection upon arrival of the cartage vehicle at the consignee's premises. This may be because the container was not ready at the time of pickup or the driver could not access the container.

Operational Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted

Mix and Match Ordering Guidelines

Talk with your local Avery Dennison representative to find an emulsion Mix and Match solution
Different MOQs and lead times apply, pending agreed product selection

Core Diameter

76mm

Splice Standard

Maximum:

- 500 lm – 0 splice
- 1000 lm – 1 splice
- 1500 lm – 1 splice
- 2000 lm – 2 splices
- 3000 lm – 3 splices

Minimum Distance Between Splices and to Start/End of a Roll

200 lm

Splice Tape

- Top tape 24mm wide red
- Middle tape 19mm wide clear
- Bottom tape 36mm wide red

Splice Configuration

3 part splice is standard

Splice Indication

Number of splices recorded on cheese label, located on the side of the roll

Offcut Disposition

Offcuts less than 90 mm are scrapped, customer will be charged

Slit Width

- Minimum slit width is 90mm
- Maximum slit width is 1524mm

Slit Roll Width Tolerances

- Full width tolerance +/- 2mm
- 1mm +/- each side

Roll Length Tolerance

- Roll length tolerance +/- 10%
- Minimum standard roll length 1000lm

Minimum Roll Length

Metre wide items in the Half Master program are sold in lengths of 500 metres or greater

Maximum Roll Length

Approximately 4500 linear metres depending on each product

Total Order Quantity

Orders supplied +/- 10%

Packaging Method

- Rolls less than 1500lm will be 'Chimney Stacked'
- Rolls greater than 1500lm will be packaged with the 'Roll On' Style

Roll Tag Labels

Roll label on outside of roll with 1 core label in core

Separate Sizes by Width

One width size per stack, will segregate sizes within stack if less than sufficient quantity

Pallet sizes

- Size 770mm x 1050mm
- Size 1200mm x 1200mm

Pallets and Chocks

Remain the property of Avery Dennison and are to be returned. Coordination of return is the responsibility of the customer

Maximum Stack Height

1 metre

Minimum Order Quantity

- Standard MOQ is 1000 lineal metres of the full web width. Specified programs like Half Master, Ready Width & Exact have different MOQ's
- Standard products only, not custom make or indent

Custom Make Products

Refer to Avery Dennison representatives for business rules

Returns / Claims

- Should be made within 30 days of receipt of material
- Avery Dennison approval required before material is picked up

Material Quality Matters

- Material is to remain at customers pending testing/evaluation
- Roll label details to be provided to Avery Dennison and full justification of any amount

Avery Dennison
Label and Packaging Materials Australia
4 Duigan Dr
Moorabbin Airport, VIC 3194
Sales: 1300 369 984

General Enquiries:
lpm.anz@ap.averydennison.com

Orders can be placed at:
aus.sales@ap.averydennison.com

Learn more at label.averydennison.com



#MakingPossible

© 2025 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.