

Quarter 2, 2019



Product Services Guide

Malaysia



label.sapssa.averydennison.com

How to read the Product Services Guide

Welcome to the Quarter 2, 2019 Product Services Guide for Avery Dennison Label and Packaging Materials Malaysia. This guide is a single easy-to-read document that informs you about our product portfolios.

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
Prime Film						500	1000	1500	2000		
BW7000 *	PP50 Clear	S692N	BG40Wh Imp	Indent	1525		•			1 roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW0251	Opalux 65N	S692N	BG40Wh Imp	EXACT			•	•		1 roll x 1000m	Transitioning to Opalux 55, Q3 2019

Item

The item number identifies the product on your delivery documents and invoices.

Facestock

Identifies the facestock used in the construction.

Adhesive

Identifies the particular adhesive used in the construction.

Liner

Identifies the particular liner used in the construction.

Service Program

The service program details how the product is sold to the market.

Width / Length

This identifies the length and various widths of rolls available for order as part of this service program

Minimum Order Quantity (MOQ)

The Minimum Order Quantity is determined by multiplying width with length.

Service Programs

Stock

Stock signifies the product is sold with the complete web width and the minimum length is either 500 meters or 1000 meters.

Fasson EXACT™

EXACT items are sold in any width with fixed lengths that vary for each program. For one-off or ongoing orders discuss with your Avery Dennison representative for acceptance into these service programs to ensure product availability.

Fasson Ready Width

Ready Width is a program that offers slit rolls in set widths and lengths.

To Forecast

Manufacture to a written forecast as agreed between the customer and Avery Dennison.

Indent

Avery Dennison is a global business – we can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times apply.

Legend

	STOCK
	EXACT
	READY WIDTH
	FORECAST
	INDENT

Service Policy

Ordering Point

All orders to be placed to Avery Dennison Materials Sdn. Bhd. Customer Service Department by:

Direct Line: + 60 3 8727 9800
 Phone: + 60 3 8727 9888
 Fax: + 60 3 8727 9801
 Email: admcustservice@ap.averydennison.com

Delivery Service

Product Type	Cut-off Time	Delivery
i) Stock Keeping Products	Before 10.00am	Same Working Day (Central region)
	EXACT Before 11.00am	Same Working Day (Northern & Southern region)
	Before 4.30pm	Next Working Day
	Non EXACT Before 4.30pm	Next Working Day
	After 4.30pm	Day After Next Working Day
ii) Non Stock Keeping Products	As per plant delivery lead times	Indent items

Requirement	Condition	Standard																		
Purchase Order	All Materials	Duly approved order with product code, description, size, quantity and delivery schedule.																		
Order Acknowledgement	All Materials	To be acknowledged on the same working day.																		
Minimum Order Quantity	All Materials	RM500 per delivery. Otherwise, transportation charges will be imposed.																		
Order cancellation / Changes	All Materials	Non Stock Keeping Products orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.																		
Indent Orders / Blanket Orders	All Materials	All goods to be shipped out and invoiced upon arrival of goods at local distribution center.																		
Inner Core Diameter	All Materials	76.2mm core, +/-0.5mm																		
Roll Labels	All Materials	Outside of the rolls and inner core																		
Minimum Slit Widths	All Materials	50mm																		
Roll Length Tolerance	All Materials	+/- 5%																		
Slit Roll Width Tolerance	All Materials	+/- 1mm																		
Splice Quantity Indication	All Materials	Printed on roll labels																		
Maximum Number of Splices	All Materials	<table><tr><th><u>Length</u></th><th><u>Paper</u></th><th><u>Film</u></th></tr><tr><td>500m</td><td>1</td><td>1</td></tr><tr><td>1000m</td><td>1</td><td>1</td></tr><tr><td>1500m</td><td>1</td><td>2</td></tr><tr><td>2000m</td><td>2</td><td>2</td></tr><tr><td>3000m</td><td>2</td><td>2</td></tr></table>	<u>Length</u>	<u>Paper</u>	<u>Film</u>	500m	1	1	1000m	1	1	1500m	1	2	2000m	2	2	3000m	2	2
<u>Length</u>	<u>Paper</u>	<u>Film</u>																		
500m	1	1																		
1000m	1	1																		
1500m	1	2																		
2000m	2	2																		
3000m	2	2																		
Packaging	Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate up-charges. This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.																			
Damage Roll	Complaint lodged within 3 working days from delivery date, full compensation will be made. Complaint lodged within 4-10 working days from delivery date, compensation will be made on damaged portions.																			

"This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison".

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
Prime Paper						500	1000	1500	2000		
AW0289P	Vellum Elite	S1010	BG40Wh Imp	EXACT		•	•			1 roll x 500m	
AW0334P	Vellum Elite	S1010	CCK80Wh Imp	EXACT		•	•			1 roll x 500m	
AW0321P	Vellum Elite	S2420	BG40Wh Imp	Stock	1525	•				1 roll x 1525mm x 500m	
SW7327P	Vellum Elite	S2420	CCK80Wh Imp	Stock	1525	•				1 roll x 1525mm x 500m	
SW7053F	LW 60 FSC	S2090	BG40Wh Imp	Stock	1000	•				1 roll x 1000mm x 500m	
AW0425F	MC Primecoat GP FSC	S1002	BG33Wh Imp	EXACT			•			1 roll x 1000m	
AW0343F	MC Elite FSC	S1005	BG40Wh	EXACT			•			1 roll x 1000m	
AW0379F-N	MC Elite FSC	S2025N	BG40Wh Imp	EXACT			•			1 roll x 1000m	
AW0400F	MC Prime FSC	S1010	BG40Wh Imp	EXACT		•	•	•	•	1 roll x 500m	
AW0407F	MC Prime FSC	S1010	CCK80Wh Imp	Stock	1525	•				1 roll x 1525mm x 500m	
AW0408F	MC Prime FSC	S2090	BG40Wh Imp	EXACT			•			1 roll x 1000m	
AW0406F	MC Prime FSC	S2420	BG40Wh Imp	EXACT			•			1 roll x 1000m	
SW7342F	MC Prime PB FSC	S2090	BG40Wh Imp	Stock	1000	•				1 roll x 1000mm x 500m	
AW0416F	MC Primecoat GP FSC	S2025N	BG40WH Imp	EXACT			•			1 roll x 1000m	
AW0271	High Gloss Paper	S1010	BG40Wh Imp	EXACT		•	•	•	•	1 roll x 500m	
AW0335	High Gloss Paper	S1010	CCK80 Imp	EXACT		•				1 roll x 500m	
AW0153	High Gloss Paper	S2090	BG40Wh Imp	EXACT			•		•	1 roll x 1000m	
SW7331	High Gloss Paper	S2420	BG40Wh Imp	EXACT			•	•		1 roll x 1000m	
AW0312	High Gloss Paper	S2420	CCK80 Imp	Stock	1525	•				1 roll x 1525mm x 500m	
AW0380-N	High Gloss Paper	S2025N	BG40WH Imp	EXACT			•			1 roll x 1000m	
AW0361N.1200	High Gloss Paper	R450	BG40Wh Imp	Ready Width		•				150mm, 170mm, 185mm, 200mm, 225mm, 240mm, 250mm	
F45520.1060	Rad Yellow FSC	S2090	BG40WHN	EXACT		•				1 roll x 500m	
F45521.1060	Rad Orange FSC	S2090	BG40WHN	EXACT		•				1 roll x 500m	
F45522.1060	Rad Green FSC	S2090	BG40WHN	EXACT		•				1 roll x 500m	
F45523.1060	Rad Red FSC	S2090	BG40WHN	EXACT		•				1 roll x 500m	
F45524.1060	Rad Pink FSC	S2090	BG40WHN	EXACT		•				1 roll x 500m	

* Coming soon

Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
Specialty Paper						500	1000	1500	2000		
AW0363P.1200	Vellum Elite	R450	BG40Wh Imp	Stock	1200	•				1 roll x 1200mm x 500m	
AA031	MC Primecoat	R100	BG40Br Imp	To forecast	1000	•				1 roll x 1000mm x 500m	
AW0362F.1200	Fascoat Elite FSC	R450	BG40Wh Imp	EXACT		•				1 roll x 1000m	
SW7050F	Direct Thermal Premium 2 FSC	R423	BG40BI	To forecast	1000			•		1 roll x 1000mm x 2000m	
MW0068F.1200	Transtherm 2C FSC	R450	BG40Wh Imp	Stock	1200		•			1 roll x 1200mm x 1000m	
F11970.1525	HGW	WLP	BG40WH NI	To forecast	1525				•	1 roll x 1525mm x 6000m	
F11955.1525	HGW	WLP	PET23N	To forecast	1525				•	1 roll x 1525mm x 6000m	
F12787.1525	Vintage	Z3338	BG40WH	To forecast	1525				•	1 roll x 1525mm x 6000m	
F12788.1525	Vintage	Z3338	PET23N	To forecast	1525				•	1 roll x 1525mm x 6000m	
F02886.1525	Estate #8 PE FSC	S2030	BG40WHN	To forecast	1525				•	1 roll x 1525mm x 4500m	
F02887.1525	Estate # 8 PE FSC	S2030	PET30N	To forecast	1525				•	1 roll x 1525mm x 4500m	
SW5003	Barrier Foil Semigloss Paper	TS79	P95 WH imp	Indent	1070			•		1 roll x 1070mm x 2000m	
79032	Matte White Inkjet Medical Film	P902	40#SCK	Indent	1524		•			1 roll x 1524mm x 1280m	
79348	5Mil Matte White Kimdura Inkjet	S4600	50#SCK	Indent	1524	•				1 roll x 1524mm x 508m	
ADS1378	WHTPPInkjet	AT20	G80	Indent	1065				•	1 roll x 1065mm x 1000m	

* Coming soon

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
NW0050F	Direct Thermal 200WS FSC	S1010	BG40Wh Imp	EXACT		•	•			1 roll x 500m	
NW0045F-N	Direct Thermal 150RL FSC	S2025N	BG40Wh Imp	EXACT			•			1 roll x 1000m	
SW7005AF	Baggage Tag Elite FSC	S2025N	BG40Wh	To forecast	1525					1 roll x 1525mm x 6000m	
SY7009	Baggage Tag 300BA	S2025N	BG40Wh	To forecast	1525					1 roll x 1525mm x 6000m	
MW0066F	Transtherm Plus FSC	S1010	BG40Wh Imp	EXACT			•			1 roll x 1000m	
MW1616F	Transtherm 2C FSC	S2090	BG40Wh	Stock	1525		•			1 roll x 1525mm x 1000m	
OW0003F.1060	LCJ Premium FSC	S2492	CKK55	Ready Width	210		•			1 roll x 210mm x 1000m	
OW2150	Matte Inkjet Paper	AP103	BG40 Wh Imp	Indent	1000				•	1 roll x 1070mm x 3000m	
OW2350	Gloss Inkjet Paper	AP103	BG40 Wh imp	Indent	1070		•			1 roll x 1070mm x 1000m	
OZ2120	100mic Inkjet Synthetic Paper	AF101	BG40Wh Imp	Indent	1070		•			1 roll x 1070mm x 1000m	
OZ2180	127u Inkjet Synthetic Paper Premium	S6600	BG40 Wh Imp	Indent	1530		•			1 roll x 1530mm x 1000m	
OZ2400	127u Inkjet Synthetic Paper	S333	BG40 Wh Imp	Indent	1530		•			1 roll x 1530mm x 1000m	
79580	2.6 Mil Synthetic Paper	S4600	50#SCK	Indent	1524		•			1 roll x 1524mm x 1500m	
ADS1399	5M Inkjet Synthetic Paper	S6600	BG40Wh Imp	Indent	1530		•			1 roll x 1530mm x 1000m	

* Coming soon

Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
Prime Film						500	1000	1500	2000		
BW0062N	PPNg Top Trans	S692N	BG40Wh Imp	EXACT			•	•		1 roll x 1000m	
BW0266A	PP50 TC Clear	S692N	BG40Wh Imp	EXACT			•			1 roll x 1000m	
BW0237	PPNg Top Trans	S692N	PET23	To Forecast	1525		•			1 roll x 1525mm x 1000m	
BW0230	PPNg Top Trans	S692N	PET30	Stock	1525, 505	•				1 roll x 500m	
BW0227	PP50 Top White	S692N	BG40Wh Imp	EXACT			•	•		1 roll x 1000m	
BW0174	PPNg Top Pearlized White	S692N	BG40Wh Imp	EXACT			•			1 roll x 1000m	
BW0243	PP50 Top Silver	S692N	BG40Wh Imp	EXACT			•			1 roll x 1000m	
BW0272	PP TC Silver Elite	S692N	BG40Wh Imp	EXACT			•			1 roll x 1000m	
BW7000 *	PP50 Clear	S692N	BG40Wh Imp	Indent	1525		•			1 roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW0251	Opalux 65N	S692N	BG40Wh Imp	EXACT			•	•		1 roll x 1000m	Transitioning to Opalux 55, Q3 2019
BW0236	PP30 Clear NTC	S692N	BG50Wh	EXACT		•				1 roll x 500m	
SY7025N	Overlaminating Matte PP	S6800	BG40Wh Imp	Stock	1525	•				1 roll x 1525mm x 500m	
BW0112N	Overlaminating Gloss PP	S6800	BG40Wh Imp	EXACT		•				1 roll x 500m	
BW0183	Global Co-Ex™ Clear NTC	S692N	BG40Wh Imp	Stock	1525	•				1 roll x 1525mm x 500m	
BW0321	Global MDO Clear NTC	S692N	PET23	To Forecast	1525		•			1 roll x 1525mm x 1000m	
BW0322	Global MDO White NTC	S692N	PET23	To Forecast	1525		•			1 roll x 1525mm x 1000m	
BW0064	PE85 Top White	S692N	BG40Wh Imp	Indent	1000			•		1 roll x 1000mm x 2000m	
BW0146	PE85 NTC Trans	S692N	BG40Wh Imp	EXACT			•			1 roll x 1000m	
BW0147	PE85 NTC White	S692N	BG40Wh Imp	EXACT			•	•		1 roll x 1000m	
BW0290 *	PE75 NTC Trans	S692N	BG33Wh Imp	Indent	1525		•			1 roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW0291 *	PE75 NTC White	S692N	BG33Wh Imp	Indent	1525		•			1 roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW9320A	Bright Silver PE85	AF101	BG40Wh Imp	Indent	1000			•		1 roll x 1000mm x 2000m	Transitioned from BW9320
BW0150	FasClear® 300	S692N	BG40Wh Imp	Stock	1000	•				1 roll x 1000mm x 500m	
BW0151	Primax® 300	S692N	BG40Wh Imp	EXACT			•			1 roll x 1000m	

* Coming soon

Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
Specialty Film						500	1000	1500	2000		
BW0259	PP40 Top Matte White	S692N	BG40Wh Imp	Stock	1000	•					1 roll x 1000mm x 500m
F31200.1000	Supalux	SR2	BG40Wh	Indent	1000			•			1 roll x 1000mm x 2000m
SY7049.1200	PPNg Top Trans	R480	BG40Wh	Ready Width	295, 595, 1200	•					1 roll x 500m
SY7051N.1200	PP50 Top White	R480	BG40Wh Imp	Ready Width	295, 595, 1200	•					1 roll x 500m
SY7050N.1200	Synthetic Paper	R480	BG40Wh Imp	Ready Width	295, 595, 1200	•					1 roll x 500m
AQ959	PP Light Top White	R1490M	BG40 WH	Indent	1000			•			1 roll x 1000mm x 2000m
AO633	PP Light Top Clear	R1490M	BG40 WH	Indent	1000			•			1 roll x 1000mm x 2000m
72197	TransCode®	S475	50#SCK	Indent	1372	•					1 roll x 1372mm x 500m
BW0278	Synthetic Paper TR75	C2075	BG40Wh Imp	To Forecast	1525	•					1 roll x 1525mm x 500m
BW7001	PP50 Top White	S692N	CCK130Wh Imp	Stock	1000	•					1 roll x 1000mm x 500m
BW0294	PPNG Top Trans	S692N	CCK130Wh Imp	Stock	1000	•					1 roll x 1000mm x 500m
BW7002	PP50 Metalized Top XK	S692N	CCK130Wh Imp	Indent	1000		•				1 roll x 1000mm x 6000m
SY7022	Synthetic Paper II	C7501	BG40Wh Imp	Indent	1000			•			1 roll x 1000mm x 2000m
SY7006	Polythermal	S692N	PET30	Indent	1000		•				1 roll x 1000mm x 8000m

* Coming soon

Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
Durable Film						500	1000	1500	2000		
BW0264	Synthetic Paper 65	S4700N	BG40Wh Imp	EXACT		•				1 roll x 1000m	
BW0153	Synthetic Paper	S4700N	BG40Wh Imp	EXACT		•				1 roll x 1000m	
BW0270	3 Mil Synthetic Paper	S4700N	BG40Wh Imp	EXACT		•				1 roll x 1000m	
BW0277	3 Mil Synthetic Paper	S2060	BG40Wh Imp	EXACT		•				1 roll x 1000m	
BW0295	Synthetic Paper	S692N	CCK130Wh Imp	Stock	1000	•				1 roll x 1000mm x 500m	
MZ0111N	1M CL PET TC	S8020	BG40Wh Imp	EXACT		•				1 roll x 500m	
MZ0111	1M CL PET TC	S8020	PET30	Indent	1000			•		1 roll x 1000mm x 2000m	
MZ0112	1M Matte PET	S8020	G80	EXACT		•				1 roll x 500m	
MZ0102	2M White PET TC	S333	BG50Wh	EXACT		•				1 roll x 500m	
MZ0212	2M WH PETC TC	S369	BG50WH	EXACT		•				1 roll x 500m	
40443	2M White PET TC	S730	50#SCK ABC	Indent	1372	•				1 roll x 1372mm x 500m	
70353	2M White PET TC	R143	50#SCK	Indent	1372	•				1 roll x 1372mm x 500m	
MZ0098	50micron MAT WH PET TC	S333	BG50# WH ni	Indent	1070			•		1 roll x 1070mm x 500m	
MZ0200	1M Matte Ch PET TC	S333	BG50Wh	EXACT		•				1 roll x 500m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	EXACT		•				1 roll x 500m	
ADS1411	25mic Gloss White VOID PET TC	Transferable Permanent	BG50WH	Stock	267, 1070	•				1 roll x 267mm x 500m	
AMH3602	2M White VOID PET TC	Permanent	CK40	Indent	250	•				1 roll x 250mm x 500m	
LMH9602	2M Matte Chrome VOID PET	Permanent	CK40	Indent	250, 1000	•				1 roll x 250mm x 500m	
MZ2000W	25mic Matte White PI HTC	S8088S	BG50# WH ni	Indent	250	•				1 roll x 250mm x 500m	
MZ2001W	25mic Gloss White PI HTC	S8088S	BG50# WH ni	Indent	250	•				1 roll x 250mm x 500m	
MZ2002W	50mic Matte White PI HTC	S8088S	BG50# WH ni	Indent	250	•				1 roll x 250mm x 500m	
MZ2003W	50mic Gloss White PI HTC	S8088S	BG50# WH ni	Indent	250	•				1 roll x 250mm x 500m	
MZ0321	Polycarbonate	S333	30micron PET	Indent	1070			•		1 roll x 1070mm x 2000m	
75849	3 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent	1372	•				1 roll x 1372mm x 500m	
75850	5 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent	1372	•				1 roll x 1372mm x 500m	
MZ0469	125mic White PET TC	TS8018	50mic PET ni	Indent	500	•				1 roll x 500mm x 500m	
MZ0469A	125mic White PET TC	TS8018	BG50# Wh ni	Indent	500	•				1 roll x 500mm x 500m	
ADS1415	Tamperfas Vinyl Film	Permanent	BG50#WH ni	Ready Width		400m				80mm, 100mm, 120mm	
SYS508	PP Top NG White	TS80	80CCK Imp	Indent	1070			•		1 roll x 1070mm x 2000m	
SYS067	Barrier Foil 25mic White PET TC	TS80	BG50# Wh ni	Indent	1070			•		1 roll x 1070mm x 2000m	
SY5003N.1525	Barrier Foil 25 micron White PET TC	TS79	P140 WH	Indent	1525			•		1 roll x 1525mm x 2000m	
SD8310.1525	PPNg Top White	TS79	BG50Wh	Indent	1525			•		1 roll x 1525mm x 2000m	

* Coming soon

Select Solutions™

Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, rapid pricing and delivery you expect.

The Select Solutions Mix & Match Service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of adhesive, facematerial and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard, for printers, converters, packers and end-users.

A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions



'Engineered Solutions' is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging materials industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

New Ideas

New Approaches

New Products

New Opportunities

Avery Dennison Materials Sdn. Bhd.

Direct Line: + 60 3 8727 9800
Phone: + 60 3 8727 9888
Fax: + 60 3 8727 9801
Email: admcustservice@ap.averydennison.com

DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>.

© 2019 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.



Label and
Packaging Materials

label.sapssa.averydennison.com