

Quarter 2, 2019



Product Services Guide

Philippines



label.sapssa.averydennison.com

How to read the Product Services Guide

Welcome to the Quarter 2, 2019 Product Services Guide for Avery Dennison Label and Packaging Materials Philippines. This guide is a single easy-to-read document that informs you about our product portfolios.

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Paper						500	1000	1500	2000		
AW0316P	Vellum Elite	S1010	BG40Bl Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
AW0321P	Vellum Elite	S2420	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	

Item

The item number identifies the product on your delivery documents and invoices.

Facestock

Identifies the facestock used in the construction.

Adhesive

Identifies the particular adhesive used in the construction.

Liner

Identifies the particular liner used in the construction.

Origin

The origin details which country the product line is sourced from to supply the local market.

Width / Length

This identifies the length and various widths of rolls available for order as part of this service program

Minimum Order Quantity (MOQ)

The Minimum Order Quantity is determined by multiplying width with length.

Service Programs

Stock

Stock signifies the product is sold with the complete web width and the minimum length is either 500 meters or 1000 meters.

Fasson EXACT™

EXACT items are sold in any width with fixed lengths that vary for each program. For one-off or ongoing orders discuss with your Avery Dennison representative for acceptance into these service programs to ensure product availability.

Fasson Ready Width

Ready Width is a program that offers slit rolls in set widths and lengths.

To Forecast

Manufacture to a written forecast as agreed between the customer and Avery Dennison.

Indent

Avery Dennison is a global business – we can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times apply.

Legend

-  STOCK
-  EXACT
-  READY WIDTH
-  FORECAST
-  INDENT

Service Policy

Ordering Point

All purchase orders to be placed with Avery Dennison Singapore (Pte.) Ltd., and attention to Customer Service representative (contact details below):

Address: 460 Alexandra Road, #28-02/03, Singapore 119963
 Attention: Janeth Cabiles (Direct Line: +65 6349 0350)
 Email: janeth.cabiles@ap.averydennison.com

Phone: + 65 6349 0333
 Fax: + 65 6278 2455

Order Processing

Origin: Thailand

Production Lead Time (Days)	Transit Time	Inland	Sea	Total Lead Time (Days)
Manufacturing (12)	North port	6	5	27
	South port	3	12	31
	Cebu port	3	8	27
	Davao port	3	10	29
	Batangas port	3	5	29

Origin: Malaysia

Production Lead Time (Days)	Transit Time	Inland	Sea	Total Lead Time (Days)
Manufacturing (12)	North port	6	12	27
	South port	3	12	31
	Cebu port	3	8	27
	Davao port	3	10	29
	Batangas port	3	12	31

Requirement	Condition	Standard																		
Purchase Order	All Materials	Duly approved order with product code, description, size, quantity and delivery schedule.																		
Order Acknowledgement	All Materials	To provided status of orders via e-mail within two weeks from receipt of Purchase Order. Formal confirmation will be done through issuance of Proforma Invoice with final pricing and tentative delivery schedule																		
Order cancellation / Changes Minimum Order Quantity	All Materials SKU products Non SKU products	All confirmed orders with Proforma Invoice cannot be changed or cancelled. Full jumbo roll's width and length as specified on Sales quotation/Product listing. Based on Plant's MOQ.																		
Max. Quantity per Container	Thailand Origin All Paper All Film																			
	Please note: This may change depending on product & load requirements especially if combination of Jumbo and Slitted rolls. Please contact our customer service for further details																			
	Paper and Film mix Malaysia Origin Standard	<table border="1"> <thead> <tr> <th>MR Width</th> <th>Diameter (in)</th> <th>Max Wt/Roll</th> <th>20ft. Container</th> <th>40ft. Container</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1525mmx1000m</td> <td>17</td> <td>165kg</td> <td>96,075sqm</td> <td>152,500sqm</td> <td>Slitted Only</td> </tr> <tr> <td>1525mmx1000m</td> <td>24</td> <td>330kg</td> <td>91,500sqm</td> <td>152,500sqm</td> <td>20' Jumbo only /40' combination</td> </tr> </tbody> </table>	MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark	1525mmx1000m	17	165kg	96,075sqm	152,500sqm	Slitted Only	1525mmx1000m	24	330kg	91,500sqm	152,500sqm	20' Jumbo only /40' combination
MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark															
1525mmx1000m	17	165kg	96,075sqm	152,500sqm	Slitted Only															
1525mmx1000m	24	330kg	91,500sqm	152,500sqm	20' Jumbo only /40' combination															
Delivery Tolerance	All Materials	+/- 1mm																		
Roll Details																				
Length Tolerance	All Materials	+/- 10%																		
Width Tolerance		+/- 1mm																		
Splice Quantity Indication		Printed on roll labels																		
Slitting Capability																				

"This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison".

Requirement	Condition	Standard
Packaging		
Core Inside Diameter	All Materials	77mm core, +/-0.15mm
Core Thickness	All Materials	12mm for master roll; 10mm for slitted roll
Roll Labels	All Materials	2 labels - inner core and outside of the rolls
Packaging	Rolls	Stretch wrap pallets
Maximum Stack Height	All Materials	Up to 1.2m (including pallet height)
Roll Length Tolerance	All Materials	+/- 5%
Slit Roll Width Tolerance	All Materials	+/- 1mm
Splice Quantity Indication	All Materials	Printed on roll labels
Minimum Distance of Splices	All Materials	100m
Maximum Number of Splices	All Materials	TBC
Shipping Details:		
Delivery Terms	Manila Vis/Min area	CIF Manila (indicate port of discharge: either North or South port) CIF depending on port of destination
General Description Shipping Instructions Shipping Documents	All orders	"Self Adhesive Label Materials" on Invoice, Packing List and Ocean Bill of Lading Customer to provide name of Consignee, Notify party, Bill-To and Ship-To Address 3 sets each of Invoices, Delivery Orders, Packing Lists, Ocean Bill of Lading (all Original) 1 set of Certificate of Analysis (all batches) 1 copy of Fumigation Certificate (Original) *Advance copy of complete set of shipping docs will be sent by e-mail. *Original documents will be sent by courier and tracking number will be provided by e-mail.

"This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison".

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Paper

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Paper						500	1000	1500	2000		
AW0316P	Vellum Elite	S1010	BG40BI Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
AW0289P	Vellum Elite	S1010	BG40Wh Imp	Thailand Malaysia	1000 1525		•		•	1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
AW0321P	Vellum Elite	S2420	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
AW0320F	MC Elite FSC	S1005	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
AW0331F	Fascoat 2 FSC	S1010	BG40Wh Imp	Thailand Malaysia	1000 1525		•		•	1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
AW0332F	Fascoat 2 FSC	S2090	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
AW0333F	Fascoat 2 FSC	S1010	BG40BI Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
SW7325F	Fascoat 2 FSC	S2420	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
SW7037F	Fascoat 2 FSC	S2424	PET30	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
SW7045F	Fascoat PB FSC	S2090	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
AW0378F-N	Fascoat 2 FSC	S2025N	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
AW0271	High Gloss Paper	S1010	BG40Wh Imp	Thailand Malaysia	1000 1525		•		•	1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
AW0153	High Gloss Paper	S2090	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
AW0370.1060	Radiant Red	M3300	BG40Wh Imp	Thailand	1060		•		•	2roll x 1060mm x 1000m	
AW0371.1060	Radiant Orange	M3300	BG40Wh Imp	Thailand	1060		•		•	2roll x 1060mm x 1000m	
AW0372.1060	Radiant Green	M3300	BG40Wh Imp	Thailand	1060		•		•	2roll x 1060mm x 1000m	
AW0373.1060	Radiant Yellow	M3300	BG40Wh Imp	Thailand	1060		•		•	2roll x 1060mm x 1000m	
AW0374.1060	Radiant Pink	M3300	BG40Wh Imp	Thailand	1060		•		•	2roll x 1060mm x 1000m	
AW0354.1060	Matte Gold Foil	M3300	BG40Wh Imp	Thailand	1060		•		•	10roll x 1060mm x 1000m	
AW0355.1060	Bright Silver Foil	M3300	BG40Wh Imp	Thailand	1060		•		•	10roll x 1060mm x 1000m	
Specialty Paper						500	1000	1500	2000		
AW0361N.1200	High Gloss Paper	R450	BG40Wh Imp	Thailand	1200		•		•	1roll x 1200mm x 1000m	
AW0362F.1200	Fascoat Elite FSC	R450	BG40Wh	Thailand	1200		•		•	1roll x 1200mm x 1000m	
AW0363P.1200-PH	Vellum Elite	R450	BG40Wh Imp	Thailand	1200		•		•	1roll x 1200mm x 1000m	

* Coming soon

** All the items above can be ordered by indent

Variable Information Printing

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
NW0053F	Direct Thermal 150RL FSC	S1005	BG40BI	Thailand	1000		•		•	1roll x 1000mm x 1000m	
NW0052F	Direct Thermal 150RL FSC	S1001	BG33Wh	Malaysia	1525		•		•		
NW0045F-N	Direct Thermal 150RL FSC	S2025N	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
NW0048F	Direct Thermal 150RL FSC	S1010	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
MW0066F	Transtherm Plus FSC	S1010	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
MW0052F	Transtherm 2C FSC	S2090	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
MW0035F	Premium Transtherm 1C FSC	S2090	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
SW7004F	Transtherm 2C PB FSC	S2090	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
SW7304F	Baggage Tag 2 FSC	S2090	BG40Wh	Thailand	1000		•		•	1roll x 1000mm x 1000m	
SW7005AF	Baggage Tag Elite FSC	S2025N	BG40Wh	Malaysia	1525		•		•	1roll x 1525mm x 1000m	

* Coming soon

** All the items above can be ordered by indent

Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Film						500	1000	1500	2000		
BW0062N	PPNg Top Trans	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525		•		•	1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
BW0237N	PPNg Top Trans	S692N	PET23	Malaysia	1525		•		•	1roll x 1525mm x 1000m	
BW0266A	PP50 TC Clear	S692N	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 2000m	
BW7000 *	PP50 Clear	S692N	BG40Wh Imp	Malaysia	1525		•			1 roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW0227	PP50 Top White	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525		•		•	1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
BW0174	PPNg Top Pearlized White	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525		•		•	1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
BW0243	PP50 Top Silver	S692N	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
BW0272	PP TC Silver Elite	S692N	BG40Wh Imp	Malaysia	1525		•			1 roll x 1525mm x 1000m	
BW0254	PP Silver TC	S631	PET 30	Thailand	1000		•		•	1roll x 1000mm x 1000m	
BW0257	PP40 Top White	S692N	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
BW0251	Opalux 65N	S692N	BG40Wh Imp	Malaysia	1525		•		•	1roll x 1525mm x 1000m	Transitioning to Opalux 55, Q2 2019
BW0226	PP30 Clear NTC	S692N	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	
BW0112N	Overlaminating Gloss PP	S6810	BG40Wh Imp	Thailand	1000		•		•	1roll x 1000mm x 1000m	

* Coming soon

** All the items above can be ordered by indent

Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Film (continued)						500	1000	1500	2000		
SY7025N	Overlaminating Matte PP	S6800	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0183	Global Co-Ex™ Clear NTC	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525		•	•		1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
BW0184	Global Co-Ex™ White NTC	S692N	BG40Wh Imp	Malaysia	1525		•	•		1roll x 1525mm x 1000m	
BW0064	PE85 Top White	S692N	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0146	PE85 NTC Trans	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525		•	•		1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
BW0147	PE85 NTC White	S692N	BG40Wh	Malaysia	1525		•	•		1roll x 1525mm x 1000m	
BW0290 *	PE75 NTC Trans	S692N	BG33Wh Imp	Malaysia	1525		•	•		1roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW0291 *	PE75 NTC White	S692N	BG33Wh Imp	Malaysia	1525		•	•		1roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW9320A	Bright Silver PE85 TC	AF101	BG40Wh Imp	Thailand	1000		•	•		1 roll x 1000mm x 1000m	Transitioned from BW09320
BW0150	FasClear® 300	S692N	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0060	FasClear® 250	S692N	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0151	Primax® 300	S692N	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
Specialty Film						500	1000	1500	2000		
SY7022	Synthetic Paper II	C7501	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0273	Synthetic Paper TR75	S2045N	BG40Wh Imp	Malaysia	1525		•			1 roll x 1525mm x 1000m	
BW0278	Synthetic Paper TR75	C2075	BG40Wh Imp	Malaysia	1525		•			1 roll x 1525mm x 1000m	
BW0267	Synthetic Paper 65	S692N	BG40Wh Imp	Malaysia	1525		•	•		1roll x 1525mm x 1000m	
Durable Film						500	1000	1500	2000		
BW0264	Synthetic Paper 65	S4700N	BG40Wh Imp	Malaysia	1525		•	•		1roll x 1525mm x 1000m	
BW0153	Synthetic Paper	S4700N	BG40Wh Imp	Thailand Malaysia	1000 1525		•	•		1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
ADS1385	2M White PET TC	S333	BG50Wh	Thailand	1000		•	•		1roll x 1000mm x 1000m	
MZ0102	2M White PET TC	S333	BG50Wh	Thailand	1000		•	•		1roll x 1000mm x 1000m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	Thailand	1000		•	•		1roll x 1000mm x 1000m	
MZ0111	1M Clear PET TC	S8020	PET30	Thailand	1000		•	•		1 roll x 1000mm x 1000m	
MZ0112	1M Matte PET	S8020	G80	Thailand	1065		•	•		1 roll x 1065mm x 1000m	
MZ0206	2M WH PET TC3	S2045P	BG40Wh Imp	Singapore	1000		•	•		1roll x 1000mm x 1000m	
MZ0212	2M WH PETC TC	S369	BG50Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 500m	
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	
BW0270	3 Mil Synthetic Paper	S4700N	BG40Wh Imp	Thailand	1525		•			1 roll x 1525mm x 1000m	
BW0277	3 Mil Synthetic Paper	S2060	BG40Wh Imp	Thailand	1525		•			1 roll x 1525mm x 1000m	

* Coming soon

** All the items above can be ordered by indent

Select Solutions™

Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, rapid pricing and delivery you expect.

The Select Solutions Mix & Match Service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of adhesive, facematerial and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard, for printers, converters, packers and end-users.

A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions



'Engineered Solutions' is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging materials industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

New Ideas

New Approaches

New Products

New Opportunities

Avery Dennison Singapore (Pte.) Ltd.

460 Alexandra Road, #28-02/03
Singapore 119963

Attention: Janeth Cabiles (Direct Line : +65 6349 0350)

Email: janeth.cabiles@ap.averydennison.com

Phone: + 65 6349 0333

Fax: + 65 6278 2455

DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>.

© 2019 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.



Label and
Packaging Materials

label.sapssa.averydennison.com