

# Label and Packaging Materials Product Services Guide

Philippines  
Q4, 2020



# How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>Prime Paper</b>											
AW0433	Vellum Elite	S1002	BG40Bl Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
AW0316P	Vellum Elite	S1010	BG40Bl Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
AW0289P	Vellum Elite	S1010	BG40Wh Imp	Thailand Malaysia	1000 1525		•	•		1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	

\* All the items above can be ordered by indent

**Item:**

The product code on your delivery documents and invoices.

**Origin:**

Which country the product is sourced from.

**Facestock:**

The particular facestock used in the construction.

**Width / Length:**

The width and length of rolls available for order.

**Adhesive:**

The particular adhesive used in the construction.

**Minimum Order Quantity (MOQ):**

Determined by multiplying width by length.

**Liner:**

The particular liner used in the construction.

**FSC® Certified Products:**

Products that have been certified by the Forest Stewardship Council® are marked with a star (★).



The mark of responsible forestry

## Service Programs

**Forecast:**

Manufacture to a written forecast as agreed between the customer and Avery Dennison.

**Indent:**

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

**Fasson EXACT™**

Sold in any width with fixed length that vary for each program. For one-off or regular orders, discuss with your Avery Dennison representative to ensure product availability.

# Service Policy

## Ordering Point

Customer Service Department,  
Avery Dennison Singapore (Pte)

Address: 460 Alexandra Road, #28-02/03, Singapore 119963

Attention: Janeth Cabiles

Phone: +65 6349 0333 (Direct: +65 6349 0350)

Fax: +65 6278 2455

Email: janeth.cabiles@ap.averydennison.com

## Order Processing

Production Lead Time (Days)	Transit Time	Inland	Sea	Total Lead Time (Days)
-----------------------------	--------------	--------	-----	------------------------

### Thailand

Manufacturing (12)	Slitting (4)	North port	6	5	27
		South port	3	12	31
		Cebu port	3	8	27
		Davao port	3	10	29
		Batangas port	3	5	29

### Malaysia

Manufacturing (12)	Slitting (4)	North port	6	12	27
		South port	3	12	31
		Cebu port	3	8	27
		Davao port	3	10	29
		Batangas port	3	12	31

Requirement	Condition	Standard																																					
<b>Purchase Order</b>	All materials	Duly approved order with product code, description, size, quantity and delivery schedule.																																					
<b>Order Acknowledgement</b>	All materials	To provide status of orders via e-mail within two weeks from receipt of purchase order. Formal confirmation will be made through issuance of Proforma Invoice with final pricing and tentative delivery schedule.																																					
<b>Order Cancellation / Changes</b>	All materials	All confirmed orders with Proforma Invoice cannot be changed or cancelled.																																					
<b>Minimum Order Quantity</b>	SKU products	Full jumbo roll's width and length as specified on sales quotation/product listing.																																					
	Non SKU products	Based on plant's MOQ.																																					
<b>Max. Quantity per Container</b> Please note: This may change depending on product and load requirements especially for combination of Jumbo and Slitted rolls. Please contact our customer service for further details	Thailand origin All paper All film	<table border="1"> <thead> <tr> <th>MR Width</th> <th>Diameter (in)</th> <th>Max Wt/ Roll</th> <th>20ft. Container</th> <th>40ft. Container</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1000mm x 1000m</td> <td>17</td> <td>165kg</td> <td>96,000sqm</td> <td>146,000sqm</td> <td rowspan="6">Jumbo or Slitted or Combination</td> </tr> <tr> <td>1000mm x 2000m</td> <td>24</td> <td>330kg</td> <td>96,000sqm</td> <td>146,000sqm</td> </tr> <tr> <td>1000mm x 1000m</td> <td>17</td> <td>165kg</td> <td>152,000sqm</td> <td>180,000sqm</td> </tr> <tr> <td>1000mm x 2000m</td> <td>24</td> <td>330kg</td> <td>152,000sqm</td> <td>180,000sqm</td> </tr> <tr> <td>1000mm x 1000m</td> <td>17</td> <td>165kg</td> <td>96,000sqm</td> <td>160,000sqm</td> </tr> <tr> <td>1000mm x 2000m</td> <td>24</td> <td>330kg</td> <td>96,000sqm</td> <td>160,000sqm</td> </tr> </tbody> </table>	MR Width	Diameter (in)	Max Wt/ Roll	20ft. Container	40ft. Container	Remark	1000mm x 1000m	17	165kg	96,000sqm	146,000sqm	Jumbo or Slitted or Combination	1000mm x 2000m	24	330kg	96,000sqm	146,000sqm	1000mm x 1000m	17	165kg	152,000sqm	180,000sqm	1000mm x 2000m	24	330kg	152,000sqm	180,000sqm	1000mm x 1000m	17	165kg	96,000sqm	160,000sqm	1000mm x 2000m	24	330kg	96,000sqm	160,000sqm
		MR Width	Diameter (in)	Max Wt/ Roll	20ft. Container	40ft. Container	Remark																																
		1000mm x 1000m	17	165kg	96,000sqm	146,000sqm	Jumbo or Slitted or Combination																																
		1000mm x 2000m	24	330kg	96,000sqm	146,000sqm																																	
		1000mm x 1000m	17	165kg	152,000sqm	180,000sqm																																	
		1000mm x 2000m	24	330kg	152,000sqm	180,000sqm																																	
	1000mm x 1000m	17	165kg	96,000sqm	160,000sqm																																		
	1000mm x 2000m	24	330kg	96,000sqm	160,000sqm																																		
	Paper and film mix Malaysia origin Standard	<table border="1"> <thead> <tr> <th>MR Width</th> <th>Diameter (in)</th> <th>Max Wt/ Roll</th> <th>20ft. Container</th> <th>40ft. Container</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1525mmx1000m</td> <td>17</td> <td>165kg</td> <td>96,075sqm</td> <td>152,500sqm</td> <td>Slitted only</td> </tr> <tr> <td>1525mmx1000m</td> <td>24</td> <td>330kg</td> <td>91,500sqm</td> <td>152,500sqm</td> <td>20' Jumbo only / 40' Combination</td> </tr> </tbody> </table>	MR Width	Diameter (in)	Max Wt/ Roll	20ft. Container	40ft. Container	Remark	1525mmx1000m	17	165kg	96,075sqm	152,500sqm	Slitted only	1525mmx1000m	24	330kg	91,500sqm	152,500sqm	20' Jumbo only / 40' Combination																			
		MR Width	Diameter (in)	Max Wt/ Roll	20ft. Container	40ft. Container	Remark																																
		1525mmx1000m	17	165kg	96,075sqm	152,500sqm	Slitted only																																
		1525mmx1000m	24	330kg	91,500sqm	152,500sqm	20' Jumbo only / 40' Combination																																
		<b>Delivery Tolerance</b>	All materials	+/- 10% of order quantity																																			

Requirement	Condition	Standard															
<b>Roll Details</b>																	
Length Tolerance	All materials	+/- 10%															
Width Tolerance	All materials	+/- 1mm															
Splice Quantity Indication	All materials	Printed on roll labels															
Slitting Capability Please note: This may vary depending on facility capabilities. Please contact our customer service for further details.	All materials	<table border="1"> <thead> <tr> <th>Roll Length (m)</th> <th>Max # of Splice</th> <th>Min Width (mm)</th> <th>Max Width (mm)</th> <th>Max # Slits</th> </tr> </thead> <tbody> <tr> <td>1000</td> <td>1-2</td> <td>80</td> <td>1000</td> <td>12 Slits</td> </tr> <tr> <td>2000</td> <td>2</td> <td>100</td> <td>1000</td> <td>10 Slits</td> </tr> </tbody> </table>	Roll Length (m)	Max # of Splice	Min Width (mm)	Max Width (mm)	Max # Slits	1000	1-2	80	1000	12 Slits	2000	2	100	1000	10 Slits
		Roll Length (m)	Max # of Splice	Min Width (mm)	Max Width (mm)	Max # Slits											
		1000	1-2	80	1000	12 Slits											
2000	2	100	1000	10 Slits													

### Packaging

Core Inside Diameter	All materials	77mm core, +/-0.15mm
Core Thickness	All materials	12mm for master roll; 10mm for slitted roll
Roll Labels	All materials	2 labels - inner core and outside of rolls
Packaging	Rolls	Stretch wrap pallets
Maximum Stack Height	All materials	Up to 1.2m (including pallet height)
Roll Length Tolerance	All materials	+/- 5%
Slit Roll Width Tolerance	All materials	+/- 1mm
Splice Quantity Indication	All materials	Printed on roll labels
Minimum Distance of Splices	All materials	100m
Maximum Number of Splices	All materials	TBC

### Shipping Details

Delivery Terms	Manila	CIF Manila (indicate port of discharge: either North or South port)
	Vis/Min area	CIF depending on port of destination
General Description	All orders	"Self Adhesive Label Materials" on invoice, packing list and ocean bill of lading
Shipping Instructions	All orders	Customer to provide name of consignee, notify party, bill-to and ship-to address
Shipping Documents	All orders	3 sets each of invoices, delivery orders, packing lists, ocean bill of lading (all original) 1 set of certificate of analysis (all batches) 1 copy of fumigation certificate (original) *Advance copy of complete set of shipping docs will be sent by e-mail. *Original documents will be sent by courier and tracking number will be provided by e-mail.

## Conditions of Sale

### Payment

Payment is to be made in accordance with the agreed payment terms.

### Validity of Quotation

30 Days

### Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

### Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

# Paper

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>Prime Paper</b>											
AW0455F	★ Vellum Elite FSC	S2010N	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0431F	★ Vellum Elite FSC	S1002	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0433F	★ Vellum Elite FSC	S1002	BG40Bl Imp	Thailand	1525	•	•			1roll x 1525mm x 1000m	
AW0316F	★ Vellum Elite FSC	S1010	BG40Bl Imp	Thailand	1525	•	•			1roll x 1000mm x 1000m	
AW0289F	★ Vellum Elite FSC	S1010	BG40Wh Imp	Thailand Malaysia	1525 1525	•	•			1roll x 1525mm x 1000m 1roll x 1525mm x 1000m	
AW0321F	★ Vellum Elite FSC	S2420	BG40Wh Imp	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0379F-N	★ MC Elite FSC	S2025N	BG40Wh Imp	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0320F	★ MC Elite FSC	S1005	BG40Wh Imp	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0331AF	★ Fascoat 2 FSC	S1010	BG40Wh Imp	Thailand Malaysia	1000 1525	•	•			1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
AW0332F	★ Fascoat 2 FSC	S2090	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
SW7325AF	★ Fascoat 2 FSC	S2420	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
SW7037AF	★ Fascoat 2 FSC	S2424	PET30	Malaysia	1525	•	•			1roll x 1525mm x 5000m	
AW0450F	★ MC Primecoat GP FSC	S2010N	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0424F	★ MC Primecoat GP FSC	S2025N	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0416F	★ MC Primecoat GP FSC	S2025N	BG40Wh Imp	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0425F	★ MC Primecoat GP FSC	S1002	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0435F	★ MC Primecoat GP FSC	S1002	BG40Bl Imp	Thailand	1525	•	•			1roll x 1525mm x 1000m	
AW0454F	★ High Gloss Elite FSC	S2010N	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0440F	★ High Gloss Elite FSC	S1002	★ BG33 Wh FSC	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0426F	★ High Gloss Elite FSC	S1010	BG40Wh Imp	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
AW0271	High Gloss Paper	S1010	BG40Wh Imp	Thailand Malaysia	1000 1525	•	•			1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
AW0153	High Gloss Paper	S2090	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
<b>Specialty Paper</b>											
AW0363F:1200	★ Vellum Elite FSC	R450	BG40Wh Imp	Thailand	1200	•				1roll x 1200mm x 1000m	
AW0362F:1200	★ Fascoat Elite FSC	R450	BG40Wh Imp	Thailand	1200	•				1roll x 1200mm x 1000m	
AW0361N:1200	High Gloss Paper	R450	BG40Wh Imp	Thailand	1200	•				1roll x 1200mm x 1000m	
SW7050F	★ Direct Thermal Premium 2 FSC	R423	BG40Bl	Thailand	1000	•				1roll x 1000mm x 1000m	Transitioning to SW7082F, Dec 2020
MW0057F	★ Transtherm 2C FSC	R423	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
MW0068F:1000	★ Transtherm 2C FSC	R450	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	

\* Coming soon

\*\* All the items above can be ordered by indent

★ FSC® Certified

# Paper

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>Specialty Paper (continued)</b>											
SW7342F	★ MC Prime PB FSC	S2090	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
SW7045AF	★ Fascoat 2 PB FSC	S2090	BG40Wh Imp	Thailand	1000	•		•		1roll x 1000mm x 1000m	
SW7038F	★ Fascoat 2 PB FSC	S2420	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
NW0040F	★ Direct Thermal Premium 2PB FSC	S2090	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	Transitioning to SW7075F, Dec 2020
AW0401F.1000	★ Radiant Red FSC	M3000	B100	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0402F.1000	★ Radiant Orange FSC	M3000	B100	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0403F.1000	★ Radiant Green FSC	M3000	B100	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0404F.1000	★ Radiant Yellow FSC	M3000	B100	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0405F.1000	★ Radiant Pink FSC	M3000	B100	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0370F.1000	★ Radiant Red FSC	M3300	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0371F.1000	★ Radiant Orange FSC	M3300	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0372F.1000	★ Radiant Green FSC	M3300	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0373F.1000	★ Radiant Yellow FSC	M3300	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
AW0374F.1000	★ Radiant Pink FSC	M3300	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
SW7339.1000	Bright Silver Foil Prime	M3300	BG40Wh Imp	Thailand	1000	•				1roll x 1000mm x 1000m	
SW7039F	★ Metallica FSC	S2090	BG40Wh Imp	Thailand	1000				•	1roll x 1000mm x 2000m	
AW0354.1060	Matte Gold Foil	M3300	BG40Wh Imp	Thailand	1060				•	1roll x 1060mm x 2000m	
AW0356.1060	Matte Silver Foil	M3300	BG40Wh Imp	Thailand	1060				•	1roll x 1060mm x 2000m	

\* Coming soon    \*\* All the items above can be ordered by indent    ★ FSC® Certified

# Variable Information Printing

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
NW0066F	★ Direct Thermal 150RL FSC	S2010N	★ BG33Wh Imp FSC	Malaysia	1525	•		•		1roll x 1525mm x 1000m	
NW0045F-N	★ Direct Thermal 150RL FSC	S2025N	BG40Wh Imp	Malaysia	1525	•		•		1roll x 1525mm x 1000m	
NW0062F	★ Direct Thermal 150RL FSC	S1002	★ BG33Wh Imp FSC	Malaysia	1525	•		•		1roll x 1525mm x 1000m	
NW0048F	★ Direct Thermal 150RL FSC	S1010	BG40Wh Imp	Malaysia	1525	•		•		1roll x 1525mm x 1000m	
NW0057F	★ Direct Thermal 150RL FSC	S1002	BG40Bl Imp	Thailand	1525	•		•		1roll x 1525mm x 1000m	
MW0066F	★ Transtherm Plus FSC	S1010	BG40Wh Imp	Malaysia	1525	•		•		1roll x 1525mm x 1000m	
MW0069F	★ Transtherm Plus FSC	S2025N	BG40Wh Imp	Malaysia	1525	•		•		1roll x 1525mm x 1000m	
MW0052F	★ Transtherm 2C FSC	S2090	BG40Wh Imp	Thailand	1525	•		•		1roll x 1525mm x 1000m	
SW7304F	★ Baggage Tag 2 FSC	S2090	BG40Wh	Thailand	1000	•		•		1roll x 1000mm x 1000m	Transitioning to SW7073F, Dec 2020
SW7005AF	★ Baggage Tag Elite FSC	S2025N	BG40Wh	Malaysia	1525	•		•		1roll x 1525mm x 1000m	

\* Coming soon    \*\* All the items above can be ordered by indent    ★ FSC® Certified

# Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>BW0062N</b>	PPNg Top Trans	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525	•	•			1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
<b>BW0237N</b>	PPNg Top Trans	S692N	PET23	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
<b>BW0266A</b>	PP50 TC Clear	S692N	BG40Wh Imp	Malaysia	1525	•	•			1roll x 1525mm x 2000m	
<b>BW7000</b>	PP50 NTC Clear	S692N	BG40Wh Imp	Malaysia	EXACT	•	•			1 roll x 1000m	
<b>BW7017*</b>	PP40 Top Clear	S692N	★ BG40Wh Imp FSC	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW0264</b>	Synthetic Paper 65	S4700N	BG40Wh Imp	0	1525	•	•			1roll x 1525mm x 1000m	
<b>BW0153</b>	Synthetic Paper	S4700N	BG40Wh Imp	Thailand Malaysia	1000 1525	•	•			1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
<b>BW0270</b>	3 Mil Synthetic Paper	S4700N	BG40Wh Imp	Thailand	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW0277</b>	3 Mil Synthetic Paper	S2060	BG40Wh Imp	Thailand	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW7005</b>	PP Top Matte White	S692N	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW7032*</b>	rPP Top White	S692N	★ BG33Wh Imp FSC	Malaysia	EXACT	•	•			1 roll x 1525mm x 1000m	Coming soon in Q4
<b>BW0174</b>	PPNg Top Pearlized White	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525	•	•			1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
<b>BW7004</b>	PP60 Top White	S692N	BG40Wh Imp	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW0227</b>	PP50 Top White	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525	•	•			1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
<b>BW7018</b>	PP40 Top White	S692N	★ BG40Wh Imp FSC	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW0259</b>	PP40 Top Matte White	S692N	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
<b>BW0293</b>	Opalux 55	S692N	BG40Wh Imp	Malaysia	EXACT	•	•			1 roll x 1000m	
<b>BW0226</b>	PP30 Clear NTC	S692N	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
<b>BW0112N</b>	Overlaminating Gloss PP	S6810	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
<b>SY7025N</b>	Overlaminating Matte PP	S6800	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
<b>BW0243</b>	PP50 Top Silver	S692N	BG40Wh Imp	Thailand	1000	•	•			1roll x 1000mm x 1000m	
<b>BW0254</b>	PP Silver TC	S631	PET 30	Thailand	1000	•	•			1roll x 1000mm x 1000m	
<b>BW0272</b>	PPTC Silver Elite	S692N	BG40Wh Imp	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW7019</b>	PP40 Top Silver	S692N	★ BG40Wh Imp FSC	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW0183</b>	Global Co-Ex™ Clear NTC	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525	•	•			1roll x 1000mm x 1000m 1roll x 1525mm x 1000m	
<b>BW0184</b>	Global Co-Ex™ White NTC	S692N	BG40Wh Imp	Malaysia	1525	•	•			1roll x 1525mm x 1000m	
<b>BW7016</b>	Flex+ Clear NTC	S692N	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW7020</b>	Flex+ Clear NTC	S692N	PET23	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	
<b>BW7022</b>	Flex+ White NTC	S692N	★ BG33Wh Imp FSC	Malaysia	1525	•	•			1 roll x 1525mm x 1000m	

\* Coming soon

\*\* All the items above can be ordered by indent

★ FSC® Certified



# Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>Prime Film (continued)</b>											
BW7023	Flex+ White NTC	S692N	PET23	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW0064	PE85 Top White	S692N	BG40Wh Imp	Thailand	1000		•	•		1 roll x 1000mm x 1000m	
BW0146	PE85 NTC Trans	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525		•	•		1roll x 1000mm x 1000 m 1roll x 1525mm x 1000m	
BW0147	PE85 NTC White	S692N	BG40Wh	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW0290	PE75 NTC Trans	S692N	★ BG33Wh Imp FSC	Malaysia	1525		•	•		1roll x 1525mm x 1000m	
BW0291	PE75 NTC White	S692N	★ BG33Wh Imp FSC	Malaysia	1525		•	•		1roll x 1525mm x 1000m	
BW9320A	Bright Silver PE85 TC	AF101	BG40Wh Imp	Thailand	1000		•	•		1 roll x 1000mm x 1000m	
BW0150	FasClear® 300	S692N	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0060	FasClear® 250	S692N	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0151	Primax® 300	S692N	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
<b>Specialty Film</b>											
SY7022	Synthetic Paper II	C7501	BG40Wh Imp	Thailand	1000		•	•		1roll x 1000mm x 1000m	
BW0273	Synthetic Paper TR75	S2045N	BG40Wh Imp	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW0278	Synthetic Paper TR75	C2075	BG40Wh Imp	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW0267	Synthetic Paper 65	S692N	BG40Wh Imp	Malaysia	1525		•	•		1roll x 1525mm x 1000m	
SY7067	Iridescent TC/S692N/ BG40Wh Imp	S692N	BG40Wh Imp	Thailand	1000		•			1roll x 1000mm x 1000m	NEW!!
SY7138	WBIJ PP Top Gloss White	S4700F	BG40Wh Imp	Thailand	1000		•			1roll x 1000mm x 1000m	NEW!!
SY7122	WBIJ synthetic paper	S4700F	BG40Wh Imp	Thailand	1000		•			1roll x 1000mm x 1000m	NEW!!
SY7114	Global Co-Ex Clear NTC	S477A	BG40Wh Imp	Thailand	1000		•			1roll x 1000mm x 1000m	NEW!!
SY7123	PE75 White NTC	S477A	BG40Wh Imp	Malaysia	1525		•			1 roll x 1525mm x 1000m	NEW!!
SY7131	PPNg Top Pearlized White	S2800	BG40Wh Imp	Thailand	1000		•			1roll x 1000mm x 1000m	NEW!!
SY7133	PPNg Top Trans	S2800	BG40Wh Imp	Thailand	1000		•			1roll x 1000mm x 1000m	NEW!!
SY7049:1000	PPNg Top Trans	R480	BG40Wh Imp	Thailand	1000		•			1 roll x 1000mm x 1000m	
SY7051N:1000	PPNg Top White	R480	BG40Wh Imp	Thailand	1000		•			1 roll x 1000mm x 1000m	
SY7050N:1000	Synthetic Paper	R480	BG40Wh Imp	Thailand	1000		•			1 roll x 1000mm x 1000m	
BW7567	Synthetic Paper (Solid PP)	SR133	80gsm glassine liner	China	1070			•		1 roll x 1070mm x 2000m	NEW!!
BW7569	50um BOPP Clear TC	SR133	80gsm glassine liner	China	1530			•		1 roll x 1530mm x 2000m	NEW!!
BW7603	50um CLear PET TC	SR123	80gsm glassine liner	China	1070			•		1 roll x 1070mm x 2000m	NEW!!
BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	China	1000			•		1 roll x 1000mm x 1000m	NEW!!

\* Coming soon

\*\* All the items above can be ordered by indent

★ FSC® Certified



# Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>Durable Film</b>											
ADS1385	2M White PET TC	S333	BG50Wh	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
MZ0102	2M White PET TC	S333	BG50Wh	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
MZ0111	1M Clear PET TC	S8020	PET30	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
MZ0112	1M Matte PET	S8020	G80	Thailand	1065		•		•	1 roll x 1065mm x 1000m	
MZ0206	2M WH PET TC3	S2045P	BG40Wh Imp	Singapore	1000		•		•	1 roll x 1000mm x 1000m	
MZ0212	2M WH PETC TC	S369	BG50Wh Imp	Thailand	1000	•	•		•	1 roll x 1000mm x 500m	
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Singapore	250	•	•	•	•	1 roll x 250mm x 250m	

\* Coming soon

\*\* All the items above can be ordered by indent

★ FSC® Certified

# Select Solutions™ Mix & Match™ Product Guide

## The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.



## Engineered Solutions

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with

solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

New Ideas

New Approaches

New Products

New Opportunities

**Avery Dennison Singapore (Pte) Ltd.**

460 Alexandra Road, #28-02/03  
Singapore 119963

Attention: Janeth Cabiles  
(Direct Line : +65 6349 0350)  
Email: [janeth.cabiles@ap.averydennison.com](mailto:janeth.cabiles@ap.averydennison.com)  
Phone: +65 6349 0333  
Fax: +65 6278 2455

[label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2020 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for purposes other than marketing by Avery Dennison.