

Quarter 2, 2019



---

# Product Services Guide

Singapore



[label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)

# How to read the Product Services Guide

Welcome to the Quarter 2, 2019 Product Services Guide for Avery Dennison Label and Packaging Materials Singapore. This guide is a single easy-to-read document that informs you about our product portfolios.

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
<b>Prime Film</b>											
BW7000 *	PP50 Clear	S692N	BG40Wh Imp	Indent	1525		•			1 roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW0251	Opalux 65N	S692N	BG40Wh Imp	EXACT			•	•		1 roll x 1000m	Transitioning to Opalux 55, Q3 2019

### Item

The item number identifies the product on your delivery documents and invoices.

### Facestock

Identifies the facestock used in the construction.

### Adhesive

Identifies the particular adhesive used in the construction.

### Liner

Identifies the particular liner used in the construction.

### Service Program

The service program details how the product is sold to the market.

### Width / Length

This identifies the length and various widths of rolls available for order as part of this service program

### Minimum Order Quantity (MOQ)

The Minimum Order Quantity is determined by multiplying width with length.

## Service Programs

### Stock

Stock signifies the product is sold with the complete web width and the minimum length is either 500 meters or 1000 meters.

### Fasson EXACT™

EXACT items are sold in any width with fixed lengths that vary for each program. For one-off or ongoing orders discuss with your Avery Dennison representative for acceptance into these service programs to ensure product availability.

### Fasson Ready Width

Ready Width is a program that offers slit rolls in set widths and lengths.

### To Forecast

Manufacture to a written forecast as agreed between the customer and Avery Dennison.

### Indent

Avery Dennison is a global business – we can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times apply.

### Legend

-  STOCK
-  EXACT
-  READY WIDTH
-  FORECAST
-  INDENT

# Service Policy

## Ordering Point

All orders to be placed to Avery Dennison Singapore (Pte) Ltd. Customer Service Department by:

Phone: + 65 6349 0333

Fax: + 65 6278 2455

Email: cs.sg@ap.averydennison.com

## Delivery Service

Product Type	Cut-off Time	Delivery
i) Stock Keeping Products	Before 3.30pm	Next working day
	After 3.30pm	Day after next working day
ii) Non Stock Keeping Products	As per plant delivery lead times	Indent items

Requirement	Condition	Standard																								
<a href="#">Purchase Order</a>	All Materials	Duly approved order with product code, description, size, quantity and delivery schedule.																								
<a href="#">Order Acknowledgement</a>	All Materials	To be acknowledged on the same working day.																								
<a href="#">Minimum Order Value</a>	All Materials	S\$250 per delivery. Otherwise, transportation charges of S\$95 per trip will be imposed.																								
<a href="#">Order cancellation / Changes</a>	All Materials	Non Stock Keeping Products orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled																								
<a href="#">Indent Orders / Blanket Orders</a>	Stock Keeping Products	All goods to be shipped out and invoiced within two months upon arrival of goods at local distribution center. Avery Dennison reserves the right to release the goods for sale to other customers, after the two months period has expired.																								
<a href="#">Core Inside Diameter</a>	All Materials	77mm core, +/-0.15mm																								
<a href="#">Roll Labels</a>	All Materials	Outside of the rolls and inner core.																								
<a href="#">Minimum Slit Widths</a>	All Materials	50mm																								
<a href="#">Roll Length Tolerance</a>	All Materials	+/- 10%																								
<a href="#">Slit Roll Width Tolerance</a>	All Materials	+/- 1mm																								
<a href="#">Splice Quantity Indication</a>	All Materials	Printed on roll labels																								
<a href="#">Maximum Number of Splices</a>	All Materials	<table border="1"> <thead> <tr> <th>Length</th> <th>Paper</th> <th>Film</th> <th>US Product</th> </tr> </thead> <tbody> <tr> <td>500m</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>1000m</td> <td>2</td> <td>2</td> <td>2</td> </tr> <tr> <td>1500m</td> <td>2</td> <td>2</td> <td>3</td> </tr> <tr> <td>2000m</td> <td>2</td> <td>2</td> <td>3</td> </tr> <tr> <td>3000m</td> <td>2</td> <td>2</td> <td>NA</td> </tr> </tbody> </table>	Length	Paper	Film	US Product	500m	1	1	1	1000m	2	2	2	1500m	2	2	3	2000m	2	2	3	3000m	2	2	NA
Length	Paper	Film	US Product																							
500m	1	1	1																							
1000m	2	2	2																							
1500m	2	2	3																							
2000m	2	2	3																							
3000m	2	2	NA																							
<a href="#">Damage Roll</a>	All Materials	Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate up-charges.																								
<a href="#">Packaging</a>	All Materials	Complaint lodged within 3 working days from delivery date, full compensation will be made. Complaint lodged within 4-10 working days from delivery date, compensation will be made on damaged portions																								

"This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison".

# Conditions of Sale

## Payment

Payment is to be made in accordance with the agreed payment terms.

## Validity of Quotation

30 Days

## Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

## Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

# Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
<b>Prime Paper</b>												
AMB4350	Vellum Extra	S2045	BG40Wh Imp	Stock	1000		•	•			1 roll x 1000mm x 500m	
AW0270	High Gloss Paper	S1010	BG40Wh	EXACT			•	•	•	•	1 roll x 500m	
AW0289P	Vellum Elite	S1010	BG40Wh Imp	EXACT			•	•	•	•	1 roll x 500m	
AW0326P	Vellum Elite	S2492	CCK80Wh	Stock	1525		•	•			1 roll x 1525mm x 500m	
AW0326P	Vellum Elite	S2492	CCK80Wh	Ready Width	210		•	•			1 roll x 500m	
AW0331AF	Fascoat 2 FSC	S1010	BG40Wh Imp	EXACT			•	•	•	•	1 roll x 500m	
AW0378F-N^	Fascoat 2 FSC	S2025N	BG40Wh Imp	Stock	762/1525		•	•			1 roll x 762/1525mm x 500m	Transitioning to AW0416F, Apr 2019
AW0378F-N^	Fascoat 2 FSC	S2025N	BG40Wh Imp	Ready Width	180, 200, 250			•			1 roll x 1000m	Transitioning to AW0416F, Apr 2019
AW0380-N	High Gloss Paper	S2025N	BG40Wh Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	
AW0380^	High Gloss Paper	S2045N	BG40Wh Imp	Stock	762/1525		•	•			1 roll x 762/1525mm x 500m	
AW0383F	MC Elite FSC	S2025N	CCK80 WH Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	
AW0416F	MC Primecoat GP FSC	S2025N	BG40Wh Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	Transitioning to AW0416F, 2019
SW7012F	Pharma Semi Gloss FSC	S901P	BG40 Wh Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	
SW7045AF	Fascoat 2 PB FSC	S2090	BG40Wh Imp	Indent	1000		•	•			1 roll x 1000mm x 2000m	
SW7053F	LW 60 FSC	S2090	BG40Wh Imp	Indent	1000		•	•			1 roll x 1000mm x 2000m	
SW7325AF	Fascoat 2 FSC	S2420	BG40Wh Imp	Indent	1525		•	•	•	•	1 roll x 1525mm x 2000m	
<b>Specialty Paper</b>												
06263	Matte Littho FasCover 2	AT20	40#SCK	Stock	990		•	•			1 roll x 990mm x 500m	
A03846	Vellum Extra	R100	BG40Br Imp	Stock	1000		•	•			1 roll x 1000mm x 500m	
AA0965	MC Primecoat	R100	BG40Br Imp	Stock	1000		•	•			1 roll x 1000mm x 500m	
AA1450	HGW Premium	R100	BG40Br Imp	Stock	1000		•	•			1 roll x 1000mm x 500m	
AW0361	High Gloss Paper	R450	BG40Wh Imp	Indent	1200		•	•			1 roll x 1200mm x 2000m	
AW0362F	Fascoat Elite FSC	R450	BG40Wh Imp	Indent	1200		•	•			1 roll x 1200mm x 2000m	
AW0363P	Vellum Elite	R450	BG40Wh Imp	Indent	1200		•	•			1 roll x 1200mm x 2000m	
LM79350	Fastherm Plus	S2045	CK40	Stock	1500		•	•			1 roll x 1500mm x 500m	
SW7050F	Direct Thermal Premium 2 FSC	R423	BG40BI	To Forecast	1000		•	•			1 roll x 1000mm x 2000m	

\* Coming soon

\*\* Limited stock and subjected to prior sales

^ Loose roll available and subjected to prior sales

## Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
F33535	DT300LD FSC	S2049	DT300LD FSC	Indent	1525		•	•			1 roll x 1525mm x 4000m	
MW0057F	Transtherm 2C FSC	R423	BG40Wh	Indent	1200		•	•			1 roll x 1200mm x 2000m	
MW0066F	Transtherm Plus FSC	S1010	BG40Wh Imp	EXACT				•			1 roll x 1000m only	
MW0066F	Transtherm Plus FSC	S1010	BG40Wh Imp	Stock	1525		•	•	•	•	1 roll x 1525mm x 500m	
MW0068F	Transtherm 2C FSC	R450	BG40Wh Imp	Indent	1200		•	•			1 roll x 1200mm x 2000m	
MW1616F	Transtherm 2C FSC	S2090	BG40Wh	EXACT			•	•	•	•	1 roll x 500m	
NW0050F	Direct Thermal 200WS FSC	S1010	BG40Wh Imp	EXACT			•	•	•	•	1 roll x 500m	
NW0045F-N	Direct Thermal 150RL FSC	S2025N	BG40Wh Imp	Stock	762/ 1525		•	•			1 roll x 762/1525mm x 500m	
NW0048F	Direct Thermal 150RL FSC	S1010	BG40Wh Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	
SW7004F	Transtherm 2C PB FSC	S2090	BG40Wh Imp	Stock	1000		•	•			1 roll x 1000mm x 500m	
SW7005AF	Baggage Tag Elite FSC	S2025N	BG40Wh	Indent	1525		•	•			1 roll x 1525mm x 6000m	
OW2150	Matte Inkjet Paper	AP103	BG40Wh Imp	Indent	1070		•	•			1 roll x 1070mm x 3000m	
OW2180	Matte Inkjet Paper Premium	AP103	BG40Wh Imp	Indent	1530		•	•			1 roll x 1530mm x 2000m	
OW2350	Gloss Inkjet Paper	AP103	BG40Wh Imp	Stock	1070		•	•			1 roll x 1070mm x 500m	

\* Coming soon

\*\* Limited stock and subjected to prior sales

^ Loose roll available and subjected to prior sales

# Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
<b>Prime Film</b>												
BW0062	PPNg Top Trans	S692N	BG40Wh Imp	EXACT		•					1 roll x 500m only	
BW0062	PPNg Top Trans	S692N	BG40Wh Imp	Stock	1525	•	•				1 roll x 1525mm x 500m	
BW0223	PPNG Top Trans	S3000	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0230	PPNG Top Trans	S692N	PET30	Stock	1000	•	•				1 roll x 1000mm x 500m	
BW0266A	PP50 TC Clear	S692N	BG40Wh Imp	Indent	1525	•	•				1 roll x 1525mm x 2000m	
BW7000 *	PP50 Clear	S692N	BG40Wh Imp	Indent	1525		•				1 roll x 1525mm x 1000m	* Coming Soon, Q2 2019
BW0227	PP50 Top White	S692N	BG40Wh Imp	EXACT		•	•				1 roll x 500m	
BW0174	PPNg Top Pearlized White	S692N	BG40Wh Imp	Stock	762/1525	•	•				1 roll x 762/1525mm x 500m	
BW0259	PP40 Top Matte White	S692N	BG40Wh Imp	Stock	1000	•	•				1 roll x 1000mm x 500m	
BW0243	PP50 Top Silver	S692N	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0272	PP TC Silver Elite	S692N	BG40Wh Imp	Indent	1525	•	•				1 roll x 1525mm x 2000m	
BW0269	PP50 Metalized Top XK™	S692N	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 1200m	
BW0251	Opalux 65N	S692N	BG40Wh Imp	Stock	762/1525	•	•				1 roll x 762/1525mm x 500m	Transitioning to Opalux 55, Q2 2019
BW0226	PP30 Clear NTC	S692N	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0236	PP30 Clear NTC	S692N	BG50Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0112N	Overlaminating Gloss PP	S6800	BG40Wh Imp	Stock	1525	•	•				1 roll x 1525mm x 500m	
SY7025N	Overlaminating Matte PP	S6800	BG40Wh Imp	Stock	1525	•	•				1 roll x 1525mm x 500m	
BW0064	PE85 Top Wh	S692N	BG40Wh Imp	Stock	1000	•	•				1 roll x 1000mm x 2000m	
BW0065 ^	PE85 Top Trans	S692N	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0146	PE85 NTC Trans	S692N	BG40Wh Imp	Indent	1525	•	•	•	•		1 roll x 1525mm x 2000m	
BW0147	PE85 NTC White	S692N	BG40Wh Imp	Indent	1525	•	•	•	•		1 roll x 1525mm x 2000m	
BW0290 *	PE75 NTC Trans	S692N	BG33Wh Imp	Indent	1525	•	•	•	•		1 roll x 1525mm x 2000m	* Coming Soon, Q2 2019
BW0291 *	PE75 NTC White	S692N	BG33Wh Imp	Indent	1525	•	•	•	•		1 roll x 1525mm x 2000m	* Coming Soon, Q2 2019
BW9320A	Bright Silver PE85 TC	AF101	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0060	FasClear® 250	S692N	BG40Wh Imp	Indent	1000	•	•	•	•		1 roll x 1000mm x 2000m	
BW0150	Fasclear® 300	S692N	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0151	Primax® 300	S692N	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
BW0321	Global MDO Clear NTC	S692N	PET23	To Forecast	1525	•	•	•	•		1 roll x 1525mm x 2000m	
BW0322	Global MDO White NTC	S692N	PET23	To Forecast	1525	•	•	•	•		1 roll x 1525mm x 2000m	
SY7009	Baggage Tag 300BA	S2025N	BG40Wh Imp	Indent	1525	•	•				1 roll x 1525mm x 4000m	
SY7069^	Baggage Tag 300BA	S2025N	BG50Wh Imp	Stock	1525	•	•				1 roll x 1525mm x 1000m	
SY7013	Pharma TC White PE85	S902P	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
SY7014	Pharma TC Clear PP50	S902P	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	
SY7015	Pharma TC Clear PP30	S902P	BG40Wh Imp	Indent	1000	•	•				1 roll x 1000mm x 2000m	

\* Coming soon

\*\* Limited stock and subjected to prior sales

^ Loose roll available and subjected to prior sales

## Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
<b>Specialty Film</b>												
78037	Laser Code Drum label TC	S4600	79	Stock	1372		•	•			1 roll x 1372mm x 500m	
AD980 **	TRANSFER PP	AL171	BG40WH	Indent	1000		•	•			1 roll x 1000mm x 1000m	
AI307	FLEXSECURE HOLOGRAPHIC	S700	BG45WH	Indent	790		•	•			1 roll x 790mm x 1000m	
AO633 ^	PP Light Top Clear	R1490M	BG40Wh	Indent	1000		•	•			1 roll x 1000mm x 2000m	
AQ959 ^	PP Light Top White	R1490M	BG40Wh	Indent	1000		•	•			1 roll x 1000mm x 2000m	
AW393	DIG WBIJ PP TOP GLOSS WH	S692N	BG40WH	Indent	1000		•	•			1 roll x 1000mm x 1000m	
AW404	DIG WBIJ PP TOP CLEAR	S692N	BG40WH	Indent	1000		•	•			1 roll x 1000mm x 1000m	
AZ452	PP TOP WHITE	S2196	BG40Wh	Indent	1000		•	•			1 roll x 1000mm x 1000m	
BB624 ^	PP LIGHT TOP CLEAR	S2196	BG40Wh	Indent	1000		•	•			1 roll x 1000mm x 1000m	
BW0273-N	Synthetic Paper TR75	S2025N	BG40Wh Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	
BW0278 ^	Synthetic Paper TR75	C2075	BG40Wh Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	
BW7516	50uClear BOPP	SR106	Polycoated liner imp	Indent	1070		•	•			1 roll x 1070mm x 2000m	
BW7517	Synthetic Paper7 NTC	SR106	BG50#White ni	Indent	1530		•	•			1 roll x 1530mm x 3000m	
SY7022	Synthetic Paper II	C7501	BG40Wh Imp	Stock	1000		•	•			1 roll x 1000mm x 500m	
SY7049	PPNg Top Trans	R480	BG40Wh	Indent	1200		•	•			1 roll x 1200mm x 2000m	
SY7050N	Synthetic Paper	R480	BG40Wh Imp	Indent	1200		•	•			1 roll x 1200mm x 1000m	
SY7051	PPNg Top White	R480	BG40Wh Imp	Indent	1200		•	•			1 roll x 1200mm x 2000m	
<b>Durable Film</b>												
40443	2M White PET TC	S730	50#SCK	Stock	1372		•	•			1 roll x 1372mm x 500m	
41044	2M Matte Chrome PET TC	S730	50#SCK	Stock	1372		•	•			1 roll x 1372mm x 500m	
70353	2M White PET TC	R143NC	50#SCK	Stock	1372		•	•			1 roll x 1372mm x 500m	
72197	Transcode®	S475	50#SCK	Stock	1372		•	•			1 roll x 1372mm x 500m	
72800	Primax® 350	R143	50#SCK	Stock	1372		•	•			1 roll x 1372mm x 500m	
75849	3 M Velvet Lexan	S730	1.5M PET	Indent	1372		•	•			1 roll x 1372mm x 500m	
75850	5 M Velvet Lexan	S730	1.5M PET	Indent	1372		•	•			1 roll x 1372mm x 500m	
74599	2M Silver Voidable PET	S727	50#SCK	Indent	1372		•	•			1 roll x 1372mm x 500m	
74600 **	2M White Voidable PET	S727	50#SCK	Stock	1372		•	•			1 roll x 1372mm x 500m	
75570	3M Mat White Synthetic Paper	S333	50#SCK	Indent	1524						1 roll x 1524mm x 508m	
78195	2Mil Silver Void PET TC	S8015	50#SCK	Indent	1372		•	•			1 roll x 1372mm x 500m	
79139	4 Mil White Flexible Vinyl TC	S8025	50#SCK	Indent	1372						1 roll x 1372mm x 1418m	
78197	2M White Checkerboard PET TC	S8015W	50#SCK	Stock	1372		•	•			1 roll x 1372mm x 500m	
79325	1 Mil Clear UV PET	S3000	1M PET	Indent	1524		•	•			1 roll x 1524mm x 500m	
79348 **	5M Mat WH IJ DL	S4600	BG50Wh	Indent	1524		•	•			1 roll x 1524mm x 500m	
79449 **	Tamperfas VNL	S730	50#SCK	Stock	1220		•	•			1 roll x 1220mm x 500m	
79453	2M PET TC	S8049	50#SCK	Indent	1372						1 roll x 1372mm x 508m	
79534	2 Mil Matte Chrome Polyester TC	S8049	50#SCK	Indent	1372						1 roll x 1372mm x 508m	
79554	3.25Mil Clear Vinyl NTC	S8025	50#SCK	Indent	1372						1 roll x 1372mm x 1418m	

\* Coming soon

\*\* Limited stock and subjected to prior sales

^ Loose roll available and subjected to prior sales

# Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
<b>Durable Film (Continued)</b>												
79572	Smudgeproof Kimdura	S4600	50#SCK	Indent	1524						1 roll x 1524mm x 508m	
79580	2.6Mil Synthetic Paper	S4600	50#SCK	Indent	1524						1 roll x 1524mm x 508m	
81127	2M White PET TC	R143NC	1.5M PET	Stock	1372		•	•			1 roll x 1372mm x 500m	
AB079	PE HD Tamper Evident	S700	BG45WH	Indent	1000		•	•			1 roll x 1000mm x 1000m	
ADS1378	Wht PP Inkjet	AT20	G80	Indent	1065		•	•			1 roll x 1065mm x 3000m	
ADS1389	Synthetic Paper 3 TC	HP104	BG40# White Imp	Indent	1530		•	•			1 roll x 1530mm x 500m	
ADS1389A	Synthetic Paper 3 TC	HP104	CCK80 WH Imp	Indent	1530		•	•			1 roll x 1530mm x 5000m	
ADS1396	100mic Inkjet Synthetic Paper	TS80	BG40Wh Imp	Indent	1070		•	•			1 roll x 1070mm x 1000m	
ADS1399	5M Inkjet Synthetic Paper	S6600	BG40Wh Imp	Indent	1530		•	•			1 roll x 1530mm x 2000m	
ADS1403	Polyimide II WH TC14	S8088	PET50 ni	Indent	1000		•	•			1 roll x 1000mm x 1000m	
ADS1409	Tamperfas Film	Permanent	BG50#WH ni	Ready Width	267		•				1 roll x 500m	
ADS1410	25mic Matte White VOID PET TC	Transferable Perm	BG50Wh ni	Ready Width	267		•				1 roll x 500m	
ADS1411	25mic Gloss White VOID PET TC	Transferable Perm	BG50Wh ni	Ready Width	267		•				1 roll x 500m	
ADS1412	38mic Matte Red "VOID OPEN" PET TC	Non-Transfer Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m	
ADS1413	38mic Matte Blue "VOID OPEN" PET TC	Non Trans. Perm.	BG50Wh ni	Ready Width	267		•				1 roll x 500m	
ADS1414	25mic Clear VOID PET TC	Non-Transferable Perm	BG50Wh ni	Ready Width	267		•				1 roll x 500m	
ADS1415	Tamperfas Vinyl Film	Permanent	BG50Wh ni	Ready Width	267						1 roll x 400m	
ADS1419	38mic Matte Red "VOID OPEN" PET TC	Transferable Perm	BG50Wh ni	Ready Width	267		•				1 roll x 500m	
ADS1420	38mic Matte White "VOID OPEN" PET TC	Non-Transferable Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m	
ADS1421	Tamperfas Clear Vinyl Film	Permanent	BG50Wh ni	Indent	1070						1 roll x 1070mm x 400m	
ADS1424**	50mic Clear VOID PET TC	Transferable Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m	
ADS1425	25mic Holographic VOID PET	Transferable Perm	BG50Wh ni	Indent	535		•				1 roll x 535mm x 500m	
ADS1433	1M Matte White PI TC	S8088A	BG50#WH ni	Indent	1000		•				1 roll x 1000mm x 500m	
ADS1434	Tamperfas Vinyl Film EZ MX	Permanent	BG50Wh ni	Indent	1070						1 roll x 1070mm x 400m	
ADS1437	25mic Gloss White VOID Neg PET TC	Transferable Perm	BG50Wh ni	Stock	1070		•				1 roll x 1070mm x 500m	
ADS1454S	50mic Bright Silver VOID	Transferable Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m	
AMH3602	2M White Void PET TC	Permanent	CK40	Ready Width	250		•				1 roll x 500m	
AS191	Transfer PET36 Top White	S8092 Inc	PET75	Indent	178/230	•					1 roll of 178/230mm x 250m	
BW0153	Synthetic Paper	S4700N	BG40Wh Imp	EXACT			•	•			1 roll x 500m	

\* Coming soon

\*\* Limited stock and subjected to prior sales

^ Loose roll available and subjected to prior sales



## Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ	Remark
						250	500	1000	1500	2000		
<b>Durable Film (Continued)</b>						250	500	1000	1500	2000		
BW0264	Synthetic Paper 65	S4700N	BG40Wh Imp	Stock	762/1525		•	•			1 roll x 762/1525mm x 500m	
BW0270	Synthetic Paper Prime	S4700N	BG40Wh Imp	To Forecast	1525			•			1 roll x 1525mm x 2000m	
BW0277 ^	3 Mil Synthetic Paper	S2060	BG40Wh Imp	Indent	1525		•	•			1 roll x 1525mm x 2000m	
BW7513	Synthesis Paper 6	SR101	BG50Wh	Indent	1530		•	•			1 roll x 1530mm x 1000m	
LMH9602	2 Mil Matte Void PET	Permanent	CK40	Ready Width	250		•				1 roll x 500m	
MZ0097	50 Micron Matte WHT PET TC	S333	BG50WHT	Stock	1070		•	•			1 roll x 1070mm x 500m	
MZ0102	2M White PET TC	S333	BG50Wh	Stock	1000		•	•			1 roll x 1000mm x 500m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	Stock	1000		•	•			1 roll x 1000mm x 500m	
MZ0111	1M Clear PET TC	S8020	PET30	Stock	1000		•	•			1 roll x 1000mm x 500m	
MZ0111N	1M Clear PET TC	S8020	BG40Wh Imp	Indent	1000		•	•			1 roll x 1000mm x 2000m	
MZ0112	1M Matte PET	S8020	G80	Stock	1065		•	•			1 roll x 1065mm x 1000m	
MZ0152	1M MAT CH PET TC	S333	BG40BI	Stock	1000		•	•			1 roll x 1000mm x 500m	
MZ0206	2M WH PET TC3	S2060	BG40Wh Imp	Stock	500		•	•			1 roll x 1500mm x 500m	
MZ0207	2M MAT CH PET TC	S2060	BG40Wh Imp	Stock	500		•	•			1 roll x 500mm x 500m	
MZ0208	2M Bright Silver PET TC	S2060	BG40Wh Imp	Indent	500		•	•			1 roll x 1000mm x 2000m	
MZ0212 ^	2M WH PETC TC	S369	BG50Wh Imp	Indent	1000		•	•			1 roll x 1000mm x 2000m	
MZ0321	Polycarbonate	S333	30mic PET	Indent	1070		•	•			1 roll x 1070mm x 2000m	
MZ0363	50um White FR PET TCY	S8025	BG50Wh	Indent	1070		•	•			1 roll x 1070mm x 1000m	
MZ0469A	125mic White PET TC	TS8018	BG50White ni	Ready Width	250		•				1 roll x 500m	
MZ1067A	2MCLPETTC3	S8020	G80	Indent	1065		•	•			1 roll x 1065mm x 3000m	
MZ2000	1 Mil Matte White PI TC	S8080	BG50Wh	Indent	1000		•	•			1 roll x 1000mm x 1000m	
MZ2000B	25u Matte Bule PI HT	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m	
MZ2000G	25mic Light Green PI HT	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m	
MZ2000P	25mic Pink PI HTC	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m	
MZ2000Y	25mic Light Yellow PI HTC	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m	
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Stock	250	•	•				1 roll x 250mm x 250m	
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Stock	250	•	•				1 roll x 250mm x 250m	
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Stock	250	•	•				1 roll x 250mm x 250m	
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Stock	250	•	•				1 roll x 250mm x 250m	
MZ2020	25mic Matte White PI HTC	S8080	BG50Wh	Stock	250	•	•				1 roll x 250mm x 250m	
MZ4119	3Mil Synthetic Paper 3	DS128S	BG50Wh	Indent	1070		•	•			1 roll x 1070mm x 2000m	
OZ2120	100µ Inkjet Synthetic Paper	AF101	BG40Wh Imp	Stock	1070		•	•			1 roll x 1070mm x 500m	
OZ2180	127µ Inkjet Synthetic Paper Premium	S6600	BG40Wh Imp	Indent	1530		•	•			1 roll x 1530mm x 2000m	
SY0035	Foamtac II	AP104	BG40#White ni	Ready Width	250		•	•			1 roll x 500m	
<b>Rapid Roll</b>						250	500	1000	1500	2000		
RWP519	Direct Thermal 175gsm	-	-	Indent	498						3 rolls x 498mm x 1260m	
RYB614	Direct Thermal PP TC	-	-	Indent	1000		•	•			1 roll x 1000mm x 6000m	

\* Coming soon

\*\* Limited stock and subjected to prior sales

^ Loose roll available and subjected to prior sales

# Select Solutions™

## Mix & Match™ Product Guide



### The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, rapid pricing and delivery you expect.

The Select Solutions Mix & Match Service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of adhesive, facematerial and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard, for printers, converters, packers and end-users.

A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

# Engineered Solutions

---



'Engineered Solutions' is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging materials industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

New Ideas

New Approaches

New Products

New Opportunities

**Avery Dennison Singapore (Pte) Ltd.**

Phone: + 65 6349 0333

Fax: + 65 6278 2455

Email: [cs.sg@ap.averydennison.com](mailto:cs.sg@ap.averydennison.com)

DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>.

© 2019 Avery Dennison Corporation. All rights reserved, Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.



Label and  
Packaging Materials

[label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)