# Label and Packaging Materials

Product Services
Guide

Thailand Q2,2020





### How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)		_	th (m) 1500		моо	Remark
Prime Paper											
SW7053F	★ LW60 FSC	S2090	BG40Wh Imp	Forecast	1000		•		•	1roll x 1000mm x 1000m	
AW0331AF	★ Fascoat 2 FSC	S1010	BG40Wh Imp	EXACT		•	•		•	1roll x 500m	
AW0333AF	★ Fascoat 2 FSC	S1010	BG40BI Imp	Stock	1525	•	•		•	1roll x 1525mm x 1000m	

#### Item:

The product code on your delivery documents and invoices.

#### Facestock:

The particular facestock used in the construction.

#### Adhesive:

The particular adhesive used in the construction.

#### Liner:

The particular liner used in the construction.

#### Service Program:

How the product is sold to the market.

#### Stock

Signifies the product is sold with the complete web width and the minimum length of 1000 metres.

#### EXACT

#### Fasson EXACT™

Sold in any width with fixed length that vary for each program. For one-off or regular orders, discuss with your Avery Dennison representative to ensure product availability.

#### Ready Width

#### Fasson Ready Width

Offers slit rolls in set widths and lengths.

#### Forecast

Manufacture to a written forecast as agreed between the customer and Avery Dennison.

#### Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

#### Width/Length:

The width and length of rolls available for order.

#### Minimum Order Quantity (MOQ):

Determined by multiplying width by length.

#### Length (LM):

Identifies the length in lineal meters, offered in a service program

#### Stocking Location:

Indicates which AD site the product is stocked in

#### **FSC® Certified Products:**

Products that have been certified by the Forest Stewardship Council® are marked with a star (\*).



The mark of

## **Service Policy**

#### **Ordering Point**

Customer Service Department, Avery Dennison Thailand Ltd.

Phone: +66 2 740 4666 (ext 111-120)

Fax: +66 2 740 4621-3

Email: cs.thailand@ap.averydennison.com

#### **Delivery Service**

Product Type		Cut-off Time	Delivery			
Stock Keeping Products	EXACT	Before 3.00pm	Next working day			
Products	Non EXACT	Before 4.00pm	Next working day			
Non Stock Keeping Products	As per plant	delivery lead times	Indent items			

Requirement	Condition	Standard								
Purchase Order	All materials	Duly approved order w	rith product code,	description, size, quant	ity and delivery sched	ule.				
Order Acknowledgment	All materials	To be acknowledged o	n the same workir	ng day.						
Minimum Order Value	All materials			Exact	Non EXACT	Durables				
		Within Bangkok	Per Order	1 roll per program	500m <sup>2</sup>	250m²				
		Outside of Bangkok	Per Delivery	500m <sup>2</sup> 2000m <sup>2</sup> or >50,000 baht	500m <sup>2</sup> 2000m <sup>2</sup> or >50,000 baht	500m <sup>2</sup> 2000m <sup>2</sup> or >50,000 baht				
		Otherwise, transportat	ion charges will be	e imposed.						
Order Cancellation / Changes	All materials	Non stock keeping pro Slit orders cannot be o			elled.					
Indent Orders / Blanket Orders	All materials	All goods to be shipped out and invoiced within one month upon arrival of goods.								
Inner Core Diameter	All materials	77mm core, +/-0.15mm								
Roll Labels	All materials	Outside of the rolls and	d inner core							
Minimum Slit Widths	All materials	75mm								
Roll Length Tolerance	All materials	+/-10%								
Slit Roll Width Tolerance	All materials	+/-1mm								
Splice Quantity Indication	All materials	Printed on roll labels								
Maximum Number of Splices	All materials	Length         Paper           500m         1           1000m         2           1500m         2           2000m         2	Film 1 2 2 2							
Packaging		ckaging is used to ensur nd quantity of materials								

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

## **Conditions of Sale**

#### Paymen

rms.

Payment is to be made in accordance with the agreed payment terms.

#### Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

30 Days

Validity of Quotation

#### Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

**Paper** 

Pape	<u>ار</u>		_							
Item	Facestock	Adhesive	Liner	Service Program	Width (mm)			th (m) 1500 20	MOQ	Remark
rime Pape	r									
AW0431F	★ Vellum Elite FSC	S1002	★ BG33Wh Imp FSC	EXACT		•	•		1roll x 500m	New
AW0289F	★ Vellum Elite FSC	S1010	BG40Wh Imp	EXACT		•	•		1roll x 500m	Previousl AW0289
AW0321F	★ Vellum Elite FSC	S2420	BG40Wh Imp	Forecast	1525		•		1roll x 1525mm x 1000m	Previously AW0321F
AW0326F	★ Vellum Elite FSC	S2492	CCK80Wh	EXACT			•		1roll x 1000m	Previousl AW0326
AW0344	Vellum	S2492	CCK80Wh	EXACT			•		1roll x 1000m	
SW7053F	★ LW60 FSC	S2090	BG40Wh Imp	Forecast	1000		•		1roll x 1000mm x 1000m	
AW0331AF	★ Fascoat 2 FSC	S1010	BG40Wh Imp	EXACT		•	•		1roll x 500m	
AW0333AF	★ Fascoat 2 FSC	S1010	BG40BI Imp	Stock	1525	•	•		1roll x 1525mm x 1000m	
\W0332F	★ Fascoat 2 FSC	S2090	BG40Wh Imp	EXACT			•		1roll x 1000m	
SW7325AF	★ Fascoat 2 FSC	S2420	BG40Wh Imp	Stock	1525	•	•		1roll x 1525mm x 1000m	
SW7045AF	★ Fascoat 2 PB FSC	S2090	BG40Wh Imp	Stock	1000		•		1roll x 1000mm x 1000m	
AW0424F	★ MC Primecoat GP FSC	S2025N	BG33Wh Imp FSC	EXACT		•	•		1roll x 500m	
W0416F	★ MC Primecoat GP FSC	S2025N	BG40Wh Imp	EXACT		•	•		1roll x 500m	
\W0425F	★ MC Primecoat GP FSC	S1002	BG33Wh Imp ★ FSC	EXACT		•	•		1roll x 500m	
AW0444F	★ MC Primecoat GP FSC	SR3011	BG33Wh Imp ★ FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
AW0271	High Gloss Paper	S1010	BG40Wh Imp	EXACT		•	•		1roll x 1000m	
AW0153	High Gloss Paper	S2090	BG40Wh Imp	EXACT			•		1roll x 1000m	
SW7331	High Gloss Paper	S2420	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
\W0448F	★ High Gloss Elite FSC	S1002	BG33Wh Imp ★ FSC	EXACT			•		1roll x 1000m	New
AW0426F	★ High Gloss Elite FSC	S1010	BG40Wh Imp	EXACT			•		1roll x 1000m	
ariable Info	ormation Printing									
NW0045F	★ Direct Thermal 150RL FSC	S2045N	BG40Wh Imp	EXACT		•	•		1roll x 500m	
NW0062F	★ Direct Thermal 150RL FSC	S1002	BG33Wh Imp FSC	EXACT		•	•		1roll x 500m	New
NW0048F	★ Direct Thermal 150RL FSC	S1010	BG40Wh Imp	EXACT		•	•		1roll x 500m	
NW0055F	★ Direct Thermal 200GP     ★ FSC	S1010	BG40Wh Imp	EXACT		•	•		1roll x 500m	
NW0033F	Ďirect Thermal Premium     FSC	S1010	BG40Wh Imp	EXACT		•	•		1roll x 500m	
SW7005AF	★ Baggage Tag Elite FSC	S2025N	BG40Wh	Indent	1525		•		1roll x 1525mm x 1000m	
/W0066F	★ Transtherm Plus FSC	S1010	BG40Wh Imp	EXACT		•	•		1roll x 500m	
ИW0035F	Premium Transtherm 1C ★ FSC	S2090	BG40Wh Imp	EXACT		•	•		1roll x 500m	
MW1616F	★ Transtherm 2C FSC	S2090	BG40Wh	Forecast	1000		•		1roll x 1000mm x 1000m	
	★ LCJ Premium FSC	S2492	CCK55	Indent			•		1roll x 1060mm x 1000m	

<sup>★</sup> FSC® Certified

**Paper** 

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)		•	th (m) 1500 2000	моо	Remark
Specialty Pa	per									
AW0363F.1200	★ Vellum Elite FSC	R450	BG40Wh Imp	Forecast	1200	•	•	•	1roll x 1200mm x 500m	Previously AW0363P1200
AW0361	High Gloss Paper	R450	BG40Wh	Forecast	1200	•	•	•	1roll x 1200mm x 500m	
AW0401F.1000	★ Radiant Red FSC	M3000	B100	Forecast	1060		•	•	1roll x 1060mm x 1000m	
AW0402F.1000	★ Radiant Orange FSC	M3000	B100	Forecast	1060		•	•	1roll x 1060mm x 1000m	
AW0403F.1000	★ Radiant Green FSC	M3000	B100	Forecast	1060		•	•	1roll x 1060mm x 1000m	
SW7039F	★ Metallica FSC	S2090	BG40Wh Imp	Indent	1000		•	•	1 roll x 1000mm x 1000m	
F1008.1000	Super Vellum	ET9	BG40Whn	Indent	1000		•	•	1 roll x 1000mm x 1000m	
F1208.1000	Vellum ET9 PET30	ET9	BG40Whn	Indent	1000		•	•	1 roll x 1000mm x 1000m	
AW0362F.1200	★ Fascoat Elite FSC	R450	BG40Wh Imp	Forecast	1200	•	•	•	1roll x 1200mm x 500m	
SW7050F	Direct Thermal Premium 2 FSC	R423	BG40BI	Forecast	1000	•	•	•	1roll x 1200mm x 500m	
MW0057F	★ Transtherm 2C FSC	R423	BG40Wh	Forecast	1000		•	•	1roll x 1000mm x 1000m	
SW7007F	Semigloss FSC Linerless EM	Linerless EM	n/a	Forecast	1000		•	•	1roll x 1000mm x 1000m	
SW7339	Bright Silver Foil Prime	M3300	BG40Wh Imp	Indent	1000		•	•	1 roll x 1000mm x 10000m	

<sup>★</sup> FSC® Certified

## Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)		ength (m 000 1500			Remark
Prime Film						300 10	300 1300	2000		
BW0062N	PPNg Top Trans	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW0237	PPNg Top Trans	S692N	PET23	EXACT			•	•	1roll x 1000m	
BW0230N	PPNg Top Trans	S692N	PET30	EXACT			•	•	1roll x 1000m	
BW0223	PPNg Top Trans	S3000	BG40Wh Imp	Forecast	1000		•	•	1roll x 1000mm x 2000m	
BW7009*	PP50 Top Clear	SR3011	BG33Wh Imp ★ FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW7025 *	PP50 Top Clear	SR3011	rPET23	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW0266A	PP50 TC Clear	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW7017*	PP40 Top Clear	S692N	BG40Wh Imp	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW7000	PP50 NTC Clear	S692N	BG40Wh Imp	Indent	1525		•		1 roll x 1525mm x 1000m	
BW0226	PP30 Clear NTC	S692N	BG40Wh Imp	Stock	1525	•			1roll x 1525mm x 500m	
SY7025N	Overlaminating Matte PP	S6800	BG40Wh Imp	Stock	1525	•			1roll x 1525mm x 500m	
BW0112N	Overlaminating Gloss PP	S6800	BG40Wh Imp	EXACT			•		1roll x 1000m	
BW0153	Synthetic Paper	S4700N	BG40Wh Imp	EXACT		٠	•		1roll x 500m	
BW0270	3 Mil Synthetic Paper	S4700N	BG40Wh Imp	EXACT		٠	•		1 roll x 500M	
BW0270	3 Mil Synthetic Paper	S4700N	BG40Wh Imp	Forecast	1525		•		1 roll x 1525mm x 1000m	
BW0277	3 Mil Synthetic Paper	S2060	BG40Wh Imp	Forecast	1525		•		1 roll x 1525mm x 1000m	
BW7005	PP Top Matte White	S692N	≱ BG33Wh Imp FSC	Indent	1525		•		1 roll x 1525mm x 1000m	
BW0174	PPNg Top Pearlized White	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW7008*	PP60 Top Pearlized White	SR3011	≱ BG33Wh Imp FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW7024*	PP60 Top Pearlized White	SR3011	rPET23	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW7004	PP60 Top White	S692N	BG40Wh Imp	Indent	1525		•		1 roll x 1525mm x 1000m	
BW0227	PP50 Top White	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW7018 *	PP40 Top White	S692N	BG40Wh Imp FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW0293	Opalux 55	S692N	BG40Wh Imp	Indent	1525		•		1 roll x 1525mm x 1000m	
BW0250	Pearlux 80N	S692N	BG40Wh Imp	Indent	1000		•	•	1 roll x 1000mm x 1000m	
BW0243	PP50 Top Silver	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW7010*	PP50 Top Silver	SR3011	BG33Wh Imp FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW0272	PPTC Silver Elite	S692N	BG40Wh Imp	Forecast	1525		•		1 roll x 1525mm x 1000m	
BW7019*	PP40 Top Silver	S692N	BG40Wh Imp FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW0183	Global Co-Ex™ Clear NTC	S692N	BG40Wh Imp	EXACT			•	•	1roll x 2000m	
BW0238	Global Co-Ex™ Clear NTC	S692N	PET23	Forecast	1525			•	1roll x 1525mm x 2000m	
BW0184	Global Co-Ex™ White NTC	S692N	BG40Wh Imp	EXACT			•		1roll x 1000m	
BW0321	Global MDO Clear NTC	S692N	PET23	Forecast	1525			•	1roll x 1525mm x 2000m	

<sup>★</sup> FSC® Certified

## Film

Item	Facestock	Adhesive	Liner	Service	Width	L	eng	th (m)	MOQ	Remark
				Program	(mm)	500	1000	1500 2000	,	
Prime Film (co		0.4001	DETO		1505					
BW0322	Global MDO White NTC	S692N	PET23	Forecast	1525			•	1roll x 1525mm x 2000m	
BW7016 *	Flex+ Clear NTC	S692N	★ BG33Wh Imp ★ FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW7020*	Flex+ Clear NTC	S692N	PET23	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW7022*	Flex+ White NTC	S692N	⇒ BG33Wh Imp FSC	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW7023*	Flex+ White NTC	S692N	PET23	Indent	1525		•		1 roll x 1525mm x 1000m	New
BW0065	PE85 Top Trans	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW0064	PE85 Top White	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW0146	PE85 NTC Trans	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW0147	PE85 NTC White	S692N	BG40Wh Imp	EXACT			•	•	1roll x 1000m	
BW0290	PE75 NTC Trans	S692N	BG33Wh Imp FSC	EXACT				•	1roll x 1000m	
BW0291	PE75 NTC White	S692N	BG33Wh Imp FSC	EXACT				•	1roll x 1000m	
BW9320A	Bright Silver PE85	AF101	BG40Wh Imp	EXACT				•	1 roll x 1000mm x 1000m	
BW0150	FasClear® 300	S692N	BG40Wh Imp	Stock	1000	•	•	•	1roll x 1000mm x 500m	
BW0060	FasClear® 250	S692N	BG40Wh Imp	Stock	1000		•	•	1roll x 1000mm x 500m	
BW0151	Primax® 300	S692N	BG40Wh Imp	Stock	1000	•	•	•	1roll x 1000mm x 500m	
Specialty Film	n									
F50150.1000	Data PE80	CD303	BG40Wn	Indent	1000		•	•	1 roll x 1000mm x 1000m	
BWS381	Pearl Paper	AP104	P95 Wh Imp	Indent	1070		•	•	1roll x 1070mm x 1000m	
SY7049	PPNg Top Trans	R480	BG40Wh	Forecast	1200		•	•	1roll x 1200mm x 1000m	
SY7051N	PPNg Top White	R480	BG40Wh Imp	Forecast	1200		•	•	1roll x 1200mm x 1000m	
SY7047	PPNg Top Pearlized White	C7501	BG40Wh	Forecast	1000		•	•	1roll x 1000mm x 1000m	
SY7050N.1000	Synthetic Paper	R480	BG40Wh Imp	Forecast	1000		•	•	1roll x 1000mm x 1000m	
BWS440	Synthetic Paper2	AF101	P140 White ni	Indent	1065		•	•	1roll x 1065mm x 1000m	
SY7048.1200	Yupo	R480	BG40Wh	Indent	1200		•	•	1 roll x 1200mm x 1000m	
9172.1000	Dataflex	CD303	K100	Indent	1000		•	•	1 roll x 1000mm x 1000m	
BW0273	Synthetic Paper TR75	S2045N	BG40Wh Imp	Forecast	1525		•		1 roll x 1525mm x 1000m	
BW0278	Synthetic Paper TR75	C2075	BG40Wh Imp	Forecast	1525		•		1 roll x 1525mm x 1000m	
Durable Film										
SY7022	Synthetic Paper II	C7501	BG40Wh Imp	EXACT			•		1roll x 1000m	
ADS1372	Synthetic Paper	R101T	P140White ni	Indent	1065		•	•	1roll x 1065mm x 1000m	
BW9664	3M Synthetic Paper	S333	BG50Wh	Indent	1530			•	1roll x 1530mm x 2000m	
BW6007A1	Yupo	S2700	BG40Wh	Indent	1065	•	•	•	1roll x 1065mm x 500m	
MZ0111	1M Clear PET TC	S8020	BG40Wh Imp	EXACT		•			1roll x 500m	
MZ0152	1M Matte Ch PET TC	S333	BG40BI	EXACT		•			1roll x 500m	

<sup>★</sup> FSC® Certified

# Film

				Ì					
Item	Facestock	Adhesive	Liner	Service Program	Width (mm)		Leng	) 2000	MOQ Remark
Durable Film	(continued)								
MZ0102	2M White PETTC	S333	BG50Wh	EXACT		•			1roll x 500m
70353	2M White PETTC	R143NC	50#SCK	Indent	1372	•	•		1 roll x 1372mm x 500m
81127	2M White PETTC	R143NC	1.5M PET	Indent	1372	•	•		1 roll x 1372mm x 500m
MZ0104	2M Matte Ch PETTC	S333	BG50Wh	EXACT		٠			1roll x 500m
MZ0106	Copy Code Ch PET Plus	S333	BG50Wh	Forecast	1000		•	•	1roll x 1000mm x 1000m
MZ0054	50u Bright Silver PET	S333	BG50Wh Imp	Indent	1070			•	1roll x 1070mm x 2000m
74600	2M White Voidable PET	S727	50#SCK	Indent	1372	•			1 roll x 1372mm x 500m
78194	2Mil White Void PETTC	S8015W	50#SCK	Indent	1372	•	•		1 roll x 1372mm x 500m
74599	2M Silver Voidable PET	S727	50#SCK	Indent	1372	•			1 roll x 1372mm x 500m
78195	2Mil Silver Void PETTC	S8015	50#SCK	Indent	1372	•	•		1 roll x 1372mm x 500m
78196	2M Mat Ch Void PETTC	S8015W	50#SCK	Indent	1372	•			1roll x 1372mm x 500m
78197	2M White Checkerboard PETTC	S8015W	50#SCK	Indent	1372	٠			1roll x 1372mm x 500m
78198	2 Mil Silver Checkerboard Polyester TC	S8015W	50#SCK	Indent	1372	•			1roll x 1372mm x 500m
78199	2 Mil Matte Silver Checkerboard Polyester TC	S8015W	50#SCK	Indent	1372	٠			1roll x 1372mm x 500m
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Indent	250				1 roll x 250mm x 250m
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Indent	250				1 roll x 250mm x 250m
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Indent	250				1 roll x 250mm x 250m
MZ0098	50micron Matte White Polyester TC	S333	BG50WHT	Indent	1070	•	•		1 roll x 1070mm x 500m
MZ0363	50um White FR PET TCY	S8025	BG50Wh	Indent	1070	٠	•		1 roll x 1070mm x 500m
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Indent	250				1 roll x 250mm x 250m
MZ0212	2M WH PETC TC	S369	BG50Wh	Ready width	250	•	•		1roll x 250mm x 500m
MZ0369	125um White PETTC	TS8017	30u PET	Indent	267				1 roll x 267mm x 400m
AFM822	Foamtac II	S2000	BG40Wh	Indent	1000		•	•	1roll x 1000mm x 1000m
AGY343	PE HD TE	S700	BG45Wh LR	Indent	1000		•	•	1roll x 1000mm x 1000m
75849	3 M Velvet Lexan	S730	1.5M PET	Indent	1372	•	•		1 roll x 1372mm x 500m
75850	5 M Velvet Lexan	S730	1.5M PET	Indent	1372	•	•		1 roll x 1372mm x 500m
MZ0321	Polycarbonate	S333	30mic PET	Indent	1070	•	•		1 roll x 1070mm x 500m
79325	1 Mil Clear UV PET	S3000	1M PET	Indent	1524	•	•		1 roll x 1524mm x 500m
79449	Tamperfas VNL	S730	50#SCK	Indent	1220	•	•		1 roll x 1220mm x 500m
41100	Tamperfas VINYL	S730	50#SCK	Indent	1210	•	•	•	1roll x 1210mm x 500m
SD8310	PPTop NG White	TS79	BG50Wh Si	Forecast	1000	٠	•	•	1roll x 1000mm x 500m
SD8310.1525	PPNg Top White	TS79	BG50Wh	Forecast	1525			•	1 roll x 1525mm x 2000m
SD8390	PP50 Top White	TS79	BG50Wh	Forecast	1525			•	1 roll x 1525mm x 2000m
SD8380	PP Light Silver	TS79	BG50Wh	Forecast	1525			•	1 roll x 1525mm x 2000m

<sup>★</sup> FSC® Certified

# Select Solutions<sup>™</sup> Mix & Match<sup>™</sup> Product Guide

#### The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.



## **Engineered Solutions**

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with

solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

New Ideas
New Approaches
New Products
New Opportunities

#### Avery Dennison Thailand Ltd.

Phone: +66 2 740 4666 (ext 111-121) +66 1 413 1260 - 64

Fax: +66 2 740 4621-3

Email: cs.thailand@ap.averydennison.com

label.sapssa.averydennison.com

