

Label and Packaging Materials Product Services Guide

Thailand
Q4, 2020



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Paper											
SW7053F	★ LW60 FSC	S2090	BG40Wh Imp	Forecast	1000		•		•	1roll x 1000mm x 1000m	
AW0331AF	★ Fascoat 2 FSC	S1010	BG40Wh Imp	EXACT		•	•		•	1roll x 500m	
AW0333AF	★ Fascoat 2 FSC	S1010	BG40BI Imp	Stock	1525	•	•		•	1roll x 1525mm x 1000m	

Item:

The product code on your delivery documents and invoices.

Width / Length:

The width and length of rolls available for order.

Facestock:

The particular facestock used in the construction.

Minimum Order Quantity (MOQ):

Determined by multiplying width by length.

Adhesive:

The particular adhesive used in the construction.

Length (LM):

Identifies the length in lineal meters, offered in a service program

Liner:

The particular liner used in the construction.

Stocking Location:

Indicates which AD site the product is stocked in

Service Program:

How the product is sold to the market.

Stock

Signifies the product is sold with the complete web width and the minimum length of 1000 metres.

EXACT

Fasson EXACT™

Sold in any width with fixed length that vary for each program. For one-off or regular orders, discuss with your Avery Dennison representative to ensure product availability.

Ready Width

Fasson Ready Width

Offers slit rolls in set widths and lengths.

Forecast

Manufacture to a written forecast as agreed between the customer and Avery Dennison.

Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with a star (★).



The mark of responsible forestry

Service Policy

Ordering Point

Customer Service Department,
Avery Dennison Thailand Ltd.

Phone: +66 2 740 4666 (ext 111-120)

Fax: +66 2 740 4621-3

Email: cs.thailand@ap.averydennison.com

Delivery Service

Product Type	Cut-off Time	Delivery
Stock Keeping Products	EXACT	Before 3.00pm
	Non EXACT	Before 4.00pm
Non Stock Keeping Products	As per plant delivery lead times	Indent items

Requirement	Condition	Standard															
Purchase Order	All materials	Duly approved order with product code, description, size, quantity and delivery schedule.															
Order Acknowledgment	All materials	To be acknowledged on the same working day.															
Minimum Order Value	All materials	<table border="1"> <thead> <tr> <th></th> <th></th> <th>EXACT</th> <th>Non EXACT</th> <th>Durables</th> </tr> </thead> <tbody> <tr> <td>Within Bangkok</td> <td>Per Order</td> <td>1 roll per program</td> <td>500m²</td> <td>250m²</td> </tr> <tr> <td>Outside of Bangkok</td> <td>Per Delivery</td> <td>500m² 2000m² or >50,000 baht</td> <td>500m² 2000m² or >50,000 baht</td> <td>500m² 2000m² or >50,000 baht</td> </tr> </tbody> </table>			EXACT	Non EXACT	Durables	Within Bangkok	Per Order	1 roll per program	500m ²	250m ²	Outside of Bangkok	Per Delivery	500m ² 2000m ² or >50,000 baht	500m ² 2000m ² or >50,000 baht	500m ² 2000m ² or >50,000 baht
				EXACT	Non EXACT	Durables											
		Within Bangkok	Per Order	1 roll per program	500m ²	250m ²											
Outside of Bangkok	Per Delivery	500m ² 2000m ² or >50,000 baht	500m ² 2000m ² or >50,000 baht	500m ² 2000m ² or >50,000 baht													
Otherwise, transportation charges will be imposed.																	
Order Cancellation / Changes	All materials	Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.															
Indent Orders / Blanket Orders	All materials	All goods to be shipped out and invoiced within one month upon arrival of goods.															
Inner Core Diameter	All materials	77mm core, +/-0.15mm															
Roll Labels	All materials	Outside of the rolls and inner core															
Minimum Slit Widths	All materials	75mm															
Roll Length Tolerance	All materials	+/- 10%															
Slit Roll Width Tolerance	All materials	+/- 1mm															
Splice Quantity Indication	All materials	Printed on roll labels															
Maximum Number of Splices	All materials	<table border="1"> <thead> <tr> <th>Length</th> <th>Paper</th> <th>Film</th> </tr> </thead> <tbody> <tr> <td>500m</td> <td>1</td> <td>1</td> </tr> <tr> <td>1000m</td> <td>2</td> <td>2</td> </tr> <tr> <td>1500m</td> <td>2</td> <td>2</td> </tr> <tr> <td>2000m</td> <td>2</td> <td>2</td> </tr> </tbody> </table>	Length	Paper	Film	500m	1	1	1000m	2	2	1500m	2	2	2000m	2	2
		Length	Paper	Film													
		500m	1	1													
		1000m	2	2													
		1500m	2	2													
2000m	2	2															
Packaging		Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate up-charges.															

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Paper											
AW0455F	★ Vellum Elite FSC	S2010N	★ BG33Wh Imp FSC	EXACT		•	•			1 roll x 500m	
AW0431F	★ Vellum Elite FSC	S1002	★ BG33Wh Imp FSC	EXACT		•	•			1roll x 500m	
AW0289F	★ Vellum Elite FSC	S1010	BG40Wh Imp	EXACT		•	•			1roll x 500m	Transitioned from AW0289P after stock depletes
AW0321F	★ Vellum Elite FSC	S2420	BG40Wh Imp	Forecast	1525		•		•	1roll x 1525mm x 1000m	Transitioned from AW0321P after stock depletes
AW0326F	★ Vellum Elite FSC	S2492	CCK80Wh	EXACT			•		•	1roll x 1000m	Transitioned from AW0326P after stock depletes
AW0344	Vellum	S2492	CCK80Wh	EXACT			•			1roll x 1000m	
SW7053F	★ LW60 FSC	S2090	BG40Wh Imp	Forecast	1000		•		•	1roll x 1000mm x 1000m	
AW0331AF	★ Fascoat 2 FSC	S1010	BG40Wh Imp	EXACT		•	•		•	1roll x 500m	
AW0333AF	★ Fascoat 2 FSC	S1010	BG40BI Imp	Stock	1525		•		•	1roll x 1525mm x 1000m	
AW0332FS	★ Fascoat 2 FSC	S2090	BG40Wh Imp	EXACT			•		•	1roll x 1000m	Transitioned from AW0332F after stock depletes
SW7325AF	★ Fascoat 2 FSC	S2420	BG40Wh Imp	Stock	1525		•		•	1roll x 1525mm x 1000m	
AW0450F	★ MC Primecoat GP FSC	S2010N	★ BG33Wh Imp FSC	EXACT		•	•			1 roll x 500m	
AW0424F	★ MC Primecoat GP FSC	S2025N	★ BG33Wh Imp FSC	EXACT		•	•			1roll x 500m	
AW0416F	★ MC Primecoat GP FSC	S2025N	BG40Wh Imp	EXACT		•	•			1roll x 500m	
AW0425F	★ MC Primecoat GP FSC	S1002	★ BG33Wh Imp FSC	EXACT		•	•			1roll x 500m	
AW0271	High Gloss Paper	S1010	BG40Wh Imp	EXACT		•	•		•	1roll x 1000m	
AW0153	High Gloss Paper	S2090	BG40Wh Imp	EXACT			•		•	1roll x 1000m	
SW7331	High Gloss Paper	S2420	BG40Wh Imp	EXACT			•	•		1roll x 1000m	
AW0454F	★ High Gloss Elite FSC	S2010N	★ BG33Wh Imp FSC	EXACT			•			1 roll x 1000m	
AW0448F	★ High Gloss Elite FSC	S1002	★ BG33Wh Imp FSC	EXACT			•			1roll x 1000m	
AW0426F	★ High Gloss Elite FSC	S1010	BG40Wh Imp	EXACT			•			1roll x 1000m	
Specialty Paper											
AW0363F.1200	★ Vellum Elite FSC	R450	BG40Wh Imp	Stock	1200		•			1roll x 1200mm x 1000m	
AW0362F.1200	★ Fascoat Elite FSC	R450	BG40Wh Imp	Stock	1200		•			1roll x 1200mm x 1000m	
AW0361N.1200	High Gloss Paper	R450	BG40Wh Imp	Stock	1200		•			1roll x 1200mm x 1000m	
SW7050F	★ Direct Thermal Premium 2 FSC	R423	BG40BI	Stock	1000		•			1roll x 1000mm x 1000m	Transitioning to SW7082F, Dec 2020
MW0057F	★ Transtherm 2C FSC	R423	BG40Wh Imp	Stock	1000		•			1roll x 1000mm x 1000m	
MW0068F.1000	★ Transtherm 2C FSC	R450	BG40Wh Imp	Stock	1000		•			1roll x 1000mm x 1000m	

★ FSC® Certified

Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Specialty Paper (continued)											
SW7342F	★ MC Prime PB FSC	S2090	BG40Wh Imp	Stock	1000	•				1roll x 1000mm x 1000m	
SW7045AF	★ Fascoat 2 PB FSC	S2090	BG40Wh Imp	Stock	1000	•		•		1roll x 1000mm x 1000m	
SW7038F	★ Fascoat 2 PB FSC	S2420	BG40Wh Imp	Stock	1000	•	•			1roll x 1000mm x 1000m	
AW0401F.1000	★ Radiant Red FSC	M3000	B100	Stock	1000	•				1roll x 1000mm x 1000m	
AW0402F.1000	★ Radiant Orange FSC	M3000	B100	Stock	1000	•				1roll x 1000mm x 1000m	
AW0403F.1000	★ Radiant Green FSC	M3000	B100	Stock	1000	•				1roll x 1000mm x 1000m	
AW0404F.1000	★ Radiant Yellow FSC	M3000	B100	Stock	1000	•				1roll x 1000mm x 1000m	
AW0405F.1000	★ Radiant Pink FSC	M3000	B100	Stock	1000	•				1roll x 1000mm x 1000m	
AW0370F.1000	★ Radiant Red FSC	M3300	BG40Wh Imp	Stock	1000	•				1roll x 1000mm x 1000m	
AW0371F.1000	★ Radiant Orange FSC	M3300	BG40Wh Imp	Stock	1000	•				1roll x 1000mm x 1000m	
AW0372F.1000	★ Radiant Green FSC	M3300	BG40Wh Imp	Stock	1000	•				1roll x 1000mm x 1000m	
AW0373F.1000	★ Radiant Yellow FSC	M3300	BG40Wh Imp	Stock	1000	•				1roll x 1000mm x 1000m	
AW0374F.1000	★ Radiant Pink FSC	M3300	BG40Wh Imp	Stock	1000	•				1roll x 1000mm x 1000m	
SW7007F	★ Semigloss FSC Linerless EM	Linerless EM	n/a	Forecast	1000	•		•		1roll x 1000mm x 1000m	
SW7039F	★ Metallica FSC	S2090	BG40Wh Imp	Indent	1000			•		1roll x 1000mm x 2000m	
SW7339.1000	Bright Silver Foil Prime	M3300	BG40Wh Imp	Indent	1000	•		•		1 roll x 1000mm x 10000m	
AW0354.1060	Matte Gold Foil	M3300	BG40Wh Imp	Indent	1060				•	1roll x 1060mm x 2000m	
AW0356.1060	Matte Silver Foil	M3300	BG40Wh Imp	Indent	1060				•	1roll x 1060mm x 2000m	

★ FSC® Certified

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
NW0066F	★ Direct Thermal 150RL FSC	S2010N	★ BG33Wh Imp FSC	EXACT		•	•			1 roll x 500m	
NW0045F	★ Direct Thermal 150RL FSC	S2045N	BG40Wh Imp	EXACT		•	•			1roll x 500m	
NW0062F	★ Direct Thermal 150RL FSC	S1002	★ BG33Wh Imp FSC	EXACT		•	•			1roll x 500m	
NW0048F	★ Direct Thermal 150RL FSC	S1010	BG40Wh Imp	EXACT		•	•			1roll x 500m	
NW0055F	★ Direct Thermal 200GP FSC	S1010	BG40Wh Imp	EXACT		•	•			1roll x 500m	
NW0033F	★ Direct Thermal Premium FSC	S1010	BG40Wh Imp	EXACT		•	•			1roll x 500m	
SW7005AF	★ Baggage Tag Elite FSC	S2025N	BG40Wh	Indent	1525		•		•	1roll x 1525mm x 1000m	
MW0066F	★ Transtherm Plus FSC	S1010	BG40Wh Imp	EXACT		•	•			1roll x 500m	
MW0035F	★ Premium Transtherm 1C FSC	S2090	BG40Wh Imp	EXACT		•	•			1roll x 500m	
MW1616F	★ Transtherm 2C FSC	S2090	BG40Wh	Forecast	1000		•		•	1roll x 1000mm x 1000m	
OW0003F	★ LCJ Premium FSC	S2492	CCK55	Indent	1060	•	•		•	1roll x 1060mm x 1000m	

★ FSC® Certified

Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Film											
BW0062N	PPNg Top Trans	S692N	BG40Wh Imp	EXACT		•	•			1roll x 1000m	
BW0237N	PPNg Top Trans	S692N	PET23	EXACT		•	•			1roll x 1000m	from BW0237
BW0230N	PPNg Top Trans	S692N	PET30	EXACT		•	•			1roll x 1000m	
BW0223	PPNg Top Trans	S3000	BG40Wh Imp	Forecast	1000	•	•			1roll x 1000mm x 2000m	
BW0266A	PP50 TC Clear	S692N	BG40Wh Imp	EXACT		•	•			1roll x 1000m	
BW7017 *	PP40 Top Clear	S692N	★ BG40Wh Imp FSC	EXACT		•				1roll x 1000m	New!
BW7026	PP40 Top Clear	S631	PET23	EXACT		•				1roll x 1000m	New!
BW7000	PP50 NTC Clear	S692N	BG40Wh Imp	EXACT		•				1roll x 1000m	
BW0226.1000	PP30 Clear NTC	S692N	BG40Wh Imp	Stock	1000	•				1roll x 1000mm x 500m	from BW0226
SY7025N	Overlaminating Matte PP	S6800	BG40Wh Imp	Stock	1525	•				1roll x 1525mm x 500m	
BW0112N	Overlaminating Gloss PP	S6800	BG40Wh Imp	EXACT		•				1roll x 1000m	
BW0153	Synthetic Paper	S4700N	BG40Wh Imp	EXACT		•	•			1roll x 500m	
BW0270	3 Mil Synthetic Paper	S4700N	BG40Wh Imp	EXACT		•	•			1roll x 500M	
BW0277	3 Mil Synthetic Paper	S2060	BG40Wh Imp	Forecast	1525	•				1roll x 1525mm x 1000m	
BW7005	PP Top Matte White	S692N	★ BG33Wh Imp FSC	EXACT		•	•			1roll x 1000m	
BW7032 *	PP Top White	S692N	★ BG33Wh Imp FSC	EXACT		•	•			1roll x 1000m	Coming soon in Q4
BW0174	PPNg Top Pearlized White	S692N	BG40Wh Imp	EXACT		•	•			1roll x 1000m	
BW7004	PP60 Top White	S692N	BG40Wh Imp	EXACT		•				1roll x 1000m	
BW0227	PP50 Top White	S692N	BG40Wh Imp	EXACT		•	•			1roll x 1000m	
BW7018	PP40 Top White	S692N	★ BG40Wh Imp FSC	EXACT		•				1roll x 1000m	
BW0293	Opalux 55	S692N	BG40Wh Imp	EXACT		•				1roll x 1000m	
BW0250	Pearlux 80N	S692N	BG40Wh Imp	Indent	1000	•	•			1roll x 1000mm x 1000m	
BW0243	PP50 Top Silver	S692N	BG40Wh Imp	EXACT		•	•			1roll x 1000m	
BW0254	PP Silver TC	S631	PET30	Stock	1525	•				1roll x 1525mm x 1000m	
BW0272	PP TC Silver Elite	S692N	BG40Wh Imp	Forecast	1525	•				1roll x 1525mm x 1000m	
BW7019	PP40 Top Silver	S692N	★ BG40Wh Imp FSC	EXACT		•				1roll x 1000m	
BW0183	Global Co-Ex™ Clear NTC	S692N	BG40Wh Imp	EXACT		•	•			1roll x 1000m	
BW0238	Global Co-Ex™ Clear NTC	S692N	PET23	Forecast	1525		•			1roll x 1525mm x 2000m	
BW0184	Global Co-Ex™ White NTC	S692N	BG40Wh Imp	EXACT		•				1roll x 1000m	
BW0321	Global MDO Clear NTC	S692N	PET23	Forecast	1525		•			1roll x 1525mm x 2000m	
BW0322	Global MDO White NTC	S692N	PET23	Forecast	1525		•			1roll x 1525mm x 2000m	
BW7016	Flex+ Clear NTC	S692N	★ BG33Wh Imp FSC	EXACT		•				1roll x 1000m	

★ FSC® Certified

Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Prime Film (continued)											
BW7020	Flex+ Clear NTC	S692N	PET23	EXACT		•				1 roll x 1000m	
BW7022	Flex+ White NTC	S692N	★ BG33Wh Imp FSC	EXACT		•				1 roll x 1000m	
BW7023	Flex+ White NTC	S692N	PET23	EXACT		•				1 roll x 1000m	
BW0065	PE85 Top Trans	S692N	BG40Wh Imp	EXACT		•	•			1 roll x 1000m	
BW0064	PE85 Top White	S692N	BG40Wh Imp	EXACT		•	•			1 roll x 1000m	
BW0146	PE85 NTC Trans	S692N	BG40Wh Imp	EXACT		•	•			1 roll x 1000m	
BW0147	PE85 NTC White	S692N	BG40Wh Imp	EXACT		•	•			1 roll x 1000m	
BW0290	PE75 NTC Trans	S692N	★ BG33Wh Imp FSC	EXACT		•				1 roll x 1000m	
BW0291	PE75 NTC White	S692N	★ BG33Wh Imp FSC	EXACT		•				1 roll x 1000m	
BW9320A	Bright Silver PE85	AF101	BG40Wh Imp	EXACT				•		1 roll x 2000m	
BW0150	FasClear® 300	S692N	BG40Wh Imp	Stock	1000	•	•	•		1 roll x 1000mm x 500m	
BW0060	FasClear® 250	S692N	BG40Wh Imp	Stock	1000	•	•	•		1 roll x 1000mm x 500m	
BW0151	Primax® 300	S692N	BG40Wh Imp	Stock	1000	•	•	•		1 roll x 1000mm x 500m	
Specialty Film											
F50150.1000	Data PE80	CD303	BG40Wn	Indent	1000	•	•	•		1 roll x 1000mm x 1000m	
BWS381	Pearl Paper	AP104	P95 Wh Imp	Indent	1070	•	•	•		1 roll x 1070mm x 1000m	
SY7049.1000	PPNg Top Trans	R480	BG40Wh	Forecast	1200	•	•	•		1 roll x 1000mm x 1000m	
SY7051N.1000	PPNg Top White	R480	BG40Wh Imp	Forecast	1200	•	•	•		1 roll x 1000mm x 1000m	
SY7047	PPNg Top Pearlized White	C7501	BG40Wh	Forecast	1000	•	•	•		1 roll x 1000mm x 1000m	
SY7050N.1000	Synthetic Paper	R480	BG40Wh Imp	Forecast	1000	•	•	•		1 roll x 1000mm x 1000m	
BWS440	Synthetic Paper2	AF101	P140 White ni	Indent	1065	•	•	•		1 roll x 1065mm x 1000m	
SY7048.1200	Yupo	R480	BG40Wh	Indent	1200	•	•	•		1 roll x 1200mm x 1000m	
BW0273	Synthetic Paper TR75	S2045N	BG40Wh Imp	Forecast	1525	•	•	•		1 roll x 1525mm x 1000m	
BW0278	Synthetic Paper TR75	C2075	BG40Wh Imp	EXACT	1525	•	•	•		1 roll x 1000m	
SY7008	Transcode Plus White	C7501	BG40 Wh Imp	Stock	1000	•	•	•		1 roll x 1000mm x 1000m	
SY7074	Synthetic Paper	AT20	BG40Wh Imp	EXACT	1000	•	•	•		1 roll x 1000m	
SY7138	WBIJ PP Top Gloss White	S4700F	BG40Wh Imp	Forecast	1000	•	•	•		1 roll x 1000mm x 1000m	NEW!!
SY7122	WBIJ synthetic paper	S4700F	BG40Wh Imp	Forecast	1000	•	•	•		1 roll x 1000mm x 1000m	NEW!!
SY7114	Global Co-Ex Clear NTC	S477A	BG40Wh Imp	Stock	1000	•	•	•		1 roll x 1000mm x 1000m	NEW!!
SY7123	PE75 White NTC	S477A	BG40Wh Imp	Stock	1525	•	•	•		1 roll x 1525mm x 1000m	NEW!!
SY7119	PET Top Clear	S692N	BG50Wh Imp	Stock	1000	•	•	•		1 roll x 1000mm x 1000m	NEW!!
SY7129	PET 50 Top Clear	S333	BG50Wh Imp	Stock	1000	•	•	•		1 roll x 1000mm x 1000m	NEW!!

★ FSC® Certified

Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Specialty Film (continued)											
SY7130	PET Top White 50 micron	S692N	BG40Wh Imp	Stock	1000					1 roll x 1000mm x 1000m	NEW!!
SY7131	PPNg Top Pearlized White	S2800	BG40Wh Imp	EXACT	1000	•				1 roll x 1000mm x 1000m	NEW!!
SY7133	PPNg Top Trans	S2800	BG40Wh Imp	EXACT	1000	•				1 roll x 1000mm x 1000m	NEW!!
SY7067	Iridescent TC	S692N	BG40Wh Imp	Stock	1000	•				1 roll x 1000mm x 1000m	NEW!!
BW7567	Synthetic Paper (Solid PP)	SR133	80gsm glassine liner	Indent	1070	•				1 roll x 1070mm x 2000m	NEW!!
BW7569	50um BOPP Clear TC	SR133	80gsm glassine liner	Stock	1530	•				1 roll x 1530mm x 2000m	NEW!!
BW7603	50um Clear PET TC	SR123	80gsm glassine liner	Indent	1070	•				1 roll x 1070mm x 2000m	NEW!!
BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	Indent	1000	•				1 roll x 1000mm x 1000m	NEW!!
Durable Film											
SY7022	Synthetic Paper II	C7501	BG40Wh Imp	EXACT		•				1roll x 1000m	
ADS1372	Synthetic Paper	R101T	P140White ni	Indent	1065	•	•			1roll x 1065mm x 1000m	
BW9664	3M Synthetic Paper	S333	BG50Wh	Indent	1530			•		1roll x 1530mm x 2000m	
BW6007A1	Yupo	S2700	BG40Wh	Indent	1065	•	•	•		1roll x 1065mm x 500m	
MZ0111	1M Clear PET TC	S8020	BG40Wh Imp	EXACT		•				1roll x 500m	
MZ0152	1M Matte Ch PET TC	S333	BG40BI	EXACT		•				1roll x 500m	
MZ0102	2M White PET TC	S333	BG50Wh	EXACT		•				1roll x 500m	
70353	2M White PET TC	R143NC	50#SCK	Indent	1372	•	•			1 roll x 1372mm x 1500m	
81127	2M White PET TC	R143NC	1.5M PET	Indent	1372	•	•			1 roll x 1372mm x 500m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	EXACT		•				1roll x 500m	
MZ0106	Copy Code Ch PET Plus	S333	BG50Wh	Forecast	1000	•		•		1roll x 1000mm x 1000m	
MZ0054	50µ Bright Silver PET	S333	BG50Wh Imp	Indent	1070				•	1roll x 1070mm x 2000m	
74600	2M White Voidable PET	S727	50#SCK	Indent	1372	•				1 roll x 1372mm x 500m	
78194	2Mil White Void PET TC	S8015W	50#SCK	Indent	1372	•	•			1 roll x 1372mm x 500m	
74599	2M Silver Voidable PET	S727	50#SCK	Indent	1372	•				1 roll x 1372mm x 500m	
78195	2Mil Silver Void PET TC	S8015	50#SCK	Indent	1372	•	•			1 roll x 1372mm x 500m	
78196	2M Mat Ch Void PET TC	S8015W	50#SCK	Indent	1372	•				1roll x 1372mm x 500m	
78197	2M White Checkerboard PET TC	S8015W	50#SCK	Indent	1372	•				1roll x 1372mm x 500m	
78198	2 Mil Silver Checkerboard Polyester TC	S8015W	50#SCK	Indent	1372	•				1roll x 1372mm x 500m	
78199	2 Mil Matte Silver Checkerboard Polyester TC	S8015W	50#SCK	Indent	1372	•				1roll x 1372mm x 500m	
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Indent	250					1 roll x 250mm x 250m	

★ FSC® Certified

Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Durable Film (continued)											
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Indent	250						1 roll x 250mm x 250m
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Indent	250						1 roll x 250mm x 250m
MZ0098	50micron Matte White Polyester TC	S333	BG50WHT	Indent	1070	•	•				1 roll x 1070mm x 500m
MZ0363	50um White FR PET TCY	S8025	BG50Wh	Indent	1070	•	•				1 roll x 1070mm x 500m
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Indent	250						1 roll x 250mm x 250m
MZ0212	2M WH PETC TC	S369	BG50Wh	Ready width	250	•	•				1 roll x 250mm x 500m
MZ0369	125um White PET TC	TS8017	30u PET	Indent	267						1 roll x 267mm x 400m
AFM822	Foamtac II	S2000	BG40Wh	Indent	1000		•		•		1 roll x 1000mm x 1000m
AGY343	PE HD TE	S700	BG45Wh LR	Indent	1000		•		•		1 roll x 1000mm x 1000m
75849	3 M Velvet Lexan	S730	1.5M PET	Indent	1372	•	•				1 roll x 1372mm x 500m
75850	5 M Velvet Lexan	S730	1.5M PET	Indent	1372	•	•				1 roll x 1372mm x 500m
MZ0321	Polycarbonate	S333	30mic PET	Indent	1070	•	•				1 roll x 1070mm x 500m
79325	1 Mil Clear UV PET	S3000	1M PET	Indent	1524	•	•				1 roll x 1524mm x 500m
79449	Tamperfas VNL	S730	50#SCK	Indent	1220	•	•				1 roll x 1220mm x 500m
41100	Tamperfas VINYL	S730	50#SCK	Indent	1210	•	•			•	1 roll x 1210mm x 500m
SD8310	PP Top NG White	TS79	BG50Wh Si	Forecast	1000	•	•		•		1 roll x 1000mm x 500m
SD8310.1525	PPNg Top White	TS79	BG50Wh	Forecast	1525				•		1 roll x 1525mm x 2000m
SD8390	PP50 Top White	TS79	BG50Wh	Forecast	1525				•		1 roll x 1525mm x 2000m
SD8380	PP Light Silver	TS79	BG50Wh	Forecast	1525				•		1 roll x 1525mm x 2000m

★ FSC® Certified

Select Solutions™ Mix & Match™ Product Guide

The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.



Engineered Solutions

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with

solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

New Ideas

New Approaches

New Products

New Opportunities

Avery Dennison Thailand Ltd.

Phone: +66 2 740 4666 (ext 111-121)
+66 1 413 1260 - 64

Fax: +66 2 740 4621-3

Email: cs.thailand@ap.averydennison.com

label.sapssa.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2020 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.