

Product Services Guide

Philippines
Q4, 2023



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Cast Coat											
AW0440F	High Gloss Elite FSC	S1010	BG33Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
AW0271	High Gloss Paper	S1010	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•		•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
AW0153	High Gloss Paper	S2090	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of
responsible forestry

Origin:

Which country the product is sourced from.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ - 1roll x 1525mm x 2000m
Available Length - 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

▶▶ Product Transition - signifies changes in Item code, MOQ, Width, Length or Service Program

★ New Product - signifies new items being offered

Service Policy

Ordering Point

Customer Service Department, Avery Dennison Singapore (Pte) Ltd
Email: cs.sg@ap.averydennison.com
Mon to Fri 8:30am - 5:30pm SGT (excluding Malaysia public holidays)

Order Processing

Origin	Production Lead Time	Transit Time	Inland	Sea	Total Lead Time (Days)
Thailand	Manufacturing (12 days)	North Port	6	5	27
		South Port	3	12	31
	Slitting (4 days)	Cebu Port	3	9	27
		Davao Port	3	10	29
		Batangas Port	3	5	29
Malaysia	Manufacturing (12 days)	North Port	6	12	27
		South Port	3	12	31
	Slitting (4 days)	Cebu Port	3	8	27
		Davao Port	3	10	29
		Batangas Port	3	12	31

Requirements and Standards

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To provide status of orders via e-mail within two weeks from receipt of purchase order.

Formal confirmation will be made through issuance of Proforma Invoice with final pricing and tentative delivery schedule.

Order Cancellation / Changes

All confirmed orders with Proforma Invoice cannot be changed or cancelled.

Minimum Order Quantity

SKU products

Full jumbo roll's width and length as specified on sales quotation/product listing.

Non SKU products

Based on plant's MOQ.

Service Policy

Requirements and Standards (continued)

Max. Quantity per Container

Please note: This may change depending on product and load requirements especially for combination of Jumbo and Slitted rolls.

Thailand origin / All paper / All film

MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark
1000mm x 1000m	17	165kg	96,000sqm	146,000sqm	
1000mm x 2000m	24	330kg	96,000sqm	146,000sqm	
1000mm x 1000m	17	165kg	152,000sqm	180,000sqm	Jumbo or Slitted or Combination
1000mm x 2000m	24	330kg	152,000sqm	180,000sqm	
1000mm x 1000m	17	165kg	96,000sqm	160,000sqm	
1000mm x 2000m	24	330kg	96,000sqm	160,000sqm	

Paper and film mix / Malaysia origin / Standard

MR Width	Diameter (in)	Max Wt/Roll	20ft. Container	40ft. Container	Remark
1525mmx1000m	17	165kg	96,075sqm	152,500sqm	Slitted only
1525mmx1000m	24	330kg	91,500sqm	152,500sqm	20' Jumbo only / 40' Combination

Delivery Tolerance

±10% of order quantity

Length Tolerance

±10%

Width Tolerance

±1mm

Splice Quantity Indication

Printed on roll labels

Slitting Capability

Please note: This may vary depending on facility capabilities. Please contact our customer service for further details.

Roll Length	Max # of Splice	Min Width	Max Width	Max # Slits
1000m	1-2	80mm	1000mm	12 Slits
2000m	2	100mm	1000mm	10 Slits

Service Policy

Requirements and Standards (continued)

Packaging

Core Inside Diameter 77mm core, $\pm 0.15\text{mm}$	Roll Length Tolerance All materials $\pm 5\%$
Core Thickness 12mm for master roll; 10mm for slitted roll	Slit Roll Width Tolerance $\pm 1\text{mm}$
Roll Labels 2 labels - inner core and outside of rolls	Splice Quantity Indication Printed on roll labels
Packaging (rolls) Stretch wrap pallets	Minimum Distance of Splices 100m
Maximum Stack Height Up to 1.2m (including pallet height)	Maximum Number of Splices TBC

Shipping Details

Delivery Terms Manila CIF Manila (indicate port of discharge: either North or South port)	Shipping Documents All orders 3 sets each of invoices, delivery orders, packing lists, ocean bill of lading (all original)
Vis/Min area CIF depending on port of destination	1 set of certificate of analysis (all batches)
General Description All orders "Self Adhesive Label Materials" on invoice, packing list and ocean bill of lading	1 copy of fumigation certificate (original)
Shipping Instructions All orders Customer to provide name of consignee, notify party, bill-to and ship-to address	*Advance copy of complete set of shipping docs will be sent by e-mail. *Original documents will be sent by courier and tracking number will be provided by e-mail.

Prime Paper

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Cast Coat											
AW0440F	High Gloss Elite FSC	S1010	BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0271	High Gloss Paper	S1010	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m		
AW0153	High Gloss Paper	S2090	▲ BG40Wh Imp FSC	Thailand	1000		•	•	1 roll x 1000mm x 1000m		
AW0380-N	High Gloss Paper	S2025N	BG40Wh Imp	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0476F	▲ Gloss Plus FSC	S1002	▲ BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0477F	▲ Gloss Plus FSC	S2010N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0500F	▲ Gloss Plus FSC	S2420	▲ BG40Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
Machine Coat											
AW0331AF	▲ Fascoat 2 FSC	S1010	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•	•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m		
AW0333AF	▲ Fascoat 2 FSC	S1010	BG40 BL Imp	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0332F	▲ Fascoat 2 FSC	S2090	▲ BG40Wh Imp FSC	Thailand	1000		•	•	1 roll x 1000mm x 1000m		
SW7325AF	▲ Fascoat 2 FSC	S2420	▲ BG40Wh Imp FSC	Thailand	1000		•	•	1 roll x 1000mm x 1000m		
SW7037AF	▲ Fascoat 2 FSC	S2424	PET30	Malaysia	1525		•	•	1 roll x 1525mm x 5000m		
AW0320F	▲ MC Elite FSC	S1005	BG40Wh Imp	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0379FM-N	▲ MC Elite FSC	S2025N	BG40Wh Imp	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0421F	▲ MC Elite FSC	S2025N	BG33Wh Imp	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0400F	▲ MC Prime FSC	S1010	BG40Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0411F	▲ MC Prime FSC	S2090	PET23	Malaysia	1525		•	•	1 roll x 1525mm x 5000m		
AW0441F	▲ MC Prime GP FSC	S1002	▲ BG33Wh FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0422F	▲ MC Primecoat GP FSC	S1010	BG40Wh	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0424F	▲ MC Primecoat GP FSC	S2025N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0425F	▲ MC Primecoat GP FSC	S1002	▲ BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0435F	▲ MC Primecoat GP FSC	S1002	▲ BG40BI Imp FSC	Thailand	1525		•	•	1 roll x 1525mm x 1000m		
Vellum											
AW0455F	▲ Vellum Elite FSC	S2010N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0431F	▲ Vellum Elite FSC	S1002	▲ BG33Wh Imp FSC	Malaysia	1525		•	•	1 roll x 1525mm x 1000m		
AW0433F	▲ Vellum Elite FSC	S1002	▲ BG40BI Imp FSC	Thailand	1525		•	•	1 roll x 1525mm x 1000m		
AW0316F	▲ Vellum Elite FSC	S1010	▲ BG40BI Imp FSC	Thailand	1525		•	•	1 roll x 1000mm x 1000m		
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	Thailand Malaysia	1525 1525		•	•	1 roll x 1525mm x 1000m 1 roll x 1525mm x 1000m		

☆ New ▲ FSC® Certified ▷ Transition ^ All the items above can be ordered by indent

Specialty Paper

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Cast Coat											
AW0361N.1200	High Gloss Paper	R450	▲ BG40Wh Imp FSC	Thailand	1200		•			1 roll x 1200mm x 1000m	
Machine Coat											
AW0362F.1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	Thailand	1200		•			1 roll x 1200mm x 1000m	
AW0445F	▲ MC Prime FSC	S2025N	BG40Wh Imp	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
SW7342F	▲ MC Prime PB FSC	S2090	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
SW7038F	▲ Fascoat 2 PB FSC	S2420	▲ BG40Wh Imp FSC	Thailand	1000		•	•		1 roll x 1000mm x 1000m	
Uncoated											
AW0363F.1200	▲ Vellum Elite FSC	R450	▲ BG40Wh Imp FSC	Thailand	1200		•			1 roll x 1200mm x 1000m	
AW0401F.1000	▲ Radiant Red FSC	M3000	B100	Thailand	1000		•			1 roll x 1000mm x 1000m	
AW0402F.1000	▲ Radiant Orange FSC	M3000	B100	Thailand	1000		•			1 roll x 1000mm x 1000m	
AW0403F.1000	▲ Radiant Green FSC	M3000	B100	Thailand	1000		•			1 roll x 1000mm x 1000m	
AW0404F.1000	▲ Radiant Yellow FSC	M3000	B100	Thailand	1000		•			1 roll x 1000mm x 1000m	
AW0405F.1000	▲ Radiant Pink FSC	M3000	B100	Thailand	1000		•			1 roll x 1000mm x 1000m	
F45520.1000	▲ Rad Yellow FSC	S2090	BG40WHN	Thailand	1000		•			1 roll x 1000mm x 1000m	AW0373F.1000 » F45520.1000
F45521.1000	▲ Rad Orange FSC	S2090	BG40WHN	Thailand	1000		•			1 roll x 1000mm x 1000m	AW0373F.1000 » F45521.1000
F45522.1000	▲ Rad Green FSC	S2090	BG40WHN	Thailand	1000		•			1 roll x 1000mm x 1000m	AW0373F.1000 » F45522.1000
F45523.1000	▲ Rad Red FSC	S2090	BG40WHN	Thailand	1000		•			1 roll x 1000mm x 1000m	AW0373F.1000 » F45523.1000
F02901.1525	▲ Artisan rPLUS FSC	r2030MB	BG40WHN	Malaysia	1525					1 roll x 1525mm x 4500m	
Direct Thermal											
SW7075F	▲ Direct Thermal 200GP PB FSC	S2090	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
Thermal Transfer											
MW0057F	▲ Transtherm 2C FSC	R423	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
MW0068F.1000	▲ .	R450	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
Foil											
AW0354.1060	Matte Gold Foil	M3300	▲ BG40Wh Imp FSC	Thailand	1060		•			1 roll x 1060mm x 1000m	
SW7339.1000	Bright Silver Foil Prime	M3300	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
Others											
OW2350	Gloss Inkjet Paper	AP103	BG40Wh Imp	China	1070		•			1 roll x 1070mm x 1000m	
OW2150	Matte Inkjet Paper	AP103	BG40Wh Imp	China	1070		•			1 roll x 1070mm x 1000m	

Variable Information Printing

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Direct Thermal											
☆ NW0072F	▲ rDirect Thermal 300LD FSC	S2010N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1000m	
NW0045F-N	▲ Direct Thermal 150RL FSC	S2025N	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
NW0057F	▲ Direct Thermal 150RL FSC	S1002	▲ BG40BI Imp FSC	Thailand	1525		•	•		1 roll x 1525mm x 1000m	
☆ NW0062F	▲ Direct Thermal 150RL FSC	S1002	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ NW0083F	▲ Direct Thermal 200LL FSC	S1712N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1000m	
SW7005AF	▲ Baggage Tag Elite FSC	S2025N	▲ BG40Wh FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
Thermal Transfer											
MW0052F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh Imp FSC	Thailand	1525		•	•		1 roll x 1525mm x 1000m	
MW0064	1 Clear PET NTC	S333	BG50Wh	Thailand	1000		•			1 roll x 1000mm x 1000m	
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
MW0069F	▲ Transtherm Plus FSC	S2025N	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ MW0073F	▲ Transtherm Elite FSC	S2010N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1000m	
☆ New	▲ FSC® Certified	▷ Transition	^ All the items above can be ordered by indent								

Prime Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Rigid White											
SY7094	LW Synthetic Paper	S2025	BG40Wh Imp	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW0153	Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•	•		1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW0264	Synthetic Paper 65	S4700N	▲ BG40Wh Imp FSC	Thailand	1525		•	•		1 roll x 1525mm x 1000m	
BW7005	PP Top Matte White	S692N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ BW7032	rPP Top White	S692N	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ BW7087	rPP Top White	S7210	▲ BG33Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW0174	PPNg Top Pearlized White	S692N	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•	•		1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
☆ BW0255SN	PP60 Top Pearlized White	SR3013N	▲ BG33Wh Imp FSC	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW7004	PP60 Top White	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW0227	PP50 Top White	S692N	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•	•		1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
☆ BW7053	PP50 Top Pearlized White	S3010N	▲ BG33Wh Imp FSC	Malaysia	1525		•			1 roll x 1525mm x 1000m	
BW7054	PP50 Top Pearlized White	SR3013	▲ BG33Wh Imp FSC	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW0259	PP40 Top Matte White	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•	•		1 roll x 1000mm x 1000m	
BW0293	Opalux 55	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•			1 roll x 1525mm x 1000m	
Rigid Clear											
BW0062N	PPNg Top Trans	S692N	BG40Wh Imp	Thailand Malaysia	1000 1525		•	•		1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
BW0237N	PPNg Top Trans	S692N	PET23	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ BW7090	PPNg Top Trans	S7210	rPET30	Malaysia	1525					1 roll x 1525mm x 1000m	
BW7072	PP50 Top Trans	SR3013N	▲ BG40Wh Imp FSC	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW7041	PP50 Top Trans	SR3013	rPET23	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW0266A	PP50 TC Clear	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 2000m	
BW7000	PP50 NTC Clear	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1000m	
☆ BW7017	PP40 Top Clear	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
☆ BW7092	PP40 Top Clear	S7210	▲ BG40Wh Imp FSC	Malaysia	1525		•	•		1 roll x 1525mm x 1000m	
BW7056	PP40 Top Clear	SR3013	▲ BG40Wh Imp FSC	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW7055	PP40 Top Clear	SR3013	rPET23	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW0226	PP30 Clear NTC	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•	•		1 roll x 1000mm x 1000m	
BW0112N	Overlaminating Gloss PP	S6810	▲ BG40Wh Imp FSC	Thailand	1000		•	•		1 roll x 1000mm x 1000m	
SY7025N	Overlaminating Matte PP	S6800	▲ BG40Wh Imp FSC	Thailand	1000		•	•		1 roll x 1000mm x 1000m	



New



FSC® Certified



Transition

^ All the items above can be ordered by indent

Prime Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Rigid Silver											
BW0243	PP50 Top Silver	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
BW0254	PP Silver TC	S631	PET 30	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
BW0272	PP TC Silver Elite	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
☆ BW7019	PP40 Top Silver	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
Semi Conformable White											
BW0184	Global Co-Ex™ White NTC	S692N	▲ BG40Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
☆ BW7022	Flex+ White NTC	S692N	▲ BG33Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
BW7051	CleanFlake Flex+ White	SR3013	▲ BG33Wh Imp FSC	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW0151	Primax® 300	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
Semi Conformable Clear											
BW0183	Global Co-Ex™ Clear NTC	S692N	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•		•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
☆ BW7016	Flex+ Clear NTC	S692N	▲ BG33Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
☆ BW7020	Flex+ Clear NTC	S692N	PET23	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
BW7039	CleanFlake Flex+ Clear	SR3013	▲ BG33Wh Imp FSC	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW7042	CleanFlake Flex+ Clear	SR3013	rPET23	Malaysia	1525				•	1 roll x 1525mm x 2000m	
BW0150	FasClear® 300	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
BW0060	FasClear® 250	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
SW7082F	▲ Direct Thermal 200GP FSC	R423	▲ BG40BI FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
Conformable White											
BW0064	PE85 Top White	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
BW0147	PE85 NTC White	S692N	▲ BG40Wh FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
☆ BW0291	PE75 NTC White	S692N	▲ BG33Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
Conformable Clear											
BW0146	PE85 NTC Trans	S692N	▲ BG40Wh Imp FSC	Thailand Malaysia	1000 1525		•		•	1 roll x 1000mm x 1000m 1 roll x 1525mm x 1000m	
☆ BW0290	PE75 NTC Trans	S692N	▲ BG33Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
BW9320A	Bright Silver PE85 TC	AF101	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
☆ New	▲ FSC® Certified	➞ Transition	^ All the items above can be ordered bu indent								



New

▲ FSC® Certified



Transition

^ All the items above can be ordered by indent

Specialty Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
Synthetic Paper											
SY7022	Synthetic Paper II	C7501	▲ BG40Wh Imp FSC	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
BW0278	Synthetic Paper TR75	C2075	▲ BG40Wh Imp FSC	Malaysia	1525		•		•	1 roll x 1525mm x 1000m	
☆ SY7122	WBIJ synthetic paper	S4700F	▲ BG40Wh Imp FSC	Thailand	1525		•			1 roll x 1525mm x 1000m	
SY7151	WBIJ Synthetic Paper	S4700F	▲ CCK55 IMP FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
☆ SY7154	rPP Synthetic paper	S2800	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
SY7050N	Synthetic Paper	R480	▲ BG40Wh Imp FSC	Thailand	1525		•			1 roll x 1525mm x 1000m	
☆ BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	China	1070				•	1 roll x 1070mm x 2000m	
Polypropylene (PP)											
SY7106	PP50 Top Siver	S692N	PET23	Malaysia	1525		•		•	1 roll x 1525mm x 5000m	
☆ SY7138	WBIJ PP Top Gloss White	S4700F	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
SY7152	WBIJ PP Top Gloss White	S4700F	▲ CCK55 IMP FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
☆ SY7131	PPNg Top Pearlized White	S2800	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
☆ SY7133	PPNg Top Trans	S2800	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
SY7049.1000	PPNg Top Trans	R480	▲ BG40Wh FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
SY7051N	PPNg Top White	R480	▲ BG40Wh Imp FSC	Thailand	1525		•			1 roll x 1525mm x 1000m	
☆ BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	China	1530				•	1 roll x 1530mm x 2000m	
AL442	PP125 Top White	S697	BG45Wh	Eu	1000		•			2 roll x 1000mm x 1000m	
☆ BW5200	Synthetic paper NTC	UR106	BG50#WH imp	China	245		•			1 roll x 245mm x 1000m	
☆ BW5201	Clear BOPP TC	UR106	BG50#WH imp	China	245		•			1 roll x 245mm x 1000m	
Polyethylene Terephthalate (PET)											
☆ BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	China	1070				•	1 roll x 1070mm x 2000m	
☆ BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	China	1000		•			1 roll x 1000mm x 1000m	
☆ BWS1324	45um PET TC	S6000	PET30 ni	China	1000		•			1 roll x 1000mm x 1000m	
Polyethylene (PE)											
☆ SY7179	PE HD TAMPER EVIDENT	S700N	▲ BG40Wh Imp FSC	Malaysia	1525		•			1 roll x 1525mm x 1000m	
☆ SY7123	PE75 White NTC	S477A.MB	▲ BG40Wh Imp FSC	Thailand	1525		•			1 roll x 1525mm x 1000m	
☆ SY7188	PE75 Trans NTC	S477A.MB	▲ BG40Wh Imp FSC	Thailand	1525		•			1 roll x 1525mm x 1000m	
Holographic											
☆ SY7067	Iridescent TC	S692N	▲ BG40Wh Imp FSC	Thailand	1000		•			1 roll x 1000mm x 1000m	
☆ New	▲ FSC® Certified	▷▷ Transition	^ All the items above can be ordered by indent								



New



FSC® Certified



Transition

^ All the items above can be ordered by indent

Durable Film

Item	Facestock	Adhesive	Liner	Origin	Width (mm)	Length (m)				MOQ	Remark
						500	1000	1500	2000		
41044	2M Mat Chrome PET TC	S730	50#SCK	US	1372		•		•	1 roll x 1372mm x 1000m	
40443	2M White PETC TC	S730	50#SCK	US	1372		•		•	1 roll x 1372mm x 1000m	
70006	2M White Print-Treated Polyester	S730	1.5MPET	US	1372		•		•	1 roll x 1372mm x 1000m	
75560	2M White PET TC	R143	50#SCK	US	1372		•		•	1 roll x 1372mm x 1000m	
ADS1385	2M White PET TC	S333	BG50Wh	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
MZ0102	2M White PET TC	S333	BG50Wh	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	Thailand	1000		•		•	1 roll x 1000mm x 1000m	
MZ0111	1M Clear PET TC	S8020	PET30	Thailand	1525		•		•	1 roll x 1000mm x 1000m	
MZ0112	1M Matte PET	S8020	G80	Thailand	1065		•		•	1 roll x 1065mm x 1000m	
MZ0206	2M WH PET TC3	S2045P	BG40Wh Imp	Singapore	1000		•		•	1 roll x 1000mm x 1000m	
☆ MZ0212	2M WH PETC TC	S369	BG50Wh Imp	Thailand	1000	•	•		•	1 roll x 1000mm x 500m	
☆ MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Malaysia	250, 500	•				1 roll x 250mm x 250m	
☆ MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Malaysia	500	•				1 roll x 500mm x 500m	
☆ MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Malaysia	250, 500	•				1 roll x 250mm x 250m	
☆ MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Malaysia	250, 500	•				1 roll x 250mm x 250m	
☆ ADS1583	2M WH PET TC	S8020EX	BG45WH	Malaysia	267, 1070		•		•	1 roll x 267mm x 1000m	
☆ ADS1584	2M WH PET TC	P8030EX	BG50WH	Malaysia	267, 1070		•		•	1 roll x 267mm x 1000m	
☆ MZS2601	50mic White PET TC	UP601	BG50WH	Thailand	255, 1530		•		•	1 roll x 255mm x 1000m	
☆ ADS1588	2mil MAT CH PET TC	S8020EX	BG45WH	Malaysia	267, 1070		•		•	1 roll x 267mm x 1000m	



New



FSC® Certified



Transition

^ All the items above can be ordered by indent

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Singapore (Pte) Ltd
Customer Service Department, Avery Dennison Singapore (Pte) Ltd
Email: cs.sg@ap.averydennison.com
Mon to Fri 8:30am – 5:30pm SGT (excluding Malaysia public holidays)



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2022 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.