

Product Services Guide

Singapore
Q3, 2023



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Cast Coat											
AW0270	High Gloss Paper	S1010	▲ BG40Wh FSC	EXACT	1525		•	•	•	•	1 roll x 500m
AW0380-N	High Gloss Paper	S2025N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
SW7331	High Gloss Paper	S2420	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
✱ New	▲ FSC® Certified	^ Loose roll available and subjected to prior sales									

Item:

The product code on your delivery documents and invoices.

Facestock:

The particular facestock used in the construction.

Adhesive:

The particular adhesive used in the construction.

Liner:

The particular liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of
responsible forestry

Service Program:

How the product is sold to the market.

- **Stock**
Signifies the product is sold with the complete web width with the stated available length.
- **EXACT**
Fasson EXACT™
Sold in any width with fixed length that vary for each program. For one-off or regular orders, discuss with your Avery Dennison representative to ensure product availability.
- **READY WIDTH**
Fasson Ready Width
Offers slit rolls in set widths and lengths.
- **FORECAST**
Manufacture to a written forecast as agreed between the customer and Avery Dennison.
- **INDENT**
We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Width / Length:

The width and length of rolls available for order.

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ - 1roll x 1525mm x 6000m

Available Length - 1000m / 2000m

Options of Minimum Order Quantity:

- A. 1roll x 1525mm x 6000m
- B. 6rolls x 1525mm x 1000m
- C. 3rolls x 1525mm x 2000m

How to tell what's changed:

Any spec that was changed from the previous quarter will be highlighted

Service Policy

Ordering Point

Customer Service Department, Avery Dennison Singapore (Pte).

Phone: +65 6349 0333

Fax: +65 6278 2455

Email: cs.sg@ap.averydennison.com

Delivery Service

Product Type	Cut-off Time	Delivery
Stock Keeping Products	Before 4:30pm	Next working day
	After 4:30pm	Day after next working day
Non Stock Keeping Products	As per plant delivery lead times	Indent items

Requirements and Standards

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

S\$250 per delivery. Otherwise, transportation charges of S\$95 per trip will be imposed.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Indent Orders / Blanket Orders

Stock Keeping Products

All goods to be shipped out and invoiced within two months upon arrival of goods at local distribution center.

Avery Dennison reserves the right to release the goods for sale to other customers, after the two months period has expired.

Core Inside Diameter

77mm core, ± 0.15 mm

Roll Labels

Outside of the rolls and inner core.

Minimum Slit Widths

55mm

Roll Length Tolerance

$\pm 10\%$

Slit Roll Width Tolerance

± 1 mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

Length	Paper	Film	US Product
500m	1	1	1
1000m	2	1	2
1500m	2	2	3
2000m	2	2	3
3000m	2	2	N/A

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate up-charges.

Packaging

Complaint lodged within 3 working days from delivery date, full compensation will be made. Complaint lodged within 4-10 working days from delivery date, compensation will be made on damaged portions.

Prime Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Cast Coat											
AW0270	High Gloss Paper	S1010	▲ BG40Wh FSC	EXACT	1525		•	•	•	•	1 roll x 500m
AW0380-N	High Gloss Paper	S2025N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
SW7331	High Gloss Paper	S2420	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
AW0426F	▲ High Gloss Elite FSC	S1010	BG40Wh Imp FSC	EXACT	1525		•	•	•	•	1 roll x 500m
AW0476F	▲ Gloss Plus FSC	S1002	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
AW0477F	▲ Gloss Plus FSC	S2010N	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
AW0500F	▲ Gloss Plus FSC	S2420	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
Machine Coat											
AW0331AF	▲ Fascoat 2 FSC	S1010	▲ BG40Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
SW7325AF	▲ Fascoat 2 FSC	S2420	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
AW0416F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
AW0425F	▲ MC Primecoat GP FSC	S1002	▲ BG33Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC	Forecast	1525					•	1 roll x 1525m, 2000m
AW0502F	▲ rMC Primecoat FSC	S2025N	▲ BG33Wh Imp FSC	Forecast	1525					•	1 roll x 1525m, 2000m
Vellum											
AMB4350	Vellum Extra	S2045	BG40Wh Imp	Stock	1000		•				1 roll x 1000mm x 500m
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
AW0326F	▲ Vellum Elite FSC	S2492	rCCK80Wh	Ready Width	210, 1525		•	•			1 roll x 500m
AW0455F	▲ Vellum Elite FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
✦ New	▲ FSC® Certified	^ Loose roll available and subjected to prior sales									

* New

▲ FSC® Certified

^ Loose roll available and subjected to prior sales

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Cast Coat											
AW0361N.1200	High Gloss Paper	R450	▲ BG40Wh Imp FSC	Indent	1200			•			1 roll x 1200mm x 1000m
AA1450	HGW Premium	R100	BG40Br Imp	Indent	1000		•				1 roll x 1000mm x 500m
Machine Coat											
SW7053F	▲ LW 60 FSC	S2090	▲ BG40Wh Imp FSC	Indent	1525				•		1 roll x 1525mm x 2000m
AW0362F.1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	Indent	1200			•			1 roll x 1200mm x 1000m
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC	Indent	1000			•			1 roll x 1000mm x 1000m
SW7038F	▲ Fascoat 2 PB FSC	S2420	▲ BG40Wh Imp FSC	Indent	1000			•			1 roll x 1000mm x 1000m
SW7012F	▲ Pharma Semi Gloss FSC	S901P	▲ BG40Wh Imp FSC	Indent	1525				•		1 roll x 1525mm x 2000m
AA0965	MC Primecoat	R100	BG40Br Imp	Stock	1000		•				1 roll x 1000mm x 500m
SW7221F	▲ MC WS FSC	WO1900	PET23	Forecast	1000					•	1 roll x 1000mm x 2000m
Uncoated											
AW0363F.1200	▲ Vellum Elite FSC	R450	▲ BG40Wh Imp FSC	Indent	1200			•			1 roll x 1200mm x 1000m
AW0401F.1000	▲ Radiant Red FSC	M3000	B100	Indent	1000			•			1 roll x 1000mm x 1000m
AW0402F.1000	▲ Radiant Orange FSC	M3000	B100	Indent	1000			•			1 roll x 1000mm x 1000m
AW0403F.1000	▲ Radiant Green FSC	M3000	B100	Indent	1000			•			1 roll x 1000mm x 1000m
AW0404F.1000	▲ Radiant Yellow FSC	M3000	B100	Indent	1000			•			1 roll x 1000mm x 1000m
AW0405F.1000	▲ Radiant Pink FSC	M3000	B100	Indent	1000			•			1 roll x 1000mm x 1000m
F45520.1000	▲ Rad Yellow FSC	S2090	BG40WHN	Indent	1000			•			1 roll x 1000mm x 1000m
F45521.1000	▲ Rad Orange FSC	S2090	BG40WHN	Indent	1000			•			1 roll x 1000mm x 1000m
F45522.1000	▲ Rad Green FSC	S2090	BG40WHN	Indent	1000			•			1 roll x 1000mm x 1000m
F45523.1000	▲ Rad Red FSC	S2090	BG40WHN	Indent	1000			•			1 roll x 1000mm x 1000m
F45524.1000	▲ Rad Plnk FSC	S2090	BG40WHN	Indent	1000			•			1 roll x 1000mm x 1000m
A03846	Vellum Extra	R100	BG40Br Imp	Indent	1000		•	•			1 roll x 1000mm x 500m
Thermal Transfer											
MW2627	TT Plus Premium\	AP104	BG40Wh	Stock	1000			•			1 roll x 1000mm x 1000m
MW0057F	▲ Transtherm 2C FSC	R423	▲ BG40Wh Imp FSC	Indent	1000			•			1 roll x 1000mm x 1000m
MW0068F.1000	▲ Transtherm 2C FSC	R450	▲ BG40Wh Imp FSC	Indent	1000			•			1 roll x 1000mm x 1000m
SW7004F	▲ Transtherm 2C PB FSC	S2090	▲ BG40Wh Imp	Stock	1000			•			1 roll x 1000mm x 1000m
Foil											
SW7339.1000	Bright Silver Foil Prime	M3300	▲ BG40Wh Imp FSC	Indent	1000			•			1 roll x 1000mm x 1000m

* New

▲ FSC® Certified

^ Loose roll available and subjected to prior sales

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Others											
SW7039F	▲ Metallica FSC	S2090	▲ BG40Wh Imp FSC	Indent	1000					•	1 roll x 1000mm x 2000m
SW7117	Metallised Paper WS	WO1900	PET30	Indent	1000					•	1 roll x 1000mm x 2000m
OW2150	Matte Inkjet Paper	AP103	BG40Wh Imp	Stock	1070		•				1 roll x 1070mm x 500m
OW2180	Matte Inkjet Paper Premium	AP103	BG40Wh Imp	Indent	1530					•	1 roll x 1530mm x 2000m
OW2350	Gloss Inkjet Paper	AP103	BG40Wh Imp	Stock	1070		•				1 roll x 1070mm x 500m
✱ New	▲ FSC® Certified	^ Loose roll available and subjected to prior sales									

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Direct Thermal											
NW0072F	▲ rDirect Thermal 300LD FSC	S2010N	▲ BG33Wh Imp FSC	Indent	1525			•			1 roll x 1525mm x 1000m
NW0045F-N	▲ Direct Thermal 150RL FSC	S2025N	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 762mm x 500m
NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	Indent	1525			•			1 roll x 1525mm x 1000m
NW0083F	▲ Direct Thermal 200LL FSC	S1712N	▲ BG33Wh Imp FSC	Indent	1525			•			1 roll x 1525mm x 1000m
NW0056F	▲ Direct Thermal 200GP FSC	S2025N	BG40Wh Imp	Indent	1525					•	1 roll x 1525mm x 2000m
NW0050F	▲ Direct Thermal 200WS FSC	S1010	▲ BG40Wh Imp FSC	EXACT	1525		•	•	•		1 roll x 500m
NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
SW7005AF	▲ Baggage Tag Elite FSC	S2025N	▲ BG40Wh FSC	Indent	1525			•		•	1 roll x 1525mm x 6000m
Thermal Transfer											
MW0029F	▲ Premium Transtherm 1C FSC	S2090	BG40Wh	EXACT	1525			•			1 roll x 1000m
MW1616F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh FSC	EXACT	1525		•	•			1 roll x 500m
MW0069F	▲ Transtherm Plus FSC	S2025N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
SW7334F	▲ Transtherm Plus FSC	S1010	BG40Wh	EXACT	1525			•			1 roll x 1000m
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
▲ FSC® Certified ** Limited stock and subjected to prior sales ^ Loose roll available and subjected to prior sales											

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Rigid White											
BW0153	Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
BW0264	Synthetic Paper 65	S4700N	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 762mm x 500m
BW0270	Synthetic Paper Prime	S4700N	▲ BG40Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
BW0277 ^	3 Mil Synthetic Paper	S2060	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW7005	PP Top Matte White	S692N	▲ BG33Wh Imp FSC	EXACT	1525		•				1 roll x 500m
BW7032 ^^	rPP Top White	S692N	▲ BG33Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
BW7087	rPP Top White	S7210	BG33Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
BW0174	PPNg Top Pearlized White	S692N	▲ BG40Wh Imp FSC	Stock	762, 1525		•				1 roll x 762mm x 500m
BW0255SN	PP60 Top Pearlized White	SR3013N	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Indent	1525					•	1 roll x 1525mm x 2000m
BW7015	PP60 Top White	S692N	BG40Wh	EXACT	1525		•	•			1 roll x 500m
BW0227	PP50 Top White	S692N	▲ BG40Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
BW7053	PP50 Top Pearlized White	S3010N	▲ BG33Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
BW7054	PP50 Top Pearlized White	SR3013	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW0259	PP40 Top Matte White	S692N	▲ BG40Wh Imp FSC	Indent	1000		•				1 roll x 1000mm x 500m
BW0293	Opalux 55	S692N	▲ BG40Wh Imp FSC	Indent	1525		•				1 roll x 1525mm x 500m
Rigid Clear											
BW0062	PPNg Top Trans	S692N	▲ BG40Wh Imp FSC	EXACT	1525		•	•			1 roll x 500m
BW0230	PPNG Top Trans	S692N	PET30	Indent	1525		•				1 roll x 1525mm x 500m
BW0223	PPNG Top Trans	S3000	▲ BG40Wh Imp FSC	Indent	1000		•				1 roll x 1000mm x 500m
BW7072	PP50 Top Trans	SR3013N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW7041	PP50 Top Trans	SR3013	rPET23	Indent	1525					•	1 roll x 1525mm x 2000m
BW0266A	PP50 TC Clear	S692N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW7017	PP40 Top Clear	S692N	▲ BG40Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
BW7092	PP40 Top Clear	S7210	BG40Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
BW7026	PP40 Top Clear	S631	rPET23	Indent	1525					•	1 roll x 1525mm x 2000m
BW7056	PP40 Top Clear	SR3013	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW7055	PP40 Top Clear	SR3013	rPET23	Indent	1525					•	1 roll x 1525mm x 2000m
BW7000	PP50 NTC Clear	S692N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW0226	PP30 Clear NTC	S692N	▲ BG40Wh Imp FSC	Indent	1000					•	1 roll x 1000mm x 2000m
BW0236	PP30 Clear NTC	S692N	▲ BG50Wh FSC	Indent	1000					•	1 roll x 1000mm x 2000m
BW0112N	Overlaminating Gloss PP	S6800	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
SY7025N	Overlaminating Matte PP	S6800	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales

^^ Limited stock and subjected to prior sales

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Rigid Silver											
BW0243	PP50 Top Silver	S692N	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
BW7019	PP40 Top Silver	S692N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
Semi Conformable White											
BW7022	Flex+ White NTC	S692N	▲ BG33Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
BW7023	Flex+ White NTC	S692N	PET23	Indent	1525					•	1 roll x 1525mm x 2000m
BW7051	CleanFlake Flex+ White	SR3013	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW0151	Primax® 300	S692N	▲ BG40Wh Imp FSC	Indent	1000					•	1 roll x 1000mm x 2000m
Semi Conformable Clear											
BW7016	Flex+ Clear NTC	S692N	▲ BG33Wh Imp FSC	EXACT	1525			•			1 roll x 1000m
BW7020	Flex+ Clear NTC	S692N	PET23	Indent	1525					•	1 roll x 1525mm x 2000m
BW7039	CleanFlake Flex+ Clear	SR3013	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW7042	CleanFlake Flex+ Clear	SR3013	rPET23	Indent	1525					•	1 roll x 1525mm x 2000m
BW0150	Fasclear® 300	S692N	▲ BG40Wh Imp FSC	Indent	1000					•	1 roll x 1000mm x 2000m
BW0060	FasClear® 250	S692N	▲ BG40Wh Imp FSC	Indent	1000					•	1 roll x 1000mm x 2000m
Conformable White											
BW0064	PE85 Top Wh	S692N	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
BW0147	PE85 NTC White	S692N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW0291	PE75 NTC White	S692N	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
Conformable Clear											
BW0065	PE85 Top Trans	S692N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW0146	PE85 NTC Trans	S692N	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
BW0290	PE75 NTC Trans	S692N	▲ BG33Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
Conformable Silver											
BW9320A	Bright Silver PE85 TC	AF101	▲ BG40Wh Imp FSC	Indent	1000					•	1 roll x 1000mm x 2000m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales
 ^^ Limited stock and subjected to prior sales

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Synthetic Paper											
BW0278N	Synthetic Paper TR75	C2076	▲ BG40Wh Imp FSC	Indent	1525				•		1 roll x 1525mm x 2000m
BW7517	Synthetic Paper7 NTC	SR106	BG50#White ni	Indent	1530			•		•	1 roll x 1530mm x 3000m
SY7021	Synthetic Paper II	S4700N	▲ BG40 Wht (Imp)	Stock	1000					•	1 roll x 1000mm x 2000m
SY7022	Synthetic Paper II	C7501	▲ BG40Wh Imp FSC	Stock	1000		•				1 roll x 1000mm x 500m
SY7050N	Synthetic Paper	R480	▲ BG40Wh Imp FSC	Stock	1525		•				1 roll x 1525mm x 500m
SY7151	WBIJ Synthetic Paper	S4700F	▲ CCK55 IMP FSC	Forecast	1000			•			1 roll x 1000mm x 1000m
SY7122	WBIJ synthetic paper	S4700F	▲ BG40Wh Imp FSC	Forecast	1525			•			1 roll x 1525mm x 1000m
SY7154	rPP Synthetic paper	S2800	▲ BG40Wh Imp FSC	EXACT	1000			•			1 roll x 1000m
BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	Indent	1070					•	1 roll x 1070mm x 2000m
BW5200	Synthetic paper NTC	UR106	BG50#WH imp	Indent	245, 1525			•			1 roll x 245mm x 1000m
Polypropylene (PP)											
AD980	TRANSFER PP	AL171	BG40WH	Indent	1000			•			1 roll x 1000mm x 1000m
AZ452	PP TOP WHITE	S2196	BG40Wh	Indent	1000			•			1 roll x 1000mm x 1000m
BB624	PP LIGHT TOP CLEAR	S2196	BG40Wh	Indent	1000			•			1 roll x 1000mm x 1000m
SY7049.1000	PPNg Top Trans	R480	▲ BG40Wh FSC	Indent	1000					•	1 roll x 1000mm x 2000m
SY7051N	PPNg Top White	R480	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
SY7138	WBIJ PP Top Gloss White	S4700F	▲ BG40Wh Imp FSC	Forecast	1000			•			1 roll x 1000mm x 1000m
SY7152	WBIJ PP Top Gloss White	S4700F	▲ CCK55 IMP FSC	Forecast	1000			•			1 roll x 1000mm x 1000m
AW404	DIG WBIJ PP TOP CLEAR	S692N	BG40WH	Indent	1000			•			1 roll x 1000mm x 1000m
SY7131	PPNg Top Pearlized White	S2800	▲ BG40Wh Imp FSC	Forecast	1000			•			1 roll x 1000mm x 1000m
SY7133	PPNg Top Trans	S2800	▲ BG40Wh Imp FSC	Forecast	1000			•			1 roll x 1000mm x 1000m
BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	Indent	1530					•	1 roll x 1530mm x 2000m
BW5201	Clear BOPPTC	UR106	BG50#WH imp	Indent	245, 1000			•			1 roll x 245mm x 1000m
Polyolefin (PO)											
72197	Transcode®	S475	50#SCK	Stock	1372		•				1 roll x 1372mm x 500m
Polyethylene Terephthalate (PET)											
BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	Indent	1070					•	1 roll x 1070mm x 2000m
BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	Indent	1000			•			1 roll x 1000mm x 1000m
BWS1324	45um PET TC	S6000	PET30 ni	Indent	1000			•			1 roll x 1000mm x 1000m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales

** Limited stock and subjected to prior sales

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
Polyethylene (PE)											
SY7179	PE HD TAMPER EVIDENT	S700N	BG40Wh Imp FSC	Indent	1525			•			1 roll x 1525mm x 1000m
SY7123	PE75 White NTC	S477A.MB	▲ BG40Wh Imp FSC	Forecast	1525			•			1 roll x 1525mm x 1000m
SY7188	PE75 Trans NTC	S477A.MB	▲ BG40Wh Imp FSC	Forecast	1525			•			1 roll x 1525mm x 1000m
Holographic											
AI307	FLEXSECURE HOLOGRAPHIC	S700	BG45WH	Indent	790			•			1 roll x 790mm x 1000m
SY7067	Iridescent TC	S692N	▲ BG40Wh Imp FSC	Indent	1000			•			1 roll x 1000mm x 1000m
Others											
77412	Laser Code Drum label TC	S4600	50#MF	Indent	1372		•				1 roll x 1372mm x 500m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales

** Limited stock and subjected to prior sales

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
40443	2M White PET TC	S730	50#SCK	Stock	1372		•				1 roll x 1372mm x 500m
41044	2M Matte Chrome PET TC	S730	50#SCK	Stock	1372		•				1 roll x 1372mm x 500m
70353	2M White PET TC	R143NC	50#SCK	Indent	1372		•				1 roll x 1372mm x 500m
72800	Primax® 350	R143	50#SCK	Stock	1372		•				1 roll x 1372mm x 500m
75849	3 M Velvet Lexan	S730	1.5M PET	Indent	1372		•				1 roll x 1372mm x 500m
75850	5 M Velvet Lexan	S730	1.5M PET	Indent	1372		•				1 roll x 1372mm x 500m
78197	2M White Checkerboard PET TC	S8015W	50#SCK	Indent	1372		•				1 roll x 1372mm x 500m
79325	1 Mil Clear UV PET	S3000	1M PET	Indent	1524		•				1 roll x 1524mm x 500m
81127	2M White PET TC	R143NC	1.5M PET	Indent	1372		•				1 roll x 1372mm x 500m
ADS1403	Polyimide II WH TC14	S8088	PET50 ni	Indent	1000			•			1 roll x 1000mm x 1000m
ADS1409	Tamperfas Film	Permanent	BG50#WH ni	Ready Width	267, 1070		•				1 roll x 500m
ADS1410	25mic Matte White VOID PET TC	Transferable Perm	BG50Wh ni	Ready Width	267, 1070		•				1 roll x 500m
ADS1411	25mic Gloss White VOID PET TC	Transferable Perm	BG50Wh ni	Ready Width	267, 1070		•				1 roll x 500m
ADS1412	38mic Matte Red "VOID OPEN" PET TC	Non-Transfer Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m
ADS1413	38mic Matte Blue "VOID OPEN" PET TC	Non Trans. Perm.	BG50Wh ni	Ready Width	267, 1070		•				1 roll x 500m
ADS1414	25mic Clear VOID PET TC	Non-Transferable Perm	BG50Wh ni	Ready Width	267, 1070		•				1 roll x 500m
ADS1415	Tamperfas Vinyl Film	Permanent	BG50Wh ni	Ready Width	267, 1070						1 roll x 400m
ADS1419	38mic Matte Red "VOID OPEN" PET TC	Transferable Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m
ADS1420	38mic Matte White "VOID OPEN" PET TC	Non-Transferable Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m
ADS1421	Tamperfas Clear Vinyl Film	Permanent	BG50Wh ni	Indent	1070						1 roll x 1070mm x 400m
ADS1424	50mic Clear VOID PET TC	Transferable Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m
ADS1425	25mic Holographic VOID PET	Transferable Perm	BG50Wh ni	Indent	535, 1070		•				1 roll x 535mm x 500m
ADS1433	1M Matte White PI TC	S8088A	BG50#WH ni	Indent	1000		•				1 roll x 1000mm x 500m
ADS1434	Tamperfas Vinyl Film EZ MX	Permanent	BG50Wh ni	Ready Width	267, 1070						1 roll x 400m
ADS1437	25mic Gloss White VOID Neg PET TC	Transferable Perm	BG50Wh ni	Ready Width	267, 1070		•				1 roll x 500m
ADS1454S	50mic Bright Silver VOID	Transferable Perm	BG50Wh ni	Indent	1070		•				1 roll x 1070mm x 500m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales

^^ Limited stock and subjected to prior sales

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
AMH3602	2M White Void PET TC	Permanent	CK40	Indent	1000			•			1 roll x 1000mm x 1000m
LMH9602	2 Mil Matte Void PET	Permanent	CK40	Indent	1000			•			1 roll x 1000mm x 1000m
MZ0097.1000	50 Micron Matte WHT PET TC	S333	▲ BG50Wh FSC	Stock	1000		•				1 roll x 1000mm x 500m
MZ0102	2M White PET TC	S333	▲ BG50Wh FSC	Stock	1000		•				1 roll x 1000mm x 500m
MZ0104	2M MAT CH PET TC	S333	▲ BG50Wh FSC	Stock	1000		•				1 roll x 1000mm x 500m
MZ0111	1M Clear PET TC	S8020	PET30	Stock	1525		•				1 roll x 1525mm x 500m
MZ0111N	1M Clear PET TC	S8020	▲ BG40Wh Imp FSC	Indent	1525					•	1 roll x 1525mm x 2000m
MZ0112	1M Matte PET	S8020	G80	Indent	1065			•			1 roll x 1065mm x 1000m
MZ0152	1M MAT CH PET TC	S333	▲ BG40BI FSC	Stock	1000		•				1 roll x 1000mm x 500m
MZ0206	2M WH PET TC3	S2060	BG40Wh Imp	Stock	500, 1500		•				1 roll x 500mm x 500m
MZ0207	2M MAT CH PET TC	S2060	BG40Wh Imp	Stock	500, 1500		•				1 roll x 500mm x 500m
MZ0208	2M Bright Silver PET TC	S2060	BG40Wh Imp	Indent	1000					•	1 roll x 1000mm x 2000m
MZ0212	2M WH PETC TC	S369	▲ BG50Wh Imp FSC	Indent	1000			•			1 roll x 1000mm x 1000m
MZ0321	Polycarbonate	S333	30mic PET	Indent	1070					•	1 roll x 1070mm x 2000m
MZ0363	50um White FR PET TCY	S8025	BG50Wh	Indent	1070			•			1 roll x 1070mm x 1000m
MZ1067A	2MCLPETTC3	S8020	G80	Indent	1065						1 roll x 1065mm x 3000m
MZ2000B	25u Matte Bule PI HT	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m
MZ2000G	25mic Light Green PI HT	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m
MZ2000P	25mic Pink PI HTC	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m
MZ2000Y	25mic Light Yellow PI HTC	S8080	BG50Wh	Indent	1000		•				1 roll x 1000mm x 500m
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Ready Width	250, 1000	•					1 roll x 250m
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Ready Width	250, 1000	•					1 roll x 250m
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Ready Width	250, 1000	•					1 roll x 250m
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Indent	250, 1000		•				4 roll x 250mm x 500m
OZ2120	100µ Inkjet Synthetic Paper	AF101	BG40Wh Imp	Stock	1530		•				1 roll x 1530mm x 500m
SY0035	Foamtac II	AP104	BG40#White ni	Ready Width	250, 1000		•	•			1 roll x 500m
MZS1324A	50mic White PET TC5	S369	BG50Wh ni	Forecast	1530					•	1 roll x 1530mm x 2000m
MZS1327	50mic Matte Chrome PET	S369	BG50Wh ni	Stock	1530		•				1 roll x 1530mm x 500m
BW9664.1000	3mil Synthetic Paper	S333	▲ BG50Wh FSC	Stock	1000					•	1 roll x 1000mm x 2000m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales

** Limited stock and subjected to prior sales

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
ADS1559 *	PET Tag 125 Top White	N.A	N.A	Stock	1000, 1170, 1400					•	1 roll x 1000mm x 2000m 1 roll x 1170mm x 2000m 1 roll x 1400mm x 2000m
ADS1583 *	2M WH PET TC	S8020EX	BG45WH	Ready Width	267, 1070			•			1roll x 1000m
ADS1584 *	2M WH PET TC	P8030EX	BG50WH	Ready Width	267, 1070			•			1roll x 1000m
MZS2601 *	50mic White PET TC	UP601	BG50WH	Ready Width	255, 1530			•			1roll x 1000m
SYS731 *	2.4mil WH BOPP TC	S2060	1.2m PET	Stock	1525		•				1roll x 1525mm x 500m
ADS1588 *	2mil MAT CH PET TC	S8020EX	BG45WH	Indent	1070					•	1roll x 1070mm x 2000m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales
 ^^ Limited stock and subjected to prior sales

Rapid Roll

Item	Facestock	Adhesive	Liner	Service Program	Width (mm)	Length (m)					MOQ
						250	500	1000	1500	2000	
RSW504 ^^	PLB WHITE 1S-BG40	-	-	Indent	1000			•		•	1 roll x 1000mm x 16,000m
RYB614	Direct Thermal PP TC	-	-	Indent	1000			•		•	1 roll x 1000mm x 6000m

* New ▲ FSC® Certified ^ Loose roll available and subjected to prior sales
 ^^ Limited stock and subjected to prior sales

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Singapore (Pte) Ltd.

Phone: +65 6349 0333

Fax: +65 6278 2455

Email: cs.sg@ap.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2022 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.