

Product Services Guide

Singapore
Q4, 2023



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Cast Coat													
SW7331	High Gloss Paper	S2420	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	
AW0426F	▲ High Gloss Elite FSC	S1010	BG40Wh Imp FSC	EXACT		1525		•	•	•	•	1 roll x 500m	
☆ AW0476F	▲ Gloss Plus FSC	S1002	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of
responsible forestry

Service Program:

The service program details how the product is sold to the market.

• Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

• EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

• Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

• Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m
Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

➤ Product Transition – signifies changes in Item code, MOQ, Width, Length or Service Program

☆ New Product – signifies new items being offered

Service Policy

Ordering Point

Customer Service Department, Avery Dennison Singapore (Pte) Ltd
Email: cs.sg@ap.averydennison.com
Mon to Fri 8:30am – 5:30pm SGT

Delivery Service

Product Type	Cut-off	Goods Arrival
Stock Keeping Products	Before 3:30pm SGT	Next working day
	After 3:30pm SGT	Day after next working day
Non Stock Keeping Products	Non stock keeping products supplied only on confirmed order. Availability and manufacturing lead times to be confirmed with Customer Service Team.	

Requirements and Standards

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives at the end of each month

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

S\$250 per delivery. Otherwise, transportation charges of S\$95 per trip will be imposed.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Non Stock Keeping Products

All goods to be shipped out and invoiced within three months upon arrival of goods at distribution center. Avery Dennison reserves the right to release the goods for sale to other customers, after the three months period has expired.

Core Inside Diameter

76.2mm core, ± 0.15 mm

Roll Labels

Outside of the rolls and inner core

Minimum Slit Widths

50mm

Roll Length Tolerance

ASEAN manufactured products:	Non ASEAN manufactured products:
$\pm 5\%$	$\pm 10\%$

Slit Roll Width Tolerance

± 1 mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

Length	ASEAN manufactured products		Non ASEAN Manufactured Products
	Paper	Film	
500m	1	1	1
1000m	1	1	2
1500m	1	2	3
2000m	2	2	3
3000m	2	2	N/A

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Damaged Roll

Complaint lodged within 3 working days from delivery date, full compensation will be made. Complaint lodged within 4-10 working days from delivery date, compensation will be made on damaged portions.

Prime Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Cast Coat													
AW0270	High Gloss Paper	S1010	▲ BG40Wh FSC	EXACT	✓	1525		•	•	•	•	1 roll x 500m	
AW0380-N	High Gloss Paper	S2025N	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	▷▷ Indent >> Full Deckle MOQ 1roll x 1525mm x 2000m >> 1roll x 1525mm x 500m
SW7331	High Gloss Paper	S2420	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	
AW0426F	▲ High Gloss Elite FSC	S1010	BG40Wh Imp FSC	EXACT		1525		•	•	•	•	1 roll x 500m	
☆ AW0476F	▲ Gloss Plus FSC	S1002	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
☆ AW0477F	▲ Gloss Plus FSC	S2010N	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
☆ AW0500F	▲ Gloss Plus FSC	S2420	▲ BG40Wh Imp FSC	Full Deckle		1525		•				1 roll x 1525mm x 500m	
Machine Coat													
AW0331AF	▲ Fascoat 2 FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
SW7325AF	▲ Fascoat 2 FSC	S2420	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	
☆ AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
AW0416F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	
☆ AW0425F	▲ MC Primecoat GP FSC	S1002	▲ BG33Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
AW0502F	▲ rMC Primecoat FSC	S2025N	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
Vellum													
AMB4350	Vellum Extra	S2045	BG40Wh Imp	Full Deckle	✓	1000		•				1 roll x 1000mm x 500m	
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
AW0326F	▲ Vellum Elite FSC	S2492	rCCK80Wh	Ready Width	✓	210, 1525		•	•			1 roll x 500m	
☆ AW0455F	▲ Vellum Elite FSC	S2010N	▲ BG33Wh Imp FSC	EXACT		1525			•			1 roll x 1000m	
☆ New ▲ FSC® Certified ▷▷ Transition ^ Loose roll available and subjected to prior sales													

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Cast Coat													
AW0361N.1200	High Gloss Paper	R450	▲ BG40Wh Imp FSC	Ready Width	✓	150, 170, 185, 200, 225, 240, 250, 1200	•					1 roll x 500m	▷▷ Indent >> Ready Width MOQ 1roll x 1200mm x 1000m >> 1roll x 500m Length 1000m >> 250m
AA1450	HGW Premium	R100	BG40Br Imp	Indent		1000		•				1 roll x 1000mm x 500m	
Machine Coat													
SW7053F	▲ LW 60 FSC	S2090	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
AW0362F.1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	Indent		1200			•			1 roll x 1200mm x 1000m	
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
SW7038F	▲ Fascoat 2 PB FSC	S2420	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
SW7012F	▲ Pharma Semi Gloss FSC	S901P	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
AA0965	MC Primecoat	R100	BG40Br Imp	Full Deckle	✓	1000		•				1 roll x 1000mm x 500m	
Uncoated													
AW0363F.1200	▲ Vellum Elite FSC	R450	▲ BG40Wh Imp FSC	Indent		1200			•			1 roll x 1200mm x 1000m	
F45520.1000	▲ Rad Yellow FSC	S2090	BG40WHN	Indent		1000			•			1 roll x 1000mm x 1000m	▷▷ AW0373F:1000 >> F45520.1000
F45521.1000	▲ Rad Orange FSC	S2090	BG40WHN	Indent		1000			•			1 roll x 1000mm x 1000m	▷▷ AW0371F:1000 >> F45521.1000
F45522.1000	▲ Rad Green FSC	S2090	BG40WHN	Indent		1000			•			1 roll x 1000mm x 1000m	▷▷ AW0372F:1000 >> F45522.1000
F45523.1000	▲ Rad Red FSC	S2090	BG40WHN	Indent		1000			•			1 roll x 1000mm x 1000m	▷▷ AW0370F:1000 >> F45523.1000
A03846	Vellum Extra	R100	BG40Br Imp	Indent		1000		•				1 roll x 1000mm x 500m	

☆ New ▲ FSC® Certified ▷▷ Transition ^ Loose roll available and subjected to prior sales

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Thermal Transfer													
MW2627	TT Plus Premium\	AP104	BG40Wh	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	
MW0057F	▲ Transtherm 2C FSC	R423	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
MW0068F1000	▲ Transtherm 2C FSC	R450	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
SW7004F	▲ Transtherm 2C PB FSC	S2090	▲ BG40Wh Imp	Full Deckle	✓	1000			•			1 roll x 1000mm x 1000m	
Foil													
SW7339.1000	Bright Silver Foil Prime	M3300	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
Others													
SW7039F	▲ Metallica FSC	S2090	▲ BG40Wh Imp FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
OW2150	Matte Inkjet Paper	AP103	BG40Wh Imp	Full Deckle	✓	1070		•				1 roll x 1070mm x 500m	
OW2180	Matte Inkjet Paper Premium	AP103	BG40Wh Imp	Indent		1530					•	1 roll x 1530mm x 2000m	
OW2350	Gloss Inkjet Paper	AP103	BG40Wh Imp	Full Deckle	✓	1070		•				1 roll x 1070mm x 500m	
★ New ▲ FSC® Certified ▶▶ Transition ^ Loose roll available and subjected to prior sales													

☆ New ▲ FSC® Certified ▷ Transition ^ Loose roll available and subjected to prior sales

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Direct Thermal													
☆ NW0072F	▲ rDirect Thermal 300LD FSC	S2010N	▲ BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
NW0045F-N	▲ Direct Thermal 150RL FSC	S2025N	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 762mm x 500m	
☆ NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
☆ NW0083F	▲ Direct Thermal 200LL FSC	S1712N	▲ BG33Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
NW0056F	▲ Direct Thermal 200GP FSC	S2025N	BG40Wh Imp	Indent		1525					•	1 roll x 1525mm x 2000m	
NW0050F	▲ Direct Thermal 200WS FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•	•		1 roll x 500m	
NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	EXACT		1525			•			1 roll x 1000m	
SW7005AF	▲ Baggage Tag Elite FSC	S2025N	▲ BG40Wh FSC	Indent		1525			•		•	1 roll x 1525mm x 6000m	
Thermal Transfer													
MW0029F	▲ Premium Transtherm 1C FSC	S2090	BG40Wh	EXACT		1525			•			1 roll x 1000m	
MW1616F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh FSC	EXACT	✓	1525		•	•			1 roll x 500m	
MW0069F	▲ Transtherm Plus FSC	S2025N	▲ BG40Wh Imp FSC	Full Deckle	✓	1525					•	1 roll x 1525mm x 2000m	
SW7334F	▲ Transtherm Plus FSC	S1010	BG40Wh	EXACT	✓	1525			•			1 roll x 1000m	
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓	1525			•			1 roll x 1000m	
☆ New ▲ FSC® Certified ▷ Transition ^ Loose roll available and subjected to prior sales													

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Rigid White													
BW0153	Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
BW0264	Synthetic Paper 65	S4700N	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 762mm x 500m	
BW0270	Synthetic Paper Prime	S4700N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
BW0277 ^	3 Mil Synthetic Paper	S2060	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7005	PP Top Matte White	S692N	▲ BG33Wh Imp FSC	EXACT	✓	1525		•				1 roll x 500m	
☆ BW7032 ^^	rPP Top White	S692N	▲ BG33Wh Imp FSC	EXACT		1525			•			1 roll x 1000m	
☆ BW7087	rPP Top White	S7210	▲ BG33Wh Imp FSC	EXACT		1525			•			1 roll x 1000m	
BW0174	PPNg Top Pearlized White	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	762, 1525		•				1 roll x 500m	
☆ BW0255SN	PP60 Top Pearlized White	SR3013N	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7015	PP60 Top White	S692N	BG40Wh	EXACT	✓	1525		•	•			1 roll x 500m	
BW0227	PP50 Top White	S692N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
☆ BW7053	PP50 Top Pearlized White	S3010N	▲ BG33Wh Imp FSC	EXACT		1525			•			1 roll x 1000m	
BW7054	PP50 Top Pearlized White	SR3013	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW0259	PP40 Top Matte White	S692N	▲ BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 500m	
BW0293	Opalux 55	S692N	▲ BG40Wh Imp FSC	Indent		1525		•				1 roll x 1525mm x 500m	
☆ New ▲ FSC® Certified ▷ Transition ^ Loose roll available and subjected to prior sales ^^ Limited stock and subjected to prior sales													

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Rigid Clear													
BW0062	PPNg Top Trans	S692N	▲ BG40Wh Imp FSC	EXACT	✓	1525		•	•			1 roll x 500m	
BW0230	PPNG Top Trans	S692N	PET30	Full Deckle		1525		•				1 roll x 1525mm x 500m	▶▶ Indent >> Full Deckle
☆ BW7090	PPNG Top Trans	S7210	rPET30	EXACT		1525			•		•	1 roll x 1000m	
BW0223	PPNG Top Trans	S3000	▲ BG40Wh Imp FSC	Indent		1000		•				1 roll x 1000mm x 500m	
☆ BW7072	PP50 Top Trans	SR3013N	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7041	PP50 Top Trans	SR3013	rPET23	Indent		1525					•	1 roll x 1525mm x 2000m	
BW0266A	PP50 TC Clear	S692N	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
☆ BW7017	PP40 Top Clear	S692N	▲ BG40Wh Imp FSC	Full Deckle		1525		•				1 roll x 1525mm x 500m	
☆ BW7092	PP40 Top Clear	S7210	▲ BG40Wh Imp FSC	EXACT		1525			•			1 roll x 1000m	
☆ BW7097	PP40 Top Clear	S7210	rPET23	Indent		1525			•			1 roll x 1525mm x 2000m	
BW7056	PP40 Top Clear	SR3013	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7055	PP40 Top Clear	SR3013	rPET23	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7000	PP50 NTC Clear	S692N	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW0231	PP30 Clear TC	S692N	YBG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
BW0226	PP30 Clear NTC	S692N	▲ BG40Wh Imp FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
BW0236	PP30 Clear NTC	S692N	▲ BG50Wh FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
BW0112N	Overlaminating Gloss PP	S6800	▲ BG40Wh Imp FSC	EXACT	✓	1525		•				1 roll x 500m	▶▶ Full Deckle >> EXACT
SY7025N	Overlaminating Matte PP	S6800	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	
Rigid Silver													
BW0243	PP50 Top Silver	S692N	▲ BG40Wh Imp FSC	Full Deckle		1525		•				1 roll x 1525mm x 500m	
☆ BW7019	PP40 Top Silver	S692N	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
☆ New	▲ FSC® Certified	▶▶ Transition	^ Loose roll available and subjected to prior sales			^^ Limited stock and subjected to prior sales							

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Semi Conformable White													
☆ BW7022	Flex+ White NTC	S692N	▲ BG33Wh Imp FSC	Indent		1525			•			1 roll x 1000m	
☆ BW7023	Flex+ White NTC	S692N	PET23	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7051	CleanFlake Flex+ White	SR3013	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW0151	Primax® 300	S692N	▲ BG40Wh Imp FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
Semi Conformable Clear													
☆ BW7016	Flex+ Clear NTC	S692N	▲ BG33Wh Imp FSC	Indent		1525			•			1 roll x 1000m	
☆ BW7020	Flex+ Clear NTC	S692N	PET23	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7039	CleanFlake Flex+ Clear	SR3013	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7042	CleanFlake Flex+ Clear	SR3013	rPET23	Indent		1525					•	1 roll x 1525mm x 2000m	
BW0150	Fasclear® 300	S692N	▲ BG40Wh Imp FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
BW0060	FasClear® 250	S692N	▲ BG40Wh Imp FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
Conformable White													
BW0064	PE85 Top Wh	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	
BW0147	PE85 NTC White	S692N	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
☆ BW0291	PE75 NTC White	S692N	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
Conformable Clear													
BW0065	PE85 Top Trans	S692N	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW0146	PE85 NTC Trans	S692N	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
☆ BW0290	PE75 NTC Trans	S692N	▲ BG33Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
Conformable Silver													
BW9320A	Bright Silver PE85 TC	AF101	▲ BG40Wh Imp FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
☆ New	▲ FSC® Certified	▷ Transition	^ Loose roll available and subjected to prior sales			^^ Limited stock and subjected to prior sales							

☆ New ▲ FSC® Certified ▷ Transition ^ Loose roll available and subjected to prior sales ^^ Limited stock and subjected to prior sales

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
Synthetic Paper													
BW0278N	Synthetic Paper TR75	C2076	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
BW7517	Synthetic Paper7 NTC	SR106	BG50#White ni	Indent		1530			•		•	1 roll x 1530mm x 3000m	
SY7021	Synthetic Paper II	S4700N	▲ BG40 Wht (Imp)	Full Deckle	✓	1000			•		•	1 roll x 1000mm x 1000m	
SY7022	Synthetic Paper II	C7501	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 500m	
SY7050N	Synthetic Paper	R480	▲ BG40Wh Imp FSC	Full Deckle	✓	505, 1525		•				1 roll x 500m	▶▶ Width 1525mm >> 505mm, 1525mm
SY7151	WBIJ Synthetic Paper	S4700F	▲ CCK55 IMP FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
☆ SY7122	WBIJ synthetic paper	S4700F	▲ BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
☆ SY7154	rPP Synthetic paper	S2800	▲ BG40Wh Imp FSC	EXACT		1000			•			1 roll x 1000m	
☆ BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	Indent		1070					•	1 roll x 1070mm x 2000m	
BW5200	Synthetic paper NTC	UR106	BG50#WH imp	Indent		245, 1525			•			1 roll x 245mm x 1000m	
Polypropylene (PP)													
AD980	TRANSFER PP	AL171	BG40WH	Indent		1000			•			1 roll x 1000mm x 1000m	
AZ452	PP TOP WHITE	S2196	BG40Wh	Indent		1000			•			1 roll x 1000mm x 1000m	
BB624	PP LIGHT TOP CLEAR	S2196	BG40Wh	Indent		1000			•			1 roll x 1000mm x 1000m	
SY7049.1000	PPNg Top Trans	R480	▲ BG40Wh FSC	Indent		1000					•	1 roll x 1000mm x 2000m	
SY7051N	PPNg Top White	R480	▲ BG40Wh Imp FSC	Indent		1525					•	1 roll x 1525mm x 2000m	
SY7138	WBIJ PP Top Gloss White	S4700F	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
SY7152	WBIJ PP Top Gloss White	S4700F	▲ CCK55 IMP FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
AW404	DIG WBIJ PP TOP CLEAR	S692N	BG40WH	Indent		1000			•			1 roll x 1000mm x 1000m	
☆ SY7131	PPNg Top Pearlized White	S2800	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
☆ SY7133	PPNg Top Trans	S2800	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	
☆ BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	Indent		1530					•	1 roll x 1530mm x 2000m	
☆ New	▲ FSC® Certified	▶▶ Transition	^ Loose roll available and subjected to prior sales										



New



FSC® Certified



Transition

^ Loose roll available and subjected to prior sales

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
BW5201	Clear BOPP TC	UR106	BG50#WH imp	Indent		245, 1000			•			1 roll x 245mm x 1000m	

Polyolefin (PO)

72197	Transcode®	S475	50#SCK	Full Deckle	✓	1372		•				1 roll x 1372mm x 500m	
-------	------------	------	--------	-------------	---	------	--	---	--	--	--	------------------------	--

Polyethylene Terephthalate (PET)

☆ BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	Indent		1070					•	1 roll x 1070mm x 2000m	
☆ BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	Indent		1000			•			1 roll x 1000mm x 1000m	
☆ BWS1324	45um PET TC	S6000	PET30 ni	Indent		1000			•			1 roll x 1000mm x 1000m	
ADS1389	Synthetic Paper 3 TC	HP104	BG40# Wh Imp	Full Deckle	✓	1530			•			1 roll x 1530mm x 1000m	

Polyethylene (PE)

☆ SY7179	PE HD TAMPER EVIDENT	S700N	BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
☆ SY7123	PE75 White NTC	S477A.MB	▲ BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	
☆ SY7188	PE75 Trans NTC	S477A.MB	▲ BG40Wh Imp FSC	Indent		1525			•			1 roll x 1525mm x 1000m	

Holographic

AI307	FLEXSECURE HOLOGRAPHIC	S700	BG45WH	Indent		790			•			1 roll x 790mm x 1000m	
SY7067	Iridescent TC	S692N	▲ BG40Wh Imp FSC	Indent		1000			•			1 roll x 1000mm x 1000m	

Others

77412	Laser Code Drum label TC	S4600	50#MF	Indent		1372		•				1 roll x 1372mm x 500m	
-------	--------------------------	-------	-------	--------	--	------	--	---	--	--	--	------------------------	--

☆ New ▲ FSC® Certified ▶▶ Transition ^ Loose roll available and subjected to prior sales

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
40443	2M White PET TC	S730	50#SCK	Full Deckle	✓	1372		•				1 roll x 1372mm x 500m	
41044	2M Matte Chrome PET TC	S730	50#SCK	Indent		1372		•				1 roll x 1372mm x 500m	Full Deckle >> Indent
70353	2M White PET TC	R143NC	50#SCK	Indent		1372		•				1 roll x 1372mm x 500m	
72800	Primax® 350	R143	50#SCK	Full Deckle	✓	1372		•				1 roll x 1372mm x 500m	
75849	3 M Velvet Lexan	S730	1.5M PET	Indent		1372		•				1 roll x 1372mm x 500m	
75850	5 M Velvet Lexan	S730	1.5M PET	Indent		1372		•				1 roll x 1372mm x 500m	
78197	2M White Checkerboard PET TC	S8015W	50#SCK	Full Deckle	✓	1372		•				1 roll x 1372mm x 500m	Indent >> Full Deckle
79325	1 Mil Clear UV PET	S3000	1M PET	Indent		1524		•				1 roll x 1524mm x 500m	
81127	2M White PET TC	R143NC	1.5M PET	Indent		1372		•				1 roll x 1372mm x 500m	
ADS1409	Tamperfas Film	Permanent	BG50#WH ni	Indent		1070			•			1 roll x 1070mm x 1000m	Ready Width >> Indent
ADS1410	25mic Matte White VOID PET TC	Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	Ready Width >> Indent
ADS1411	25mic Gloss White VOID PET TC	Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	Ready Width >> Indent
ADS1412	38mic Matte Red "VOID OPEN" PET TC	Non-Transfer Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	
ADS1413	38mic Matte Blue "VOID OPEN" PET TC	Non Trans. Perm.	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	Ready Width >> Indent
ADS1414	25mic Clear VOID PET TC	Non-Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	Ready Width >> Indent
ADS1415	Tamperfas Vinyl Film	Permanent	BG50Wh ni	Ready Width	✓	267, 1070						1 roll x 400m	
ADS1419	38mic Matte Red "VOID OPEN" PET TC	Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	
ADS1420	38mic Matte White "VOID OPEN" PET TC	Non-Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	
ADS1421	Tamperfas Clear Vinyl Film	Permanent	BG50Wh ni	Indent		1060			•			1 roll x 1060mm x 1000m	
ADS1424	50mic Clear VOID PET TC	Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	MOQ 1roll x 1070mm x 500m >> 1roll x 1070mm x 1000m



New

FSC® Certified

Transition

^ Loose roll available and subjected to prior sales

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
ADS1425	25mic Holographic VOID PET	Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	
ADS1433	1M Matte White PI TC	S8088A	BG50#WH ni	Indent		1000		•				1 roll x 1000mm x 500m	
ADS1434	Tamperfas Vinyl Film EZ MX	Permanent	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	➡➡ Ready Width » Indent 1roll x 400m » 1roll x 1070mm x 1000m
ADS1437	25mic Gloss White VOID Neg PET TC	Transferable Perm	BG50Wh ni	Ready Width	✓	267, 1070		•				1 roll x 500m	
ADS1454S	50mic Bright Silver VOID	Transferable Perm	BG50Wh ni	Indent		1070			•			1 roll x 1070mm x 1000m	➡➡ MOQ 1 roll x 1070mm x 500m » 1roll x 1070mm x 1000m
AMH3602	2M White Void PET TC	Permanent	CK40	Indent		1000			•			1 roll x 1000mm x 1000m	
LMH9602	2 Mil Matte Void PET	Permanent	CK40	Indent		1000			•			1 roll x 1000mm x 1000m	
MZ0097.1000	50 Micron Matte WHT PET TC	S333	▲ BG50WH FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 500m	
MZ0102	2M White PET TC	S333	BG50Wh	EXACT	✓	1000		•				1 roll x 500m	➡➡ Full Deckle » EXACT
MZ0104	2M MAT CH PET TC	S333	BG50Wh	EXACT	✓	1000		•				1 roll x 500m	➡➡ Full Deckle » EXACT
MZ0111	1M Clear PET TC	S8020	PET30	Full Deckle	✓	1525		•				1 roll x 1525mm x 500m	
MZ0111N	1M Clear PET TC	S8020	BG40Wh Imp	Indent		1525					•	1 roll x 1525mm x 2000m	
MZ0112	1M Matte PET	S8020	G80	Indent		1065			•			1 roll x 1065mm x 1000m	
MZ0152	1M MAT CH PET TC	S333	▲ BG40BI FSC	Full Deckle	✓	1000		•				1 roll x 1000mm x 500m	
MZ0206	2M WH PET TC3	S2060	BG40Wh Imp	Full Deckle		500, 1500		•				1 roll x 500mm x 500m	
MZ0207	2M MAT CH PET TC	S2060	BG40Wh Imp	Full Deckle	✓	500, 1500		•				1 roll x 500mm x 500m	
MZ0208	2M Bright Silver PET TC	S2060	BG40Wh Imp	Indent		1000					•	1 roll x 1000mm x 2000m	
MZ0212	2M WH PETC TC	S369	BG50Wh Imp	Indent		1000			•			1 roll x 1000mm x 1000m	
MZ0321	Polycarbonate	S333	30mic PET	Indent		1070					•	1 roll x 1070mm x 2000m	
MZ0363	50um White FR PET TCY	S8025	BG50Wh	Indent		1070			•			1 roll x 1070mm x 1000m	
MZ1067A	2MCLPETTC3	S8020	G80	Indent		1065						1 roll x 1065mm x 3000m	



New

▲ FSC® Certified

➡➡ Transition

^ Loose roll available and subjected to prior sales

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
MZ2000B	25u Matte Bule PI HT	S8080	BG50Wh	Indent		1000		•				1 roll x 1000mm x 500m	
MZ2000G	25mic Light Green PI HT	S8080	BG50Wh	Indent		1000		•				1 roll x 1000mm x 500m	
MZ2000P	25mic Pink PI HTC	S8080	BG50Wh	Indent		1000		•				1 roll x 1000mm x 500m	
MZ2000Y	25mic Light Yellow PI HTC	S8080	BG50Wh	Indent		1000		•				1 roll x 1000mm x 500m	
MZ2000W	25um Matte White PI HTC	S8088S	BG50Wh	Ready Width	✓	250, 500	•					1 roll x 250m	
MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	Indent		500		•				1 roll x 500mm x 500m	Ready Width >> Indent
MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Ready Width	✓	250, 500	•					1 roll x 250m	
MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	Ready Width	✓	250, 500	•					1 roll x 250m	Indent >> Ready Width 4roll x 250mm x 500m >> 1roll x 250m
OZ2120	100µ Inkjet Synthetic Paper	AF101	BG40Wh Imp	Full Deckle	✓	1530		•				1 roll x 1530mm x 500m	
SY0035	Foamtac II	AP104	BG40#White ni	Ready Width		250, 1000		•	•			1 roll x 500m	
MZS1324A	50mic White PET TC5	S369	BG50Wh ni	Indent		1530					•	1 roll x 1530mm x 2000m	
MZS1327	50mic Matte Chrome PET	S369	BG50Wh ni	Full Deckle		1530		•				1 roll x 1530mm x 500m	
BW9664.1000	3mil Synthetic Paper	S333	BG50Wh	Full Deckle	✓	1000					•	1 roll x 1000mm x 2000m	
☆ ADS1559	PET Tag 125 Top White			Full Deckle	✓	1390					•	1 roll x 1390mm x 2000m	width 1000mm, 1170mm, 1400mm >> 1390mm
☆ ADS1583	2M WH PET TC	S8020EX	BG45WH	Ready Width	✓	267, 1070			•		•	1roll x 1000m	
☆ ADS1584	2M WH PET TC	P8030EX	BG50WH	Ready Width	✓	267, 1070			•		•	1roll x 1000m	
☆ ADS1588	2mil MAT CH PET TC	S8020EX	BG45WH	Ready Width	✓	267, 1070			•		•	1roll x 1000m	
☆ MZS2601	50mic White PET TC	UP601	BG50WH	Ready Width		255, 1530			•		•	1roll x 1000m	
☆ SYS731	2.4mil WH BOPP TC	S2060	1.2m PET	Full Deckle		1525		•				1roll x 1525mm x 6000m	MOQ 1roll x 1525mm x 500m >> 1roll x 1525mm x 6000m

Rapid Roll

Item	Facestock	Adhesive	Liner	Service Program	stock Keeping	Width (mm)	Length (m)					MOQ	Remark
							250	500	1000	1500	2000		
RSW504 ^^	PLB WHITE 1S-BG40			Full Deckle		1525			•		•	1 roll x 1525mm x 1000m	MOQ 1roll x 1000mm x 16000m >> 1roll x 1525mm x 1000m

☆

New

▲

FSC® Certified

▷▷

Transition

^

Loose roll available and subjected to prior sales

^^

Limited stock and subjected to prior sales

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Singapore (Pte) Ltd.
Email: cs.sg@ap.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2022 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.