

Product Services Guide

Thailand
Q4, 2023



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Cast Coat												
AW0271	High Gloss Paper	S1010	▲ BG40Wh Imp FSC	EXACT	✓		•	•		•	1 roll x 500m	
AW0312	High Gloss Paper	S2420	CCK80Wh Imp	Indent		1525				•	1 roll x 1525mm x 2000m	
AW0380-N	High Gloss Paper	S2025N	BG40Wh Imp	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of
responsible forestry

Service Program:

The service program details how the product is sold to the market.

• Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

• EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

• Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

• Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m
Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

- A. 2rolls x 1525mm x 1000m
- B. 1rolls x 1525mm x 2000m

Remarks:

➤ **Product Transition** – signifies changes in Item code, MOQ, Width, Length or Service Program

★ **New Product** – signifies new items being offered

Service Policy

Ordering Point

Customer Service Department, Avery Dennison Thailand Ltd.

Phone: +66 2 740 4666 (ext 111-120)

Fax: +66 2 740 4621-3

Email: cs.thailand@ap.averydennison.com

Delivery Service

Product Type	Cut-off Time		Delivery
Stock Keeping Products	EXACT	Before 3:00 PM	Next working day
	Non-EXACT	Before 4:00 PM	Next working day
Non Stock Keeping Products	As per plant delivery lead times		Indent items

Requirements and Standards

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

	Within Bangkok Per Order	Outside of Bangkok Per Delivery
EXACT	1 roll per program	500m ² , 2000m ² or >50,000 baht
Non EXACT	500m ²	500m ² , 2000m ² or >50,000 baht
Durables	250m ²	500m ² , 2000m ² or >50,000 baht

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Indent Orders / Blanket Orders

All goods to be shipped out and invoiced within one month upon arrival of goods.

Inner Core Diameter

77mm core, ±0.15mm

Roll Labels

Outside of the rolls and inner core

Minimum Slit Widths

75mm

Roll Length Tolerance

±5%

Slit Roll Width Tolerance

±1mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

Length	Paper	Film
500m	1	1
1000m	2	2
1500m	2	2
2000m	2	2

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Prime Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keepig	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Cast Coat												
F12806.1525	▲ Cast Gloss Elite FSC	S2045	▲ BG40WHN	Indent		1525		•			1 roll x 1525mm x 6000m	
AW0153	High Gloss Paper	S2090	▲ BG40Wh Imp FSC	EXACT	✓			•		•	1 roll x 1000m	
AW0271	High Gloss Paper	S1010	▲ BG40Wh Imp FSC	EXACT	✓		•	•		•	1 roll x 500m	
AW0312	High Gloss Paper	S2420	CCK80Wh Imp	Indent		1525				•	1 roll x 1525mm x 2000m	
AW0380-N	High Gloss Paper	S2025N	BG40Wh Imp	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
SW7331	High Gloss Paper	S2420	▲ BG40Wh Imp FSC	EXACT	✓			•	•		1 roll x 1000m	
☆ AW0476F	▲ Gloss Plus FSC	S1002	▲ BG33Wh Imp FSC	EXACT	✓			•		•	1 roll x 1000m	
☆ AW0477F	▲ Gloss Plus FSC	S2010N	▲ BG33Wh Imp FSC	EXACT				•		•	1 roll x 1000m	
☆ AW0500F	▲ Gloss Plus FSC	S2420	▲ BG40Wh Imp FSC	EXACT				•	•		1 roll x 1000m	
Machine Coat												
AW0331AF	▲ Fascoat 2 FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓		•	•		•	1 roll x 500m	
AW0332FS	▲ Fascoat 2 FSC	S2090	▲ BG40Wh Imp FSC	EXACT	✓			•		•	1 roll x 1000m	
AW0333AF	▲ Fascoat 2 FSC	S1010	▲ BG40BI Imp FSC	Full Deckle	✓	1525	•	•		•	1 roll x 1525mm x 500m	
SW7325AF	▲ Fascoat 2 FSC	S2420	▲ BG40Wh Imp FSC	Full Deckle	✓	1525	•	•			1 roll x 1525mm x 500m	
AW0416F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
AW0424F	▲ MC Primecoat GP FSC	S2025N	▲ BG33Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
☆ AW0425F	▲ MC Primecoat GP FSC	S1002	▲ BG33Wh Imp FSC	EXACT			•	•			1 roll x 1000m	
☆ AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	Indent		1525	•				1 roll x 1525mm x 500m	
AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC	Indent		1525		•		•	1 roll x 1525mm x 1000m	
AW0502F	▲ rMC Primecoat FSC	S2025N	▲ BG33Wh Imp FSC	Indent		1525		•		•	1 roll x 1525mm x 1000m	
Vellum												
AW0344	Vellum	S2492	rCCK80Wh	Full Deckle	✓	1525	•				1 roll x 1525mm x 500m	
AW0382	Vellum	S1010	BG40Wh Imp	EXACT			•				1 roll x 500m	
AW0321F	Vellum Elite	S2420	BG40Wh Imp	Indent		1525	•	•			1 roll x 1525mm x 6000m	
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
AW0321F	▲ Vellum Elite FSC	S2420	▲ BG40Wh Imp FSC	Indent		1525		•		•	1 roll x 1525mm x 1000m	
AW0326F	▲ Vellum Elite FSC	S2492	rCCK80Wh	EXACT	✓			•			1 roll x 1000m	
☆ AW0431F	▲ Vellum Elite FSC	S1002	▲ BG33Wh Imp FSC	Indent		1525	•	•			1 roll x 1525mm x 500m	
☆ New ▲ FSC® Certified ➤ Transition												

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keepig	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Cast Coat												
AA1450	HGW Premium	R100	BG40Br Imp	Indent		1000				●	1 roll x 1000mm x 2000m	
AW0361N.1200	High Gloss Paper	R450	▲ BG40Wh Imp FSC	Full Deckle	✓	1200		●			1 roll x 1200mm x 1000m	
Machine Coat												
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		●		●	1 roll x 1000mm x 1000m	
AW0362F.1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	Full Deckle	✓	1200		●			1 roll x 1200mm x 1000m	
AW0253F	▲ Fascoat Elite FSC	R423	▲ BG40Wh FSC	Full Deckle	✓	1000	●				1 roll x 1000mm x 500m	
SW7053F	▲ LW60 FSC	S2090	▲ BG40Wh Imp FSC	Indent		1000		●		●	1 roll x 1000mm x 1000m	
SW7054F	▲ LW60 FSC	S2420	▲ BG40Wh Imp FSC	Indent		1000	●				1 roll x 1000mm x 500m	
Uncoated												
F02901.1525	▲ Artisan rPLUS FSC	r2030MB	BG40WHN	Indent		1525				●	1 roll x 1525mm x 2000m	
AW0363F.1200	▲ Vellum Elite FSC	R450	▲ BG40Wh Imp FSC	Indent		1200		●			1 roll x 1200mm x 1000m	
F45520.1000	▲ Rad Yellow FSC	S2090	▲ BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	
F45521.1000	▲ Rad Orange FSC	S2090	▲ BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	
F45522.1000	▲ Rad Green FSC	S2090	▲ BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	
F45523.1000	▲ Rad Red FSC	S2090	▲ BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	
F45524.1000	▲ Rad Pink FSC	S2090	▲ BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	
F45520.1000	▲ Rad Yellow FSC	S2090	BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	🔗 AW0373F:1000 » F45520.1000
F45521.1000	▲ Rad Orange FSC	S2090	BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	🔗 AW0371F:1000 » F45521.1000
F45522.1000	▲ Rad Green FSC	S2090	BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	🔗 AW0372F:1000 » F45522.1000
F45523.1000	▲ Rad Red FSC	S2090	BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	🔗 AW0370F:1000 » F45523.1000
F45524.1000	▲ Rad Pink FSC	S2090	BG40WHN	Indent		1000		●			1 roll x 1000mm x 1000m	🔗 AW0374F:1000 » F45524.1000

☆ New ▲ FSC® Certified ▷ Transition

Specialty Paper

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Direct Thermal												
SW7082F	▲ Direct Thermal 200GP FSC	R423	▲ BG40BI FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
Thermal Transfer												
MW0057F	▲ Transtherm 2C FSC	R423	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
MW0068F1000	▲ Transtherm 2C FSC	R450	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SW7004F	▲ Transtherm 2C PB FSC	S2090	▲ BG40Wh Imp FSC	Full Deckle	✓	1525	•				1 roll x 1000mm x 500m	
Others												
SW7339.1000	Bright Silver Foil Prime	M3300	▲ BG40Wh Imp FSC	Indent		1000				•	1 roll x 1000mm x 2000m	
AW0356.1060	Matte Silver Foil	M3300	▲ BG40Wh Imp FSC	Indent		1060				•	1 roll x 1060mm x 2000m	

☆ New ▲ FSC® Certified ▷ Transition

Variable Information Printing

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Direct Thermal												
SW7005AF	▲ Baggage Tag Elite FSC	S2025N	▲ BG40Wh FSC	Indent		1525		•		•	1 roll x 1525mm x 500m	
SW7073F	▲ Baggage Tag FSC	S2090	BG40Wh	Full Deckle	✓	1000		•			1 roll x 1000mm x 2000m	
☆ NW0072F	▲ rDirect Thermal 300LD FSC	S2010N	▲ BG33Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
NW0045F-N	▲ Direct Thermal 150RL FSC	S2045N	▲ BG40Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
NW0048F	▲ Direct Thermal 150RL FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	Indent		1525	•	•			1 roll x 1525mm x 500m	
NW0055F	▲ Direct Thermal 200GP FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
☆ NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	EXACT				•			1 roll x 1000M	
NW0083F	▲ Direct Thermal 200LL FSC	S1712N	▲ BG33Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
Thermal Transfer												
MW0035F	▲ Premium Transtherm 1C FSC	S2090	▲ BG40Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
MW0057N	Transtherm 2C	R423	BG40Wh	Full Deckle	✓	1525	•				1 roll x 1000mm x 500m	
MW1616F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh FSC	Full Deckle	✓	1525		•		•	1 roll x 1000mm x 1000m	
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	EXACT	✓		•	•			1 roll x 500m	
Laser Copier Inkjet												
OW0039A	LaserPro	S2100HT	CCK55	Indent		1065				•	1 roll x 1065mm x 2000m	
☆ New ▲ FSC® Certified ▷ Transition												

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Rigid White												
BW9694	38micron White BOPP TC	AF101	BG40WH	Indent		1070				●	1 roll x 1070mm x 2000m	
BW0153	Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	EXACT	✓		●	●			1 roll x 500m	
BW0270	3 Mil Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	EXACT	✓		●	●			1 roll x 500M	
BW7005	PP Top Matte White	S692N	▲ BG33Wh Imp FSC	Indent	✓	1525		●		●	1 roll x 1525mm x 1000m	
☆ BW7032	rPP Top White	S692N	▲ BG33Wh Imp FSC	EXACT	✓			●		●	1 roll x 1000m	
☆ BW7087	rPP Top White	S7210	▲ BG33Wh Imp FSC	EXACT				●		●	1 roll x 1000m	
BW0174	PPNg Top Pearlized White	S692N	▲ BG40Wh Imp FSC	EXACT	✓			●		●	1 roll x 1000m	
☆ BW0255SN	PP60 Top Pearlized White	SR3013N	▲ BG33Wh Imp FSC	Indent		1525				●	1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearlized White	SR3013	rPET23	Indent		1525				●	1 roll x 1525mm x 2000m	
BW7004	PP60 Top White	S692N	▲ BG40Wh Imp FSC	EXACT	✓			●			1 roll x 1000m	
BW0227	PP50 Top White	S692N	▲ BG40Wh Imp FSC	EXACT	✓			●		●	1 roll x 1000m	
BW0235	PP50 Top White	S692N	PET30	Indent		1000				●	1 roll x 1525mm x 1000m	
☆ BW7053	PP50 Top Pearlized White	S3010N	▲ BG33Wh Imp FSC	Indent		1525		●		●	1 roll x 1525mm x 1000m	
BW7054	PP50 Top Pearlized White	SR3013	▲ BG33Wh Imp FSC	Indent		1525				●	1 roll x 1525mm x 2000m	
BW0293	Opalux 55	S692N	▲ BG40Wh Imp FSC	EXACT	✓			●			1 roll x 1000m	
Rigid Clear												
BW0062N	PPNg Top Trans	S692N	▲ BG40Wh Imp FSC	EXACT	✓			●		●	1 roll x 1000m	
BW0237N	PPNg Top Trans	S692N	PET23	EXACT	✓					●	1 roll x 2000m	
BW0230N	PPNg Top Trans	S692N	PET30	EXACT	✓			●		●	1 roll x 1000m	
☆ BW7090	PPNg Top Trans	S7210	rPET30	EXACT				●		●	1 roll x 1000m	
☆ BW7072	PP50 Top Trans	SR3013N	▲ BG40Wh Imp FSC	Indent		1525				●	1 roll x 1525mm x 2000m	
BW7041	PP50 Top Trans	SR3013	rPET23	Indent		1525				●	1 roll x 1525mm x 2000m	
BW0266A	PP50 TC Clear	S692N	▲ BG40Wh Imp FSC	EXACT	✓			●		●	1 roll x 1000m	
BW0223	PPNg Top Trans	S3000	▲ BG40Wh Imp FSC	Full Deckle	✓	1000				●	1 roll x 1000mm x 2000m	
SY7020	PPNg Top Trans	S4705	BG40Wh Imp	Full Deckle	✓	1000				●	1 roll x 1000mm x 2000m	
BW7000	PP50 NTC Clear	S692N	▲ BG40Wh Imp FSC	Indent		1525				●	1 roll x 1525mm x 2000m	
☆ BW7017	PP40 Top Clear	S692N	▲ BG40Wh Imp FSC	Indent		1525		●			1 roll x 1525mm x 1000m	
☆ New ▲ FSC® Certified ⇨ Transition												

☆ New ▲ FSC® Certified ▷ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Rigid Clear (continued)												
★ BW7092	PP40 Top Clear	S7210	▲ BG40Wh Imp FSC	EXACT			•	•			1 roll x 1000m	
★ BW7097	PP40 Top Clear	S7210	▲ rPET23	Indent		1525					1 roll x 1525mm x 2000m	
BW7056	PP40 Top Clear	SR3013	▲ BG40Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m	
BW7055	PP40 Top Clear	SR3013	rPET23	Indent		1525				•	1 roll x 1525mm x 2000m	
BW0231	PP30 Clear TC	S692N	BG40Wh Imp	Indent		1000				•	1 roll x 1000mm x 2000m	
BW0226.1000	PP30 Clear NTC	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
BW0112N	Overlaminating Gloss PP	S6800	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
SY7054	Overlaminating Gloss PP	S6800	PET30	EXACT	✓			•			1 roll x 1000M	
SY7025N	Overlaminating Matte PP	S6800	▲ BG40Wh Imp FSC	Full Deckle	✓	1525	•				1 roll x 1525mm x 500m	
Rigid Silver												
BW0243	PP50 Top Silver	S692N	▲ BG40Wh Imp FSC	EXACT	✓			•		•	1 roll x 1000m	
BW0254	PP Silver TC	S631	PET30	Full Deckle	✓	1525		•			1 roll x 1525mm x 2000m	
BW0272	PPTC Silver Elite	S692N	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
★ BW7019	PP40 Top Silver	S692N	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 2000m	
Semi Conformable White												
BW0327	Global MDO White NTC	S692N	BG40Wh Imp	Indent		1525				•	1 roll x 1525mm x 2000m	
BW0184	Global Co-Ex™ White NTC	S692N	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
★ BW7022	Flex+ White NTC	S692N	▲ BG33Wh Imp FSC	EXACT				•			1 roll x 1000m	
★ BW7023	Flex+ White NTC	S692N	PET23	Indent		1525		•			1 roll x 1525mm x 1000m	
BW7051	CleanFlake Flex+ White	SR3013	▲ BG33Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m	
BW0151	Primax® 300	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000	•	•		•	1 roll x 1000mm x 500m	
★ New ▲ FSC® Certified ▶▶ Transition												

Prime Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Semi Conformable Clear												
BW0326	Global MDO Clear NTC	S692N	BG40Wh Imp	Indent		1525		•		•	1 roll x 1525mm x 6000m	
BW0321	Global MDO Clear NTC	S692N	PET23	Indent		1525				•	1 roll x 1525mm x 2000m	
BW0183	Global Co-Ex™ Clear NTC	S692N	▲ BG40Wh Imp FSC	EXACT	✓					•	1 roll x 2000m	
BW0238	Global Co-Ex™ Clear NTC	S692N	PET23	Indent		1525				•	1 roll x 1525mm x 2000m	
☆ BW7016A	Flex+ Clear NTC	S692N	▲ BG40Wh Imp FSC	EXACT	✓					•	1 roll x 1000m	
☆ BW7020	Flex+ Clear NTC	S692N	PET23	Indent						•	1 roll x 1525mm x 6000m	
BW7039	CleanFlake Flex+ Clear	SR3013	▲ BG33Wh Imp FSC	Indent		1525				•	1 roll x 1525mm x 2000m	
BW7042	CleanFlake Flex+ Clear	SR3013	rPET23	Indent		1525				•	1 roll x 1525mm x 2000m	
BW0150	FasClear® 300	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000	•	•		•	1 roll x 1000mm x 500m	
BW0060	FasClear® 250	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		•		•	1 roll x 1000mm x 1000m	
Conformable White												
BW0064	PE85 Top White	S692N	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
BW0147	PE85 NTC White	S692N	▲ BG40Wh Imp FSC	EXACT	✓			•		•	1 roll x 1000m	
☆ BW0291	PE75 NTC White	S692N	▲ BG33Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
Conformable Clear												
BW0065	PE85 Top Trans	S692N	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
BW0146	PE85 NTC Trans	S692N	▲ BG40Wh Imp FSC	EXACT	✓			•		•	1 roll x 1000m	
☆ BW0290	PE75 NTC Trans	S692N	▲ BG33Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
Conformable Silver												
BW9320A	Bright Silver PE85	AF101	▲ BG40Wh Imp FSC	Full Deckle	✓	1525				•	1 roll x 1525mm x 2000m	
☆ New ▲ FSC® Certified ⇨ Transition												



New

▲ FSC® Certified

▷ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Synthetic Paper												
SY7050N	Synthetic Paper	R480	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•		•	1 roll x 1525mm x 1000m	
BW0278	Synthetic Paper TR75	C2075	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
SY7074	Synthetic Paper	AT20	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
☆ SY7122	WBIJ synthetic paper	S4700F	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
SY7151	WBIJ Synthetic Paper	S4700F	▲ CCK55 IMP FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ SY7154	rPP Synthetic paper	S2800	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
☆ BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	Indent		1525				•	1 roll x 1070mm x 2000m	
☆ SY7121	Synthetic Paper	C2076C	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
SY7021	Synthetic Paper II	S4700N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
SY7022	Synthetic Paper II	C7501	▲ BG40Wh Imp FSC	EXACT	✓			•			1 roll x 1000m	
☆ SY7155	rPP Synthetic paper	C7501	▲ BG40Wh Imp FSC	EXACT		1000		•			1 roll x 1000m	
☆ BW5200	Synthetic paper NTC	UR106	BG50#WH imp	Indent		245		•			1 roll x 245mm x 1000m	
Polypropylene (PP)												
SY7049.1000	PPNg Top Trans	R480	▲ BG40Wh FSC	Full Deckle	✓	1200		•		•	1 roll x 1000mm x 1000m	
SY7051N	PPNg Top White	R480	▲ BG40Wh Imp FSC	Full Deckle	✓	1525		•		•	1 roll x 1525mm x 1000m	
☆ SY7138	WBIJ PP Top Gloss White	S4700F	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SY7152	WBIJ PP Top Gloss White	S4700F	▲ CCK55 IMP FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ SY7131	PPNg Top Pearlized White	S2800	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ SY7133	PPNg Top Trans	S2800	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	Indent		1530		•			1 roll x 1530mm x 1000m	
BW0259	PP40 Top Matte White	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000	•				1 roll x 1000mm x 500m	
☆ BW5201	Clear BOPP TC	UR106	BG50#WH imp	Indent		245		•			1 roll x 245mm x 1000m	
☆ New	▲ FSC® Certified	▷▷ Transition										

☆ New ▲ FSC® Certified ▷ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
Polyolefin (PO)												
SY7008	Transcode Plus White	C7501	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
☆ SY7114	Global Co-Ex Clear NTC	S477A.MB	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
Polyethylene Terephthalate (PET)												
☆ SY7119	PET Top Clear	S692N	▲ BG50Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
☆ SY7129	PET 50 Top Clear	S333	▲ BG50Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ SY7130	PET Top White 50 micron	S692N	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	Indent		1070		•			1 roll x 1070mm x 1000m	
☆ BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ BWS1324	45um PET TC	S6000	PET30 ni	Indent		1000				•	1 roll x 1000mm x 2000m	
Polyethylene (PE)												
SY7001	PE85 Top White	S2090	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SY7179	PE HD TAMPER EVIDENT	S700N	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
☆ SY7123	PE75 White NTC	S477A.MB	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
☆ SY7188	PE75 Trans NTC	S477A.MB	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
Direct Thermal												
☆ SY7128	Direct Thermal PP85 TC	C2076	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
SY7087	Direct Thermal PP85 TC	C7501	▲ BG40Wh Imp FSC	Indent		1000		•			1 roll x 1000mm x 1000m	
SY7072	Direct Thermal PP85 TC	S692N	▲ BG40Wh Imp FSC	Indent		1525		•			1 roll x 1525mm x 1000m	
Holographic												
SY7067	Iridescent TC	S692N	▲ BG40Wh Imp FSC	Full Deckle	✓	1000		•			1 roll x 1000mm x 1000m	
BW9100	HGF PP 60 Large Lens Seamless TC	S692N	PET30 ni	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ New	▲ FSC® Certified	▷ Transition										

Durable Film

Item	Facestock	Adhesive	Liner	Service Program	Stock Keepig	Width (mm)	Length (m)				MOQ	Remark
							500	1000	1500	2000		
☆ MZ0111N	1M Clear PET TC	S8020	BG40Wh Imp	Full Deckle	✓	1525	•				1 roll x 1525mm x 500m	
☆ MZ0152	1M Matte Ch PET TC	S333	▲ BG40BI FSC	EXACT	✓		•				1 roll x 500m	
☆ MZ0102	2M White PET TC	S333	BG50Wh	EXACT	✓		•				1 roll x 500m	
☆ MZ0104	2M Matte Ch PET TC	S333	BG50Wh	EXACT	✓		•				1 roll x 500m	
☆ MZ0106	Copy Code Ch PET Plus	S333	▲ BG50Wh FSC	Indent		1000		•		•	1 roll x 1000mm x 1000m	
☆ MZ0054	2M Bright Silver PET	S333	▲ BG50Wh Imp FSC	Indent		1070				•	1 roll x 1070mm x 2000m	
☆ MZ2000W	1M Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•				1 roll x 250mm x 250m	Indet >> Ready Width Width 250mm >> 250mm & 500mm
☆ MZ2001W	1M Gloss White PI HTC	S8088S	BG50Wh	Indent		500	•				1 roll x 500mm x 500m	
☆ MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•				1 roll x 250mm x 250m	Indet >> Ready Width Width 250mm >> 250mm & 500mm
☆ MZ2003W	2M Gloss White PI HTC	S8088S	BG50Wh	Ready Width		250, 500	•				1 roll x 250mm x 250m	Indet >> Ready Width Width 250mm >> 250mm & 500mm
☆ MZ0097.1000	50micron Matte White Polyester TC	S333	▲ BG50WH FSC	Indent		1000				•	1 roll x 1000mm x 2000m	
☆ MZ0363	50um White FR PET TCY	S8025	BG50Wh	Indent		1070	•	•			1 roll x 1070mm x 500m	
☆ MZ0212	2M WH PETC TC	S369	BG50Wh	Ready width		250	•	•			1 roll x 250mm x 500m	
☆ SD8310.1525	PPNg Top White	TS79N	BG50Wh double silicone liner	Full Deckle	✓	1525		•		•	1 roll x 1525mm x 1000m	
☆ SD8380	PP Light Silver	TS79N	BG50Wh	Indent		1525				•	1 roll x 1525mm x 2000m	
☆ SY5008	Barrier Foil 25 micron White PET TC	TS79N	BG50Wh DOUBLE SIL	Indent		1525				•	1 roll x 1525mm x 2000m	
☆ BW9664.1000	3mil Synthetic Paper	S333	BG50Wh	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ ADS1583	2M WH PET TC	S8020EX	BG45WH	Ready Width		267, 1070		•		•	1roll x 267mm x 1000m	Width 267mm >> 267mm & 1070mm
☆ ADS1584	2M WH PET TC	P8030EX	BG50WH	Ready Width		267, 1070		•		•	1roll x 267mm x 1000m	Width 267mm >> 267mm & 1070mm
☆ MZS2601	50mic White PET TC	UP601	BG50WH	Ready Width	✓	255, 1530		•		•	1roll x 255mm x 1000m	Width 255mm >> 255mm & 1530mm
☆ ADS1588	2mil MAT CH PET TC	S8020EX	BG45WH	Ready Width		267, 1070		•		•	1 roll x 1070mm x 2000m	Indet >> Ready Width Width 267mm >> 267mm & 1070mm

Sheets Fed Portfolio – Prime Paper

Item	Facestock	Adhesive	Liner	Sizes Offered (mm)	Stock Keeping	Qty per Pack (EA)	MOQ (EA)
AW0335	High Gloss Paper	S1010	rCCK80Wh Imp	1060 x 700		100	3000
				483 x 330		100	13000
AW0407F	▲ MC Prime FSC	S1010	rCCK80Wh Imp	1060 x 700		100	3000
				483 x 330		100	13000
AW0334F	▲ Vellum Elite FSC	S1010	rCCK80Wh Imp	1060 x 700		100	3000

 New
  FSC® Certified
 *For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.483X330

Sheets Fed Portfolio – Prime Film

Item	Facestock	Adhesive	Liner	Sizes Offered (mm)	Stock Keeping	Qty per Pack (EA)	MOQ (EA)
BW7034	PPNG Top Trans	S692N	▲ CCK130Wh Imp FSC	483 x 330		100	13000
BW0295	Synthetic Paper	S692N	▲ CCK130Wh Imp FSC	483 x 330		100	13000
BW7001	PP50 Top White	S692N	▲ CCK130Wh Imp FSC	483 x 330		100	13000
SW8543	Fasson 50U Clr PET TC	S1800	CCK130Wh Imp	483 x 330		100	5000
SW8544	Fasson 50U Wh PET TC	S1800	CCK130Wh Imp	483 x 330		100	5000
SW8561	Fasson 50U Matt Wh PET TC	S6112	CCK130Wh Imp	483 x 330		100	5000
SW8563	Fasson 50U Matt Silver PET TC	S1800	CCK130Wh Imp	483 x 330		100	5000
SW2179	Fasson 50u Silver PET HPI	S1800	CCK130Wh Imp	483 x 330		100	5000
SW8609	Fasson 50U Gold PET HPTC	S6112	CCK130Wh Imp	483 x 330		100	5000

 New
  FSC® Certified
 *For Sheet Fed products ordering, please use the product code combined with desired size. Eg: AW0335.483X330

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Thailand Ltd.

Phone: +66 2 740 4666 (ext 111-121)

+66 1 413 1260 - 64

Fax: +66 2 740 4621-3

Email: cs.thailand@ap.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2022 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.