

Product Services Guide

Vietnam
Q4, 2023



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Cast Coat													
AW0153F	▲ High Gloss Paper	S2090	▲ BG40Wh Imp FSC	HCD	EXACT				•		1 roll x 2000m		
				HND	Full Deckle	1525	•	•	•	1 roll x 1525mm x 500m			
★ AW0476F	▲ Gloss Plus FSC	S1002	▲ BG33Wh Imp FSC	HCD HND	Indent		1525			•	1 roll x 1525mm x 1000m		
★ New	▲ FSC® Certified	▷ Transition											

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of
responsible forestry

Stocking Location:

The AD site the product is stocked in

Service Program:

The service program details how the product is sold to the market.

• Full Deckle

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

• EXACT

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

• Ready Width

Fasson Ready Width offers slit rolls in set widths and lengths.

• Indent

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m
Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

A. 2rolls x 1525mm x 1000m

B. 1rolls x 1525mm x 2000m

Remarks:

▷ Product Transition – signifies changes in Item code, MOQ, Width, Length or Service Program

★ New Product – signifies new items being offered

Service Policy

Ordering Point

Ho Chi Minh City

Customer Service Department, Avery Dennison Vietnam Ltd.

Phone: + 84 28 37655678

Fax: + 84 28 37657934

Email: advcustservice@ap.averydennison.com

Hanoi

Customer Service Department,

Brand of Avery Dennison (Vietnam) Ltd in Bac Ninh

Phone: +84 222-6565-222

Fax: +84 222 6565 111

Email: hanoics@averydennison.com

Delivery Service

Product Type		Cut-off Time	Delivery
Stock Keeping Products	EXACT	Before 4:00 PM	Next working day
		After 4:00 PM	Day after next working day
	Non-EXACT	Before 10:00 AM	Same working day
		After 10:00 AM	Next working day
Non Stock Keeping Products	As per plant delivery lead times		Indent items
	Sheet Product	Before 4.00pm	Day after next working day

Requirements and Standards

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison

Requirements and Standards

This Service Policy is accurate at the time of publication and is subject to change at the discretion of Avery Dennison.

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

500m² per delivery. Otherwise, transportation charges will be imposed.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Indent Orders / Blanket Orders

All goods to be shipped out and invoiced within one month upon arrival of goods.

Core Inside Diameter

77mm core, ±0.15mm

Roll Labels

Outside of the rolls and inner core

Minimum Slit Widths

60mm

Roll Length Tolerance

±5%

Slit Roll Width Tolerance

±1mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

Length	Paper	Film
500m	1	1
1000m	2	1
1500m	2	2
2000m	2	2
3000m	2	2

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Prime Paper

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Cast Coat													
AW0153F	▲ High Gloss Paper	S2090	▲ BG40Wh Imp FSC	HCD	EXACT				•		1 roll x 2000m		
				HND	Full Deckle	1525	•	•	•	1 roll x 1525mm x 500m			
☆ AW0476F	▲ Gloss Plus FSC	S1002	▲ BG33Wh Imp FSC	HCD HND	Indent	1525			•		1 roll x 1525mm x 1000m		
☆ AW0477F	▲ Gloss Plus FSC	S2010N	▲ BG33Wh Imp FSC	HCD HND	Indent	1525			•		1 roll x 1525mm x 1000m		
AW0500F	▲ Gloss Plus FSC	S2420	▲ BG40Wh Imp FSC	HCD HND	Indent	1525			•		1 roll x 1525mm x 1000m		
Machine Coat													
AW0331F	▲ Fascoat 2 FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•	•	1 roll x 1000m	
				HND	EXACT	✓			•			1 roll x 1000m	
AW0332F	▲ Fascoat 2 FSC	S2090	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•		1 roll x 2000m		
AW0339F	▲ Fascoat 2 FSC	S1010	▲ BG40Wh FSC	HCD	EXACT	✓			•	•	1 roll x 1000m		
SW7325F	▲ Fascoat 2 FSC	S2420	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
				HND	EXACT	✓			•			1 roll x 1000m	
SW7329F	▲ Fascoat 2 FSC	S1010	▲ rCCK80Wh Imp	HCD HND	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
AW0416F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
AW0417F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh FSC	HCD	EXACT	✓			•	•	1 roll x 1000m		
AW0421F	▲ MC Elite FSC	S2025N	▲ BG33Wh	HCD	EXACT	✓			•		1 roll x 1000m		
				HND	EXACT	✓			•			1 roll x 1000m	
AW0422F	▲ MC Primecoat GP FSC	S1010	▲ BG40Wh FSC	HCD	EXACT	✓			•	•	1 roll x 1000m		
				HND	EXACT	✓			•			1 roll x 1000m	
☆ AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	HCD	EXACT	✓			•	•	1 roll x 1000m		
				HND	EXACT	✓			•			1 roll x 1000m	
AW0379F-N	▲ MC Elite FSC	S2025N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓			•		1 roll x 1525mm x 1000m		
AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC	HCD	Indent		1525		•	•	1 roll x 1525mm x 1000m		
AW0502F	▲ rMC Primecoat FSC	S2025N	▲ BG33Wh Imp FSC	HCD	Indent		1525		•	•	1 roll x 1525mm x 1000m		
☆ New ▲ FSC® Certified ➡ Transition													

Prime Paper

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Vellum													
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
AW0326F	▲ Vellum Elite FSC	S2420	▲ rCCK80Wh Imp	HCD	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
☆ SW7014F	▲ Vellum Elite FSC	S1002	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
SW7330F	▲ Vellum Elite FSC	S2090	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•		1 roll x 1525mm x 1000m		
AW1418F	▲ WOODFREE 70 FSC	AP104	▲ BG40#WHITE NI	HCD HND	Full Deckle	✓	1530		•		1 roll x 1530mmX 1000m	▶▶ Indent >> Full Deckle	
AW0418F	▲ Vellum Elite FSC	S2025N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓			•	•	1 roll x 1525mmX 1000m	▶▶ Indent >> Full Deckle	
☆ New	▲ FSC® Certified	▶▶ Transition											

Specialty Paper

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ
								500	1000	2000	3000	
Cast Coat												
AW0361N.1200	High Gloss Paper	R450	▲ BG40Wh Imp FSC	HCD HND	Indent		1200			•		1 roll x 1200mm x 2000m
Machine Coat												
SW7053F	▲ LW60 FSC	S2090	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000			•		1 roll x 1000m x 1000m
AW0362F.1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1200			•		1 roll x 1200mm x 1000m
AW0362F.1000	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000			•		1 roll x 1000mm x 1000m
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
SW7038F	▲ Fascoat 2 PB FSC	S2420	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000			•	•	1 roll x 1000mm x 1000m
Uncoated												
AW0363F.1200	▲ Vellum Elite FSC	R450	▲ BG40Wh Imp FSC	HCD HND	Indent		1200			•		1 roll x 1200mm x 2000m
AW0401F.1000	▲ Radiant Red FSC	M3000	B100	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
AW0402F.1000	▲ Radiant Orange FSC	M3000	B100	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
AW0403F.1000	▲ Radiant Green FSC	M3000	B100	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
AW0404F.1000	▲ Radiant Yellow FSC	M3000	B100	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
AW0405F.1000	▲ Radiant Pink FSC	M3000	B100	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
F45520.1000	▲ Rad Yellow FSC	S2090	▲ BG40WHN	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
F45521.1000	▲ Rad Orange FSC	S2090	▲ BG40WHN	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
F45522.1000	▲ Rad Green FSC	S2090	▲ BG40WHN	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
F45523.1000	▲ Rad Red FSC	S2090	▲ BG40WHN	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
F45524.1000	▲ Rad Pink FSC	S2090	▲ BG40WHN	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
AW1579CF	▲ Lasercopy Jet	LP435	CCK85	HCD	Full Deckle	✓	1530			•	•	1 roll x 1530mm x 1000m
Direct Thermal												
SW7082F	▲ Direct Thermal 200GP FSC	R423	▲ BG40BI FSC	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
SW7075F	▲ Direct Thermal 200GP PB FSC	S2090	▲ BG40Wh Imp FSC	HCD	Full Deckle	✓	1000			•		1 roll x 1000mm x 1000m
Thermal Transfer												
MW0068F.1000	▲ Transtherm 2C FSC	R450	▲ BG40Wh Imp FSC	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m
Others												
SW7339.1000	Bright Silver Foil Prime	M3300	▲ BG40Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 1000m
OW2150	Matte Inkjet Paper	AP103	BG40 Wh Imp	HCD HND	Indent		1070			•		1 roll x 1070mm x 1000m
☆ New	▲ FSC® Certified	▷▷ Transition										



New

▲ FSC® Certified

▶▶ Transition

Variable Information Printing

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Direct Thermal													
NW0033F	▲ Direct Thermal Premium FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
NW0045F-N	▲ Direct Thermal 150RL FSC	S2025N	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
★ NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	HCD	EXACT	✓		•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	HCD HND	EXACT	✓		•			1 roll x 1000m		
NW0055F	▲ Direct Thermal 200GP FSC	S1010	▲ BG40Wh Imp FSC	HCD	Indent		1525		•			1 roll x 1525mm x 1000m	
★ NW0056F	▲ Direct Thermal 200GP FSC	S2025N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
★ NW0072F	▲ rDirect Thermal 300LD FSC	S2010N	▲ BG33Wh Imp FSC	HCD	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
NW0083F	▲ Direct Thermal 200LL FSC	S1712N	▲ BG33Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	▶▶ Indent >> Full Deckle
Thermal Transfer													
MW0052F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•			1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•	•		1 roll x 1000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
MW0069F	▲ Transtherm Plus FSC	S2025N	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•					
★ MW0074F	▲ Transtherm 2C FSC	S2010N	▲ BG33Wh Imp FSC	HCD	EXACT	✓		•			1 roll x 1000m		
MW0073F	▲ Transtherm Elite FSC	S2010N	▲ BG33Wh Imp FSC	HCD HND	Indent		1525		•			1 roll x 1525mm x 1000m	
★ New	▲ FSC® Certified	▶▶ Transition											

Prime Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Rigid White													
BW0153	Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	HCD HND	EXACT	✓		•				1 roll x 1000m	
BW0264	Synthetic Paper 65	S4700N	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•				1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
BW0270	3 Mil Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	HCD HND	EXACT	✓		•				1 roll x 1000m	
BW0278N	3 Mil Synthetic Paper	C2075	▲ BG40Wh Imp FSC	HCD HND	Indent		1525	•				1 roll x 1525mm x 1000m	
BW7005	PP Top Matte White	S692N	▲ BG33Wh Imp FSC	HCD	EXACT	✓		•				1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
BW7101	LW Synthetic Paper	S692N	▲ BG33Wh Imp FSC	HCD	EXACT	✓		•				1 roll x 1000m	
				HND	EXACT	✓		•				1 roll x 1000m	
☆ BW7032	rPP Top White	S692N	▲ BG33Wh Imp FSC	HCD	EXACT	✓		•				1 roll x 2000m	
				HND	Full Deckle		1525	•	•	•		1 roll x 1525mm x 500m	
☆ BW7087	rPP Top White	S7210	▲ BG33Wh Imp FSC	HCD	EXACT			•	•			1 roll x 1000m	
BW0174	PPNg Top Pearlized White	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•	•			1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
☆ BW0255SN	PP60 Top Pearlized White	SR3013N	▲ BG33Wh Imp FSC	HCD HND	Indent		1525			•		1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearlized White	SR3013	rPET23	HCD HND	Indent		1525			•		1 roll x 1525mm x 2000m	
BW7004	PP60 Top White	S692N	▲ BG40Wh Imp FSC	HCD	Full Deckle	✓	1525	•				1 roll x 1525mm x 1000m	
BW0227	PP50 Top White	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 2000m	
☆ BW7053	PP50 Top Pearlized White	S3010N	▲ BG33Wh Imp FSC	HCD HND	Full Deckle	✓			•			1 roll x 2000m	
BW7054	PP50 Top Pearlized White	SR3013	▲ BG33Wh Imp FSC	HCD HND	Indent		1525			•		1 roll x 1525mm x 2000m	
BW0293	Opalux 55	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•				1 roll x 1000m	
☆ New	▲ FSC® Certified	▷ Transition											

Prime Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Rigid Clear													
BW0062C	PPNg Top Trans	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•		1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
BW0266A	PP 50 Top Clear	S692N	▲ BG40Wh Imp FSC	HCD	EXACT				•		1 roll x 2000m		
				HND	Full Deckle			•	•	•	1 roll x 1525mm x 500m		
BW0237N	PPNg Top Trans	S692N	PET23	HCD	Full Deckle	✓	1525		•	•	1 roll x 1525mm x 1000m		
☆ BW7090	PPNg Top Trans	S7210	rPET30	HCD	EXACT				•	•	1 roll x 1000m		
BW7038	PP50 Top Trans	SR3013	▲ BG40Wh Imp FSC	HCD HND	Indent		1525			•	1 roll x 1525mm x 2000m		
BW7041	PP50 Top Trans	SR3013	rPET23	HCD HND	Indent		1525			•	1 roll x 1525mm x 2000m		
☆ BW7017	PP40 Top Clear	S692N	▲ BG40Wh Imp FSC	HCD HND	Indent		1525			•	1 roll x 2000m		
☆ BW7092	PP40 Top Clear	S7210	▲ BG40Wh Imp FSC	HCD	Indent		1525		•	•	1 roll x 1525mm x 2000m		
BW7026	PP40 Top Clear	S631	rPET23	HCD	EXACT	✓				•	1 roll x 2000m		
BW7056	PP40 Top Clear	SR3013	▲ BG40Wh Imp FSC	HCD HND	Indent		1525			•	1 roll x 1525mm x 2000m		
BW7055	PP40 Top Clear	SR3013	rPET23	HCD HND	Indent		1525			•	1 roll x 1525mm x 2000m		
BW7000	PP50 NTC Clear	S692N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525			•	1 roll x 1525mm x 2000m	▷ Indent >> Full Deckle	
SY7025N	Overlaminating Matte PP	S6800	▲ BG40Wh Imp FSC	HCD	Full Deckle	✓	1525		•		1 roll x 1525mm x 1000m		
BW0112N	Overlaminating Gloss PP	S6800	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•		1 roll x 1525mm x 500m		
Rigid Silver													
BW0148	PPNg Top Silver	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•	1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
BW0272	PP TC Silver Elite	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•	1 roll x 2000m		
				HND	Full Deckle	✓	1525	•	•	•	1 roll x 1525mm x 500m		
☆ BW7019	PP40 Top Silver	S692N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle					•	1 roll x 2000m	▷ Indent >> Full Deckle	
Semi Conformable White													
☆ BW0184	Global Co-Ex™ White NTC	S692N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•	•	1 roll x 1525mm x 1000m		
☆ BW7022	Flex+ White NTC	S692N	▲ BG33Wh Imp FSC	HCD	EXACT	✓				•	1 roll x 2000m		
☆ BW7023	Flex+ White NTC	S692N	PET23	HCD	Indent		1525			•	1 roll x 1525MM X 2000m		
BW7051	CleanFlake Flex+ White	SR3013	▲ BG33Wh Imp FSC	HCD HND	Indent		1525			•	1 roll x 1525mm x 2000m		
☆ New	▲ FSC® Certified	▷ Transition											

☆ New ▲ FSC® Certified ▷ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Semi Conformable Clear													
BW0150	FasClear® 300	S692N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000		•	•		1 roll x 1000mm x 1000m	
☆ BW7016	Flex+ Clear NTC	S692N	▲ BG33Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 2000m	
☆ BW7020	Flex+ Clear NTC	S692N	PET23	HCD	Indent		1525			•		1 roll x 1525MM X 2000m	
BW7039	CleanFlake Flex+ Clear	SR3013	▲ BG33Wh Imp FSC	HCD HND	Indent		1525			•		1 roll x 1525mm x 2000m	
BW7042	CleanFlake Flex+ Clear	SR3013	rPET23	HCD HND	Indent		1525			•		1 roll x 1525mm x 2000m	
Conformable White													
☆ BW0064	PE85 Top White	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 2000m	▷▷ Length 1000m & 2000m >> 2000m
BW0147	PE85 NTC White	S692N	▲ BG40Wh Imp FSC	HCD	EXACT					•		1 roll x 2000m	
BW0291	PE75 NTC White	S692N	▲ BG33Wh Imp FSC	HCD	Indent					•		1 roll x 2000m	
Conformable Clear													
☆ BW0146	PE85 NTC Trans	S692N	▲ BG40Wh Imp FSC	HCD	EXACT					•		1 roll x 2000m	
BW0290	PE75 NTC Trans	S692N	▲ BG33Wh Imp FSC	HCD	Indent					•		1 roll x 2000m	
Conformable Silver													
☆ BW9320A	Bright Silver PE85 TC	AF101	▲ BG40Wh Imp FSC	HCD	Full Deckle		1000			•		1 roll x 1000mm x 2000m	▷▷ Indent >> Full Deckle
☆ New	▲ FSC® Certified	▷▷ Transition											

☆ New ▲ FSC® Certified ▷▷ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Synthetic Paper													
SY7050N	Synthetic Paper	R480	▲BG40Wh Imp FSC	HCD	Indent		1525			•		1 roll x 1525mm x 2000m	
BW0213A	WHTPPMATTC	S692N	GW80	HCD HND	Indent		1065			•		1 roll x 1065mm x 2000m	
BW0278N	Synthetic Paper TR75	C2075	▲BG40Wh Imp FSC	HCD	Full Deckle	✓	1525			•		1 roll x 1525mm x 1000m	
SY7022	Synthetic Paper II	C7051	▲BG40Wh Imp FSC	HCD	Full Deckle	✓	1000			•	•	1 roll x 1000mm x 1000m	
☆SY7122	WBIJ Synthetic Paper	S4700F	▲BG40Wh Imp FSC	HCD	Indent		1525			•		1 roll x 1525mm x 2000m	
SY7151	WBIJ Synthetic Paper	S4700F	▲CCK55 IMP FSC	HCD	Indent		1000			•		1 roll x 1000mm x 1000m	
☆SY7154	rPP Synthetic paper	S2800	▲BG40Wh Imp FSC	HCD	EXACT					•		1 roll x 1000m	
				HND	Full Deckle	1525	•	•	•				
☆BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	HCD	Indent		1070			•		1 roll x 1070mm x 2000m	
☆BW5200	Synthetic paper NTC	UR106	BG50#WH imp	HCD	Indent		245			•		1 roll x 245mm x 1000m	
Polypropylene (PP)													
SY7049.1000	PPNg Top Trans	R480	▲BG40Wh FSC	HCD	Indent		1000			•		1 roll x 1000mm x 2000m	
SY7051N	PPNg Top White	R480	▲BG40Wh Imp FSC	HCD	Full Deckle	✓	1525			•		1 roll x 1525mm x 2000m	
☆SY7138	WBIJ PP Top Gloss White	S4700F	▲BG40Wh Imp FSC	HCD	Indent		1000			•		1 roll x 1000mm x 2000m	
SY7152	WBIJ PP Top Gloss White	S4700F	▲CCK55 IMP FSC	HCD	Indent		1000			•		1 roll x 1000mm x 1000m	
☆SY7131	PPNg Top Pearlized White	S2800	▲BG40Wh Imp FSC	HCD	Indent		1000			•		1 roll x 1000mm x 2000m	
☆SY7133	PPNg Top Trans	S2800	▲BG40Wh Imp FSC	HCD	Indent		1000			•		1 roll x 1000mm x 2000m	
☆BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni	HCD	Indent		1530			•		1 roll x 1530mm x 2000m	
BWS1296	50uClear BOPP TC	S4905	P95White imp	HCD	Indent		1530				•	1 roll x 1530mm x 3000m	
☆BW5201	Clear BOPP TC	UR106	BG50#WH imp	HCD	Indent		245			•		1 roll x 245mm x 1000m	
Polyolefin (PO)													
SY7008	Transcode Plus White	C7501	▲BG40Wh Imp FSC	HCD	Indent		1000			•		1 roll x 100mm x 2000m	
SY0053B	TransCode Clear Plus	S4905L	50# Brown ni	HCD	Full Deckle	✓	1530			•	•	1 roll x 1530mm x 2000m	
SY0038L	TransCode Clear Plus	S4905L	P140Wh Imp	HCD	Indent		1530			•	•	1 roll x 1530mm x 2000m	
☆ New	▲ FSC® Certified	▷ Transition											

☆ New ▲ FSC® Certified ⇨ Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
SY0054B	TransCode Clear Plus	R115	50# Brown ni	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 2000m	
SY0048A	TransCode Clear Plus	R115	P140Wh Imp	HCD	Full Deckle	✓	1530		•			1 roll x 1530mm x 2000m	
SY0047L	TransCode White Plus	S4905L	BG50Wh	HCD	Indent		1530		•	•		1 roll x 1530mm x 2000m	
SY0039L	TransCode White Plus	S4905L	P140Wh Imp	HCD	Indent		1530		•	•		1 roll x 1530mm x 2000m	
SY0046A	TransCode White Plus	R115	P140Wh Imp	HCD	Indent		1530		•	•		1 roll x 1530mm x 2000m	
SYS078HL	60u Apparel Film White BHT free	S4905L	P140 whi	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 2000m	
SY0077HL	Fasson 60u Apparel Film Clear	S4905L	P140White	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 2000m	
SYS082	60u Apparel Film White BHT free	R115	P95White i	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 2000m	
SYS080L	60u Apparel Film White BHT free	S4905L	BG50#White imp	HCD	Indent		1530		•	•		1 roll x 1530mm x 2000m	

Polyethylene (PE)

☆ SY7179	PE HD TAMPER EVIDENT	S700N	▲ BG40Wh Imp FSC	HCD	Indent		1525		•			1 roll x 1525mm x 1000m	
☆ SY7123	PE75 White NTC	S477A.MB	▲ BG40Wh Imp FSC	HCD	Indent		1525			•		1 roll x 1525mm x 2000m	
☆ SY7188	PE75 Trans NTC	S477A.MB	▲ BG40Wh Imp FSC	HCD	Indent		1525			•		1 roll x 1525mm x 2000m	

Polyethylene Terephthalate (PET)

☆ BW7603	50um Clear PET TC	SR123	BG50#Wh Ni	HCD	Indent		1070			•		1 roll x 1070mm x 2000m	
☆ BW7534	100u Clear PET TC	SR123	80g glassine liner Imp	HCD	Indent		1000			•		1 roll x 1000mm x 1000m	
☆ BWS1324	45um PET TC	S6000	PET30 ni	HCD	Indent		1000			•		1 roll x 1000mm x 2000m	

Direct Thermal

F71588.1000	Polythermal	SR2	BG40WHN	HCD	Indent		1000			•		1 roll x 1000mm x 2000m	
F72673	DT300BL	S2049	BG40WHN	HCD	Indent		1525		•			1 roll x 1525mm x 1000m	

Holographic

☆ SY7067	Iridescent TC	S692N	▲ BG40Wh Imp FSC	HCD	Indent		1000		•			1 roll x 1000mm x 1000m	
BWS484	50u BOPP plain Holography TC	S692N	BG40#Whit	HCD	Indent		1070			•		1 roll x 1070mm x 2000m	

☆ New ▲ FSC® Certified ⇨ Transition

Durable Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
☆ MZ0111	1M Clear PET TC	S8020	PET30	HCD HND	Full Deckle	✓	1525		•			1 roll x 1000mm x 1000m	
☆ MZ0111N	1M Clear PET TC	S8020	BG40Wh	HCD HND	Indent		1525			•		1 roll x 1000mm x 2000m	
☆ MZ1081	1M Clear PET TTR	S8020	PET23	HCD HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
MZ0082G	CLPET16TCY	S8020D	PET23	HCD HND	Indent		1065			•		1 roll x 1065mm x 2000m	
BW6050	CL PET16	S692D	BG40BLUE	HCD HND	Indent	✓	1065		•			1 roll x 1065mm x 1000m	
MZ1067A	CLPET50TC	S8020	G80	HCD	Full Deckle	✓	1065			•		1 roll x 1065mm x 2000m	
☆ MZ0102	2M White PET TC	S333	BG50Wh	HCD HND	Full Deckle	✓	1000	•	•	•		1 roll x 1000mm x 500m	
MZ0312	2M White PET TC	S2025	▲ BG50Wh FSC	HCD	Full Deckle	✓	1530	•				1 roll x 1530mm x 500m	
☆ MZ0212	2M WH PETC TC	S369	BG50Wh Imp	HCD	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 500m	
MZ1019B	2MWHPETTCY	SP4200	GB	HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
MZ1061J1	2MWHTPETTCY	SP4200	G60EM	HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
MZ0328	75uMatte White PET TC	S333E	EMBOSSSED POLYCOA	HCD HND	Indent		1070			•		1 roll x 1070mm x 2000m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	HCD HND	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 500m	
MZ0084	2M Matte Ch PET TC3	S8005	GB	HCD HND	Indent		1065			•		1 roll x 1065mm x 2000m	
☆ MZ2000W	1M Matte White PI HTC	S8088S	BG50Wh	HCD HND	Ready Width	✓	250, 500	•				1 roll x 250mm x 250m	▷▷ Full Deckle >> Ready Width
☆ MZ2001W	1M Gloss White PI HTC	S8088S	BG50Wh		Indent		500	•				1 roll x 500mm x 500m	
☆ MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh		Ready Width		250, 500	•				1 roll x 250mm x 250m	
☆ MZ2003W	2M Gloss White PI HTC	S8088S	BG50Wh		Ready Width		250, 500	•				1 roll x 250mm x 250m	
☆ MZ2001W	25um Gloss White PI HTC	S8088S	BG50Wh	HCD HND	Indent		250					1 roll x 250mm x 250m	
☆ MZ2002W	50um Matte White PI HTC	S8088S	BG50Wh	HCD HND	Indent		250					1 roll x 250mm x 250m	
☆ MZ2003W	50um Gloss White PI HTC	S8088S	BG50Wh	HCD HND	Indent		250	•				4 roll x 250mm x 500m	
☆ MZ0098.1000	50micron Matte WhitePolyester TC	S333	BG50Wh Imp	HCD HND	Indent		1000		•	•		1 roll x 1000mm x 1000m	
MZ0363	50um White FR PET TCY	S8025	BG50Wh	HCD HND	Indent		1070			•		1 roll x 1070mm x 500m	
☆ AGY343	PE HDTE	S700	BG45	HCD	Indent		1000		•			1 roll x 1000mm x 1000m	
☆ SD8310.1525	PPNg Top White	TS79N	BG50Wh double silicone liner	HCD HND	Full Deckle	✓	1525			•		1 roll x 1525mm x 2000m	▷▷ Indent >> Full Deckle

Durable Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
☆ SY5003N.1525	Barrier Foil 25 micron White PET TC	TS79N	P140 WH Imp	HCD	Indent		1525			•		1 roll x 1525mm x 2000m	
☆ SY5010N.1525	Barrier Foil 25mic WH PET	TS79N	rCCK80	HCD HND	Indent		1525			•		1 roll x 1525mm x 2000m	
☆ BW9664.1000	3mil Synthetic Paper	S333	BG50Wh	HND	Full Deckle ✓		1000			•		1 roll x 1000mm x 2000m	
☆ MZS1327	2M Matte Ch PET TC	S369	BG50#White	HCD HND	Indent		1530	•				1 roll x 1530mm x 500m	
☆ SW8546	2M Matte Ch PET TC	S6182	BG40 WH IMP	HCD	Indent		1500			•		1 roll x 1500mm x 2000m	
				HND	Indent		1500	•				1 roll x 1500mm x 500m	
☆ ADS1583	2M WH PET TC	S8020EX	BG45WH	HCD HND	Ready Width		267, 1070		•	•		1roll x 1000m	⇨ Indent >> Ready Width Length 2000m >> 1000m & 2000m MOQ 1roll x 1070mm x 2000m >> 1roll x 1000m
☆ ADS1584	2M WH PET TC	P8030EX	BG50WH	HCD HND	Ready Width		267, 1070		•	•		1roll x 1000m	⇨ Indent >> Ready Width Length 2000m >> 1000m & 2000m MOQ 1roll x 1070mm x 2000m >> 1roll x 1000m
☆ ADS1588	2mil MAT CH PET TC	S8020EX	BG45WH	HCD HND	Ready Width		267, 1070		•	•		1roll x 1000m	⇨ Indent >> Ready Width Length 2000m >> 1000m & 2000m MOQ 1roll x 1070mm x 2000m >> 1roll x 1000m
☆ MZS2601	50mic White PET TC	UP601	BG50WH	HCD HND	Ready Width		255, 1530		•	•		1roll x 1000m	⇨ Indent >> Ready Width Length 2000m >> 1000m & 2000m MOQ 1roll x 1530mm x 2000m >> 1roll x 1000m
ADS1479	45mic Gloss Silver Shrink PVC	Permanent	PET	HCD HND	Indent		1070				•	1 roll x 1070mm x 3000m	
☆ ADS1583	2M WH PET TC	S8020EX	BG45WH	HCD HND	Indent		1070			•		1roll x 1070mm x 2000m	
☆ ADS1584	2M WH PET TC	P8030EX	BG50WH	HCD HND	Indent		1070			•		1roll x 1070mm x 2000m	
☆ MZS2601	50mic White PET TC	UP601	BG50WH	HCD HND	Indent		1530			•		1roll x 1530mm x 2000m	
☆ ADS1588	2mil MAT CH PET TC	S8020EX	BG45WH	HCD HND	Indent		1070			•		1roll x 1070mm x 2000m	

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Vietnam Ltd.

Phone: + 84 28 37655678

Fax: + 84 28 37657934

Email: advcustservice@ap.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2022 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.