

Product Services Guide

Vietnam
Q3, 2024



How to read the Product Services Guide

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	HCD	EXACT	✓		•	•			1 roll x 1000m	
				HND	EXACT	✓		•				1 roll x 1000m	
AW0379F-N	▲ MC Elite FSC	S2025N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC		Indent		1525		•	•		1 roll x 1525mm x 1000m	

☆ New ▲ FSC® Certified ▷ Transition

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the adhesive used in the construction.

Liner:

Identifies the liner used in the construction.

FSC® Certified Products:

Products that have been certified by the Forest Stewardship Council® are marked with this symbol ▲



The mark of responsible forestry

Stocking Location:

The AD site the product is stocked in

Service Program:

The service program details how the product is sold to the market.

- **Full Deckle**

Signifies the product is sold with the complete web width. The trim will be charged, but not dispatched unless requested on your purchase order.

- **EXACT**

Fasson EXACT™ is sold in any width with fixed length that vary for each program. For oneoff or regular orders, discuss with your Avery Dennison representative to ensure product availability.

- **Ready Width**

Fasson Ready Width offers slit rolls in set widths and lengths.

- **Indent**

We can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times may apply.

Stock Keeping:

Signifies if the item is stock keeping products or non stock keeping products.

Width

Identifies the available width(s)

Length:

Identifies the length in linear meters, offered in a service program

Minimum Order Quantity (MOQ):

Minimum quantity that must be ordered in square meters. MOQ is determined by multiplying the number of rolls by width by length.

e.g.: MOQ – 1roll x 1525mm x 2000m
Available Length – 1000m / 2000m

Options of Minimum Order Quantity:

A. 2rolls x 1525mm x 1000m

B. 1rolls x 1525mm x 2000m

Remarks:

▷ Product Transition – signifies changes in Item code, MOQ, Width, Length or Service Program

☆ New Product – signifies new items being offered

Service Policy

This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison.

Ordering Point

Ho Chi Minh City

Customer Service Department, Avery Dennison Vietnam Ltd.

Phone: + 84 28 37655678

Fax: + 84 28 37657934

Email: advcustservice@ap.averydennison.com

Hanoi

Customer Service Department,

Branch of Avery Dennison (Vietnam) Ltd in Bac Ninh

Phone: +84 222-6565-222

Fax: +84 222 6565 111

Email: hanoics@averydennison.com

Delivery Service

Product Type		Cut-off Time	Delivery
Stock Keeping Products	EXACT	Before 4:00 PM	Next working day
		After 4:00 PM	Day after next working day
	Non-EXACT	Before 10:00 AM	Same working day
		After 10:00 AM	Next working day
Non Stock Keeping Products	As per plant delivery lead times		Indent items
	Sheet Product	Before 4.00pm	Day after next working day

Requirements and Standards

This Service Policy is accurate at the time of publication and is subject to change at the discretion of Avery Dennison.

Forecast and Availability

Demand impacts supply availability. To ensure goods arrive as per lead time, please provide a forecast to our Sales representatives.

Purchase Order

Duly approved order with product code, description, size, quantity and delivery schedule.

Order Acknowledgment

To be acknowledged on the same working day.

Minimum Order Value

500m² per delivery. Otherwise, transportation charges will be imposed.

Order Cancellation / Changes

Non stock keeping product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.

Indent Orders / Blanket Orders

All goods to be shipped out and invoiced within one month upon arrival of goods.

Core Inside Diameter

77mm core, ±0.15mm

Roll Labels

Outside of the rolls and inner core

Minimum Slit Widths

60mm

Roll Length Tolerance

±5%

Slit Roll Width Tolerance

±1mm

Splice Quantity Indication

Printed on roll labels

Maximum Number of Splices

Length	Paper	Film
500m	1	1
1000m	2	1
1500m	2	2
2000m	2	2
3000m	2	2

Packaging

Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate upcharges.

Prime Paper

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Cast Coat													
AW0153	▲ High Gloss Paper FSC	S2090	▲ BG40Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 2000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
Machine Coat													
AW0331F	▲ Fascoat 2 FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•	•	1 roll x 1000m	
				HND	EXACT	✓			•			1 roll x 1000m	
AW0332F	▲ Fascoat 2 FSC	S2090	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 2000m	
AW0339F	▲ Fascoat 2 FSC	S1010	▲ BG40Wh FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
SW7325F	▲ Fascoat 2 FSC	S2420	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
				HND	EXACT	✓			•	•		1 roll x 1000m	
SW7329F	▲ Fascoat 2 FSC	S1010	▲ rCCK80Wh Imp	HCD HND	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
AW0416F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
AW0417F	▲ MC Primecoat GP FSC	S2025N	▲ BG40Wh FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
AW0421F	▲ MC Elite FSC	S2025N	▲ BG33Wh FSC	HCD	EXACT	✓			•			1 roll x 1000m	
				HND	EXACT	✓			•			1 roll x 1000m	
AW0422F	▲ MC Primecoat GP FSC	S1010	▲ BG40Wh FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
				HND	EXACT	✓			•			1 roll x 1000m	
AW0450F	▲ MC Primecoat GP FSC	S2010N	▲ BG33Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
				HND	EXACT	✓			•			1 roll x 1000m	
AW0379F-N	▲ MC Elite FSC	S2025N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
AW0501F	▲ rMC Primecoat FSC	S1010	▲ BG33Wh Imp FSC		Indent		1525		•	•		1 roll x 1525mm x 1000m	
AW0502F	▲ rMC Primecoat FSC	S2010N	▲ BG33Wh Imp FSC		Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
Vellum													
AW0289F	▲ Vellum Elite FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
AW0520F-VN	▲ Vellum Elite FSC	S1010	▲ BG40BI FSC	HCD HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
AW0326F	▲ Vellum Elite FSC	S2492	▲ rCCK80Wh	HCD	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
SW7014F	▲ Vellum Elite FSC	S1002	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
SW7330F	▲ Vellum Elite FSC	S2090	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	

Prime Paper

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Vellum (continued)													
AW1418F	▲ WOODFREE 70 FSC	AP104	▲ BG40#WHITE NI	HCD HND	Full Deckle	✓	1530		•			1 roll x 1530mmX 1000m	
AW0418F	▲ Vellum Paper FSC	S2025N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•	•		1 roll x 1525mmX 1000m	

☆ New ▲ FSC® Certified ▷ Transition

Specialty Paper

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Cast Coat													
AW0361N.1200	High Gloss Paper	R450	▲ BG40Wh Imp FSC		Indent		1200		•			1 roll x 1200mm x 2000m	
Machine Coat													
SW7053F	▲ LW 60 FSC	S2090	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
AW0362F.1200	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1200		•			1 roll x 1200mm x 1000m	
☆ AW0362F.1000	▲ Fascoat Elite FSC	R450	▲ BG40Wh Imp FSC	HCD HND	Indent		1000		•			1 roll x 1000mm x 1000m	
SW7045AF	▲ Fascoat 2 PB FSC	S2090	▲ BG40Wh Imp FSC		Indent		1000		•			1 roll x 1000mm x 2000m	
SW7038F	▲ Fascoat 2 PB FSC	S2420	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000		•	•		1 roll x 1000mm x 1000m	
Uncoated													
AW0363F.1200	▲ Vellum Elite FSC	R450	▲ BG40Wh Imp FSC		Indent		1200		•			1 roll x 1200mm x 2000m	
AW0401F.1000	▲ Radiant Red FSC	M3000	B100		Indent		1000		•			1 roll x 1000mm x 2000m	
AW0402F.1000	▲ Radiant Orange FSC	M3000	B100		Indent		1000		•			1 roll x 1000mm x 2000m	
AW0403F.1000	▲ Radiant Green FSC	M3000	B100		Indent		1000		•			1 roll x 1000mm x 2000m	
AW0404F.1000	▲ Radiant Yellow FSC	M3000	B100		Indent		1000		•			1 roll x 1000mm x 2000m	
AW0405F.1000	▲ Radiant Pink FSC	M3000	B100		Indent		1000		•			1 roll x 1000mm x 2000m	
F45520.1000	▲ Rad Yellow FSC	S2090	BG40WHN		Indent		1000		•			1 roll x 1000mm x 2000m	
F45521.1000	▲ Rad Orange FSC	S2090	BG40WHN		Indent		1000		•			1 roll x 1000mm x 2000m	
F45522.1000	▲ Rad Green FSC	S2090	BG40WHN		Indent		1000		•			1 roll x 1000mm x 2000m	

☆ New ▲ FSC® Certified ▷ Transition

Specialty Paper

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Uncoated (continued)													
F45523.1000	▲ Rad Red FSC	S2090	BG40WHN		Indent		1000			•		1 roll x 1000mm x 2000m	
F45524.1000	▲ Rad Pink FSC	S2090	BG40WHN		Indent		1000			•		1 roll x 1000mm x 2000m	
AW1579CF	▲ Lasercopy Jet	LP435	CCK85	HCD	Full Deckle	✓	1530			•	•	1 roll x 1530mm x 1000m	
Direct Thermal													
SW7082F	▲ Direct Thermal 200GP FSC	R423	▲ BG40BI FSC		Indent		1000			•		1 roll x 1000mm x 2000m	
SW7075F	▲ Direct Thermal 200GP PB FSC	S2090	▲ BG40Wh Imp FSC	HCD	Full Deckle	✓	1000			•		1 roll x 1000mm x 1000m	
Thermal Transfer													
MW0068F.1000	▲ Transtherm 2C FSC	R450	▲ BG40Wh Imp FSC	HCD HND	Indent		1000			•		1 roll x 1000mm x 2000m	
Others													
SW7339F	Bright Silver Foil Prime	M3300	▲ BG40Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 1000m	
OW2150	Matte Inkjet Paper	AP103	BG40 Wh Imp		Indent		1070			•		1 roll x 1070mm x 1000m	

☆ New ▲ FSC® Certified ▷▷ Transition

Variable Information Printing

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Direct Thermal													
NW0033F	▲ Direct Thermal Premium FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 1000m	
				HND	Full Deckle	✓	1525		•	•	•		1 roll x 1525mm x 500m
NW0045F-N	▲ Direct Thermal 150RL FSC	S2025N	▲ BG40Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 1000m	
				HND	Full Deckle	✓	1525		•	•	•		1 roll x 1525mm x 500m
NW0066F	▲ Direct Thermal 150RL FSC	S2010N	▲ BG33Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 1000m	
				HND	Full Deckle	✓	1525		•	•	•		1 roll x 1525mm x 500m
NW0080F	▲ Direct Thermal 200GPL FSC	S2010N	▲ BG33Wh Imp FSC	HCD HND	EXACT	✓				•		1 roll x 1000m	
NW0055F	▲ Direct Thermal 200GP FSC	S1010	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 1000m	

☆ New ▲ FSC® Certified ▷▷ Transition

Variable Information Printing

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Direct Thermal (continued)													
NW0056F	▲ Direct Thermal 200GP FSC	S2025N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
NW0072F	▲ rDirect Thermal 300LD FSC	S2010N	▲ BG33Wh Imp FSC	HCD	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
NW0083F	▲ Direct Thermal 200LL FSC	S2025N	▲ BG33Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	Adhesive S1712N ▶▶ S2025N
Thermal Transfer													
MW0052F	▲ Transtherm 2C FSC	S2090	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
MW0066F	▲ Transtherm Plus FSC	S1010	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
MW0069F	▲ Transtherm Plus FSC	S2025N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 1000m	
MW0074F	▲ Transtherm 2C FSC	S2010N	▲ BG33Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 1000m	

☆ New ▲ FSC® Certified ▶▶ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Synthetic Paper													
BW0153	Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	HCD HND	EXACT	✓			•			1 roll x 1000m	
BW0264	Synthetic Paper 65	S4700N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
BW0270	3 Mil Synthetic Paper	S4700N	▲ BG40Wh Imp FSC	HCD HND	EXACT	✓			•			1 roll x 1000m	
BW7005	PP Top Matte White	S692N	▲ BG33Wh Imp FSC	HCD HND	EXACT	✓			•			1 roll x 1000m	
BW7101	LW Synthetic Paper	S692N	▲ BG33Wh Imp FSC	HCD HND	EXACT	✓			•			1 roll x 1000m	

☆ New ▲ FSC® Certified ▶▶ Transition

Prime Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keepig	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Rigid White													
BW7032	rPP Top White	S692N	▲ BG33Wh Imp FSC	HCD	EXACT	✓		•				1 roll x 2000m	
				HND	Indent		1525	•	•	•		1 roll x 1525mm x 500m	
BW7087	rPP Top White	S7210	▲ BG33Wh Imp FSC		Indent		1525		•	•		1 roll x 1525mm x 1000m	
BW0174	PPNg Top Pearalized White	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•	•			1 roll x 1000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
BW0255SN	PP60 Top Pearalized White	SR3013N	▲ BG33Wh Imp FSC	HCD HND	Full Deckle	✓	1525			•		1 roll x 1525mm x 2000m	
BW7040	PP60 Top Pearalized White	SR3013	rPET23		Indent		1525			•		1 roll x 1525mm x 2000m	
BW7004	PP60 Top White	S692N	▲ BG40Wh Imp FSC	HCD	Full Deckle	✓	1525		•			1 roll x 1525mm x 1000m	
BW0227	PP50 Top White	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 2000m	
BW7053	PP50 Top Pearalized White	S3010N	▲ BG33Wh Imp FSC	HCD HND	Full Deckle	✓	1525			•		1 roll x 1525mm x 2000m	
BW7054	PP50 Top Pearalized White	SR3013	▲ BG33Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
BW0293	Opalux 55	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓		•				1 roll x 1000m	
Rigid Clear													
BW0062C	PPNg Top Trans	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 2000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
BW0266A	PP50 TC Clear	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•			1 roll x 2000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
BW0237N	PPNg Top Trans	S692N	PET23	HCD	Full Deckle	✓	1505		•	•		1 roll x 1525mm x 1000m	
BW7090	PPNg Top Trans	S7210	rPET30		Indent		1525			•		1 roll x 1525mm x 2000m	
☆ BW7072	PP50 Top Trans	SR3013N	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
☆ BW7081	PP50 Top Trans	SR3013N	rPET23		Indent		1525			•		1 roll x 1525mm x 2000m	
BW7017	PP40 Top Clear	S692N	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
BW7092	PP40 Top Clear	S7210	▲ BG40Wh Imp FSC		Indent		1525		•	•		1 roll x 1525mm x 2000m	
BW7026	PP40 Top Clear	S631	rPET23	HCD	EXACT	✓			•			1 roll x 2000m	
BW7056	PP40 Top Clear	SR3013N	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
BW7055	PP40 Top Clear	SR3013N	rPET23		Indent		1525			•		1 roll x 1525mm x 2000m	



New



Transition

Prime Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keepig	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Rigid Clear (continued)													
BW7000	PP50 NTC Clear	S692N	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
SY7025N	Overlaminating Matte PP	S6800	▲ BG40Wh Imp FSC	HCD	Full Deckle	✓	1525			•		1 roll x 1525mm x 1000m	
BW0112N	Overlaminating Gloss PP	S6800	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525	•	•			1 roll x 1525mm x 500m	
Rigid Silver													
BW0148	PPNg Top Silver	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 2000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
BW0272	PPTC Silver Elite	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓			•	•		1 roll x 2000m	
				HND	Full Deckle	✓	1525	•	•	•		1 roll x 1525mm x 500m	
Semi Conformable White													
BW0184	Global Co-Ex™ White NTC	S692N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
BW7022	Flex+ White NTC	S692N	▲ BG33Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 2000m	
BW7022A	Flex+ White NTC	S692N	▲ BG40Wh Imp FSC	HCD	Full Deckle	✓	1525			•		1 roll 1525mm x 2000m	
☆ BW7023	Flex+ White NTC	S692N	PET23		Indent		1525			•		1 roll x 1525MM X 2000m	
BW7051	CleanFlake Flex+ White	SR3013	▲ BG33Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
Semi Conformable Clear													
BW0150	FasClear® 300	S692N	▲ BG40Wh Imp FSC	HCD HND	Full Deckle	✓	1000			•	•	1 roll x 1000mm x 1000m	
BW7016A	Flex+ Clear NTC	S692N	▲ BG340Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 2000m	
BW7020	Flex+ Clear NTC	S692N	PET23		Indent		1525			•		1 roll x 1525MM X 2000m	
BW7039	CleanFlake Flex+ Clear	SR3013	▲ BG33Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
BW7042	CleanFlake Flex+ Clear	SR3013	rPET23		Indent		1525			•		1 roll x 1525mm x 2000m	
Conformable White													
BW0064	PE85 Top White	S692N	▲ BG40Wh Imp FSC	HCD	EXACT	✓				•		1 roll x 2000m	
BW0147C	PE85 NTC White	S692N	▲ BG40Wh Imp FSC	HCD HND	EXACT	✓				•		1 roll x 2000m	
BW0291	PE75 NTC White	S692N	▲ BG33Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
Conformable Clear													
BW0146C	PE85 NTC Trans	S692N	▲ BG40Wh Imp FSC	HCD HND	EXACT	✓				•		1 roll x 2000m	
BW0290	PE75 NTC Trans	S692N	▲ BG33Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
Conformable Silver													
BW9320A	Bright Silver PE85 TC	AF101	▲ BG40Wh Imp FSC		Indent		1000			•		1 roll x 1000mm x 2000m	

Specialty Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Synthetic Paper													
SY7050N.1000	Synthetic Paper	R480	▲ BG40Wh Imp FSC		Indent		1000			•		1 roll x 1000mm x 2000m	
BW0213A	WHTPPMATTC	S692N	GW80		Indent		1065			•		1 roll x 1065mm x 2000m	
BW0278N	Synthetic Paper TR75	C2076	▲ BG40Wh Imp FSC	HCD	Full Deckle ✓		1525			•		1 roll x 1525mm x 1000m	
SY7022	Synthetic Paper II	C7501	▲ BG40Wh Imp FSC	HCD	Full Deckle ✓		1000			•	•	1 roll x 1000mm x 1000m	
SY7122	WBIJ Synthetic Paper	S4700F	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
SY7151	WBIJ Synthetic Paper	S4700F	▲ CCK55 IMP FSC		Indent		1000			•		1 roll x 1000mm x 1000m	
SY7154	rPP Synthetic paper	S2800	▲ BG40Wh Imp FSC	HCD	Indent		1525			•		1 roll x 1525mm x 1000m	
				HND	Indent		1525	•	•	•		1 roll x 1525mm x 500m	
BW7567	Synthetic Paper 7 TC	SR133	BG50#Wh Ni	HCD	Full Deckle ✓		1070			•		1 roll x 1070mm x 2000m	
BW5200	Synthetic paper NTC	UR106	BG50#WH imp		Indent		1530			•		1 roll x 1530mm x 1000m	
Rigid White													
SY7051N	PPNg Top White	R480	▲ BG40Wh Imp FSC	HCD	Full Deckle ✓		1525			•		1 roll x 1525mm x 1000m	
SY7138	WBIJ PP Top Gloss White	S4700F	▲ BG40Wh Imp FSC		Indent		1000			•		1 roll x 1000mm x 2000m	
SY7152	WBIJ PP Top Gloss White	S4700F	▲ CCK55 IMP FSC		Indent		1000			•		1 roll x 1000mm x 1000m	
SY7131	PPNg Top Pearlized White	S2800	▲ BG40Wh Imp FSC		Indent		1000			•		1 roll x 1000mm x 2000m	
Rigid Clear													
SY7049.1000	PPNg Top Trans	R480	▲ BG40Wh FSC		Indent		1000			•		1 roll x 1000mm x 2000m	
SY7133	PPNg Top Trans	S2800	▲ BG40Wh Imp FSC		Indent		1000			•		1 roll x 1000mm x 2000m	
BW7569	50um BOPP Clear TC	SR133	BG50#Wh Ni		Indent		1530			•		1 roll x 1530mm x 2000m	
BWS1296	50uClear BOPPTC	S4905	P95White imp		Indent		1530				•	1 roll x 1530mm x 3000m	
BW5201	Clear BOPPTC	UR106	BG50#WH imp		Indent		1530			•		1 roll x 1530mm x 1000m	
Semi Conformable White													
SY7008	Transcode Plus White	C7501	▲ BG40Wh Imp FSC		Indent		1000			•		1 roll x 1000mm x 2000m	
SY0047L	TransCode White Plus	S4905L	BG50Wh	HCD HND	Full Deckle ✓		1530			•	•	1 roll x 1530mm x 2000m	
SY0039L	TransCode White Plus	S4905L	P140Wh Imp		Indent		1530			•	•	1 roll x 1530mm x 2000m	



New



FSC® Certified



Transition

Specialty Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keepig	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
Semi Conformable White (continued)													
SY0046A	TransCode White Plus	R115	P140Wh Imp	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 1000m	
SYS078HL	60u Apparel Film White BHT free	S4905L	P140 whi	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 1000m	
SYS082	60u Apparel Film White BHT free	R115	P95White i	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 1000m	
SYS080L	60u Apparel Film White BHT free	S4905L	BG50#White imp		Indent		1530		•	•		1 roll x 1530mm x 1000m	
Semi Conformable Clear													
SY0053B	TransCode Clear Plus	S4905L	50# Brown ni	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 1000m	
SY0038L	TransCode Clear Plus	S4905L	P140Wh Imp		Indent		1530		•	•		1 roll x 1530mm x 1000m	
SY0054B	TransCode Clear Plus	R115	50# Brown ni	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 1000m	
SY0048A	TransCode Clear Plus	R115	P140Wh Imp	HCD	Full Deckle	✓	1530		•			1 roll x 1530mm x 1000m	
SY0077HL	Fasson 60u Apparel Film Clear	S4905L	P140White	HCD	Full Deckle	✓	1530		•	•		1 roll x 1530mm x 1000m	
Conformable White													
SY7179	PE HD TAMPER EVIDENT	S700N	▲ BG40Wh Imp FSC		Indent		1525		•			1 roll x 1525mm x 1000m	
SY7123	PE75 White NTC	S477A.MB	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
Conformable Clear													
SY7188	PE75 Trans NTC	S477A.MB	▲ BG40Wh Imp FSC		Indent		1525			•		1 roll x 1525mm x 2000m	
Polyester (PET) Clear													
BW7603	50um Clear PET TC	SR123	BG50#Wh Ni		Indent		1070			•		1 roll x 1070mm x 2000m	
BW7534	100u Clear PET TC	SR123	80g glassine liner Imp		Indent		1000			•		1 roll x 1000mm x 1000m	
BWS1324	45um PET TC	S6000	PET30 ni		Indent		1000			•		1 roll x 1000mm x 2000m	
Direct Thermal													
F71588.1000	Polythermal	SR2	BG40WHN		Indent		1000			•		1 roll x 1000mm x 2000m	
F72673	DT300BL	S2049	BG40WHN		Indent		1525		•			1 roll x 1525mm x 1000m	
Holographic													
SY7067	Iridescent TC	S692N	▲ BG40Wh Imp FSC		Indent		1000		•			1 roll x 1000mm x 1000m	
BWS484	50u BOPP plain Holography TC	S692N	BG40#Whit		Indent		1070			•		1 roll x 1070mm x 2000m	



New



FSC® Certified



Transition

Durable Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
MZ0111	1M CL PET TC	S8020	PET30	HCD HND	Full Deckle	✓	1505		•			1 roll x 1505mm x 1000m	
MZ0111N	1M CL PET TC	S8020	BG40Wh Imp		Indent		1525			•		1 roll x 1000mm x 2000m	
MZ1081	1M Clear PET TTR	S8020	PET23	HCD HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
MZ0082G	CLPET16TCY	S8020D	PET23		Indent		1065			•		1 roll x 1065mm x 2000m	
BW6050	CL PET16	S692D	BG40BLUE	HCD HND	Full Deckle	✓	1065		•			1 roll x 1065mm x 1000m	
MZ1067A	CLPET50TC	S8020	G80	HCD	Full Deckle	✓	1065			•		1 roll x 1065mm x 2000m	
MZ0102	2M WH PET TC	S333	BG50Wh	HCD HND	Full Deckle	✓	1000	•	•	•		1 roll x 1000mm x 500m	
MZ0312	2M White PET TC	S2025	▲BG50Wh FSC	HCD	Full Deckle	✓	1530	•				1 roll x 1530mm x 500m	
MZ0212	2M WH PETC TC	S369	BG50Wh Imp	HCD	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 500m	
MZ1019B	2MWHPETTCY	SP4200	GB	HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
MZ1061J1	2MWHTPETTCY	SP4200	G60EM	HND	Full Deckle	✓	1065	•				1 roll x 1065mm x 500m	
MZ0328	75uMatte White PET TC	S333E	Embossed Polycoated Liner		Indent		1070			•		1 roll x 1070mm x 2000m	
MZ0104	2M MAT CH PET TC	S333	BG50Wh	HCD HND	Full Deckle	✓	1000	•	•			1 roll x 1000mm x 500m	
MZ0084	2M Matte Ch PET TC3	S8005	GB		Indent		1065			•		1 roll x 1065mm x 2000m	
MZ2000W	1M Matte White PI HTC	S8088S	BG50Wh	HND	Ready Width	✓	250, 500					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
MZ2001W	1M Gloss White PI HTC	S8088S	BG50Wh		Ready Width		250, 500					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
MZ2002W	2M Matte White PI HTC	S8088S	BG50Wh		Ready Width		250, 500					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
MZ2003W	2M Gloss White PI HTC	S8088S	BG50Wh	HND	Ready Width	✓	250, 500					1 roll x 250mm x 250m	6-8 weeks lead time if stock is out
MZ0098.1000	50micron Matte White Polyester TC	S333	BG50Wh Imp		Indent		1000		•	•		1 roll x 1000mm x 1000m	
MZ0363	50um White FR PET TCY	S8025	BG50Wh		Indent		1070			•		1 roll x 1070mm x 2000m	
SD8310.1525	PPNg Top White	TS79N	BG50Wh double silicone liner	HCD HND	Full Deckle	✓	1525		•	•		1 roll x 1525mm x 1000m	
SY5010N.1525	Barrier Foil 25mic WH PET	TS79N	rCCK80		Indent		1525			•		1 roll x 1525mm x 2000m	
BW9664.1000	3mil Synthetic Paper	S333	BG50Wh	HND	Full Deckle	✓	1000			•		1 roll x 1000mm x 2000m	
MZS1327	2M Matte Ch PET TC	S369	BG50#White		Indent		1530		•			1 roll x 1530mm x 1000m	

Durable Film

Item	Facestock	Adhesive	Liner	Stocking Location	Service Program	Stock Keeping	Width (mm)	Length (m)				MOQ	Remark
								500	1000	2000	3000		
SW8546	2M Matte Ch PET TC	S6182	BG40 WH IMP		Indent		1500			•		1 roll x 1500mm x 2000m	
ADS1583	2M WH PET TC	S8020EX	BG45WH		Indent		1000	•	•	•		1 roll x 1070mm x 2000m	
ADS1584	2M WH PET TC	P8030EX	BG50WH		Indent		1070	•	•	•		1 roll x 1070mm x 2000m	
ADS1588	2mil MAT CH PET TC	S8020EX	BG45WH		Indent		1070	•	•	•		1 roll x 1070mm x 2000m	
ADS1621	1mil Clear PET TC	S8022	PET23		Indent		1070			•		1 roll x 1070mm x 2000m	
MZS2601	50mic White PET TC	UP601	BG50WH		Ready Width		255, 1530		•	•		1 roll x 255mm x 1000m	
ADS1479	45mic Gloss Silver Shrink PVC	Permanent	PET		Indent		1070			•		1 roll x 1070mm x 3000m	

☆ New FSC® Certified ▷ Transition

Conditions of Sale

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 Days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Select Solutions™ Mix & Match™ Product Guide



The versatile way to choose your label solutions

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast! Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foil films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, timely pricing, and speedy delivery you expect.

The Select Solutions Mix & Match service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Mix & Match allows label converters to request a precise combination of face material, adhesive, and release liner. It opens up whole new opportunities to innovate and differentiate.

As with all Avery Dennison products, extensive support comes as standard for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application.

Engineered Solutions

New Ideas
New Approaches
New Products
New Opportunities

Engineered Solutions is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging industry's most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients' needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers' unique challenges.

Avery Dennison Vietnam Ltd.

Phone: + 84 28 37655678

Fax: + 84 28 37657934

Email: advcustservice@ap.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2024 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.