



Label and Packaging Materials Product Services Guide

Malaysia

Quarter 4, 2018

HOW TO READ THE PRODUCT SERVICES GUIDE

Welcome to the Q4, 2018 Product Services Guide for Avery Dennison Label and Packaging Materials Malaysia. This guide is a single easy-to-read document that informs you about our product portfolios.

Item Number	Item Description			Service Program	Length (m)				Width (mm)	MOQ	Remarks
	A Facestock	B Adhesive	C Liner		500	1000	2000	3000			
PRIME PAPER											
AW0289	Vellum Elite	S1010	BG40Wh Imp	EXACT	•	•			EXACT	1 roll x 500m	
AW0334	Vellum Elite	S1010	CCK80Wh Imp	EXACT	•	•			EXACT	1 roll x 500m	
AW0321	Vellum Elite	S2420	BG40Wh Imp	Stock	•				1525	1 roll x 1525mm x 500m	
SW7327	Vellum Elite	S2420	CCK80Wh Imp	Stock	•				1525	1 roll x 1525mm x 500m	
SW7053F	LW 60 FSC	S2090	BG40Wh Imp	Stock	•				1000	1 roll x 1000mm x 500m	
AW0343F	MC Elite FSC	S1005	BG40Wh	EXACT		•			EXACT	1 roll x 1000m	

1. Item Number

The item number identifies the product on your delivery documents and invoices

2. Item Description

- A. Facestock - Identifies the facestock used in the construction
- B. Adhesive - Identifies the particular adhesive used in the construction
- C. Liner - Identifies the particular liner used in the construction

3. Service Program

The service program details how the product is supplied to the market

Stock

Stock signifies the product is sold with the complete web width and the minimum length is either 500 meters or 1000 meters

Fasson EXACT®

EXACT items are sold in any width, with fixed lengths that vary for each program

Fasson Ready Width

Ready Width is a program that offers slit rolls in set widths and lengths

To Forecast

Manufacture to a written forecast as agreed between the customer and Avery Dennison

Indent

Avery Dennison is a global business – we can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times apply






4. Length / Width

This identifies the length and various widths of rolls available for order as part of this service program

5. Minimum Order Quantity (MOQ)

The Minimum Order Quantity is determined by multiplying width with length

Legend

	Stock		To Forecast
	EXACT		Indent
	Ready Width		

SERVICE POLICY

Ordering Information

1. Ordering Point

All orders to be placed to Avery Dennison Materials Sdn. Bhd. Customer Service Department by:

Direct Line: + 60 3 8727 9800
 Phone: + 60 3 8727 9888
 Fax: + 60 3 8727 9801
 Email: admcustservice@ap.averydennison.com

2. Delivery Service

PRODUCT TYPE		CUT OFF TIME	DELIVERY
i) Stock Keeping Products	EXACT	Before 10.00am	Same Working Day (Central region)
		Before 11.00am	Same Working Day (Northern & Southern region)
		Before 4.30pm	Next Working Day
	Non EXACT	Before 4.30pm	Next Working Day
		After 4.30pm	Day After Next Working Day
ii) Non Stock Keeping Products	As per plant delivery lead times	Indent items	

3. Requirement Condition Standard

Purchase Order	All Materials	Duly approved order with product code, description, size, quantity and delivery schedule.																		
Order Acknowledgement	All Materials	To be acknowledged on the same working day.																		
Minimum Order Quantity	All Materials	RM500 per delivery. Otherwise, transportation charges will be imposed.																		
Order cancellation / Changes	All Materials	Non Stock Keeping Products orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled.																		
Indent Orders / Blanket Orders	All Materials	All goods to be shipped out and invoiced upon arrival of goods at local distribution center.																		
Inner Core Diameter	All Materials	76.2mm core, +/-0.5mm																		
Roll Labels	All Materials	Outside of the rolls and inner core																		
Minimum Slit Widths	All Materials	50mm																		
Roll Length Tolerance	All Materials	+/- 5%																		
Slit Roll Width Tolerance	All Materials	+/- 1mm																		
Splice Quantity Indication	All Materials	Printed on roll labels																		
Maximum Number of Splices	All Materials	<table border="1"> <thead> <tr> <th>LENGTH</th> <th>PAPER</th> <th>FILM</th> </tr> </thead> <tbody> <tr> <td>500m</td> <td>1</td> <td>1</td> </tr> <tr> <td>1000m</td> <td>1</td> <td>1</td> </tr> <tr> <td>1500m</td> <td>1</td> <td>2</td> </tr> <tr> <td>2000m</td> <td>2</td> <td>2</td> </tr> <tr> <td>3000m</td> <td>2</td> <td>2</td> </tr> </tbody> </table>	LENGTH	PAPER	FILM	500m	1	1	1000m	1	1	1500m	1	2	2000m	2	2	3000m	2	2
LENGTH	PAPER	FILM																		
500m	1	1																		
1000m	1	1																		
1500m	1	2																		
2000m	2	2																		
3000m	2	2																		
Packaging		Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate up-charges.																		
Damage Roll		Complaint lodged within 3 working days from delivery date, full compensation will be made. Complaint lodged within 4-10 working days from delivery date, compensation will be made on damaged portions.																		

"This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison".

CONDITIONS OF SALE

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

Item Number	Item Description			Service Program	Length (m)				Width (mm)	MOQ	Remarks
	Facestock	Adhesive	Liner		500	1000	2000	3000			
PRIME PAPER											
AW0289P	Vellum Elite	S1010	BG40Wh Imp	EXACT	•	•			EXACT	1 roll x 500m	Transitioned from AW0289
AW0334P	Vellum Elite	S1010	CCK80Wh Imp	EXACT	•	•			EXACT	1 roll x 500m	Transitioned from AW0334
AW0321P	Vellum Elite	S2420	BG40Wh Imp	Stock	•				1525	1 roll x 1525mm x 500m	Transitioned from AW0321
SW7327P	Vellum Elite	S2420	CCK80Wh Imp	Stock	•				1525	1 roll x 1525mm x 500m	Transitioned from SW7327
SW7053F	LW 60 FSC	S2090	BG40Wh Imp	Stock	•				1000	1 roll x 1000mm x 500m	
AW0343F	MC Elite FSC	S1005	BG40Wh	EXACT		•			EXACT	1 roll x 1000m	
AW0379F-N	MC Elite FSC	S2025N	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
AW0400F	MC Prime FSC	S1010	BG40Wh Imp	EXACT	•	•	•	•	EXACT	1 roll x 500m	
AW0407F	MC Prime FSC	S1010	CCK80Wh Imp	Stock	•				1525	1 roll x 1525mm x 500m	
AW0408F	MC Prime FSC	S2090	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
AW0406F	MC Prime FSC	S2420	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
SW7342F	MC Prime PB FSC	S2090	BG40Wh Imp	Stock		•			1000	1 roll x 1000mm x 1000m	
AW0378F-N	Fascoat 2 FSC	S2025N	BG40WH Imp	EXACT		•			EXACT	1 roll x 1000m	Transitioning to AW0416F, Dec 2018
AW0271	High Gloss Paper	S1010	BG40Wh Imp	EXACT	•	•	•	•	EXACT	1 roll x 500m	
AW0335	High Gloss Paper	S1010	CCK80 Imp	EXACT	•				EXACT	1 roll x 500m	
AW0153	High Gloss Paper	S2090	BG40Wh Imp	EXACT		•		•	EXACT	1 roll x 1000m	
SW7331	High Gloss Paper	S2420	BG40Wh Imp	EXACT		•	•		EXACT	1 roll x 1000m	
AW0312	High Gloss Paper	S2420	CCK80 Imp	Stock	•				1525	1 roll x 1525mm x 500m	
AW0380-N	High Gloss Paper	S2025N	BG40WH Imp	EXACT		•			EXACT	1 roll x 1000m	
AW0361N.1200	High Gloss Paper	R450	BG40Wh Imp	Ready Width	•				Ready Width	150mm, 170mm, 185mm, 200mm, 225mm, 240mm, 250mm	
F45520.1060	Rad Yellow FSC	S2090	BG40WHN	EXACT	•				EXACT	1 roll x 500m	
F45521.1060	Rad Orange FSC	S2090	BG40WHN	EXACT	•				EXACT	1 roll x 500m	
F45522.1060	Rad Green FSC	S2090	BG40WHN	EXACT	•				EXACT	1 roll x 500m	
F45523.1060	Rad Red FSC	S2090	BG40WHN	EXACT	•				EXACT	1 roll x 500m	
F45524.1060	Rad Pink FSC	S2090	BG40WHN	EXACT	•				EXACT	1 roll x 500m	
VARIABLE INFORMATION PRINTING											
NW0035AF	Direct Thermal Premium 3 FSC	S1010	BG40Wh Imp	EXACT	•	•			EXACT	1 roll x 500m	
NW0045F-N	Direct Thermal 150RL FSC	S2025N	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
SW7005AF	Baggage Tag Elite FSC	S2025N	BG40Wh	To Forecast					1525	1 roll x 1525mm x 6000m	
SY7009	Baggage Tag 300BA	S2025N	BG40Wh	To Forecast					1525	1 roll x 1525mm x 6000m	
MW0066F	Trantherm Plus FSC	S1010	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
MW1616F	Trantherm 2C FSC	S2090	BG40Wh	Stock		•			1525	1 roll x 1525mm x 1000m	
OW0003F.1060	LCJ Premium FSC	S2492	CCK55	Ready Width		•			210	1 roll x 210mm x 1000m	
OW2150	Matte Inkjet Paper	AP103	BG40 Wh Imp	Indent				•	1000	1 roll x 1070mm x 3000m	
OW2350	Gloss Inkjet Paper	AP103	BG40 Wh imp	Indent		•			1070	1 roll x 1070mm x 1000m	
OZ2120	100mic Inkjet Synthetic Paper	AF101	BG40Wh Imp	Indent		•			1070	1 roll x 1070mm x 1000m	
OZ2180	127u Inkjet Synthetic Paper Premium	S6600	BG40 Wh Imp	Indent		•			1530	1 roll x 1530mm x 1000m	
OZ2400	127u Inkjet Synthetic Paper	S333	BG40 Wh Imp	Indent		•			1530	1 roll x 1530mm x 1000m	
79580	2.6 Mil Synthetic Paper	S4600	50#SCK	Indent		•			1524	1 roll x 1524mm x 1500m	
ADS1399	5M Inkjet Synthetic Paper	S6600	BG40Wh Imp	Indent		•			1530	1 roll x 1530mm x 1000m	
79032	Matte White Inkjet Medical Film	P902	40#SCK	Indent		•			1524	1 roll x 1524mm x 1280m	
79348	5Mil Matte White Kimdura Inkjet	S4600	50#SCK	Indent	•				1524	1 roll x 1524mm x 508m	
ADS1378	WHTPPInkjet	AT20	G80	Indent				•	1065	1 roll x 1065mm x 1000m	

* Coming soon

Item Number	Item Description			Service Program	Length (m)				Width (mm)	MOQ	Remarks
	Facestock	Adhesive	Liner		500	1000	2000	3000			
SPECIALTY PAPER											
AW0363P.1200	Vellum Elite	R450	BG40Wh Imp	Stock	•				1200	1 roll x 1200mm x 500m	Transitioned from AW0363N.1200
AA031	MC Primecoat	R100	BG40Br Imp	To Forecast	•				1000	1 roll x 1000mm x 500m	
AW0362P.1200	Fascoat Elite	R450	BG40Wh Imp	EXACT	•				EXACT	1 roll x 1000m	
AW0355.1060	Bright Silver Foil	M3300	BG40Wh Imp	EXACT	•				EXACT	1 roll x 500m	
SW7050F	Direct Thermal Premium 2 FSC	R423	BG40Bl	To Forecast		•			1000	1 roll x 1000mm x 2000m	
MW0068F.1200	Trantherm 2C FSC	R450	BG40Wh Imp	Stock		•			1200	1 roll x 1200mm x 1000m	
F11970.1525	HGW	WLP	BG40WH NI	To Forecast				•	1525	1 roll x 1525mm x 6000m	
F11955.1525	HGW	WLP	PET23N	To Forecast				•	1525	1 roll x 1525mm x 6000m	
F12787.1525	Vintage	Z3338	BG40WH	To Forecast				•	1525	1 roll x 1525mm x 6000m	
F12788.1525	Vintage	Z3338	PET23N	To Forecast				•	1525	1 roll x 1525mm x 6000m	
F02886.1525	Estate #8 PE FSC	S2030	BG40WHN	To Forecast				•	1525	1 roll x 1525mm x 4500m	
F02887.1525	Estate # 8 PE FSC	S2030	PET30N	To Forecast				•	1525	1 roll x 1525mm x 4500m	
SW5003	Barrier Foil Semigloss Paper	TS79	P95 WH Imp	Indent				•	1070	1 roll x 1070mm x 2000m	
PRIME FILM											
BW0062N	PPNg Top Trans	S692N	BG40Wh Imp	EXACT	•	•			EXACT	1 roll x 1000m	
BW0266A	PP50 TC Clear	S692N	BG40Wh Imp	EXACT	•				EXACT	1 roll x 1000m	
BW0237	PPNg Top Trans	S692N	PET23	To Forecast	•				1525	1 roll x 1525mm x 1000m	
BW0230	PPNg Top Trans	S692N	PET30	Stock	•				1525, 505	1 roll x 500m	
BW0227	PP50 Top White	S692N	BG40Wh Imp	EXACT	•	•			EXACT	1 roll x 1000m	
BW0174	PPNg Top PearIALIZED White	S692N	BG40Wh Imp	EXACT	•				EXACT	1 roll x 1000m	
BW0243	PP50 Top Silver	S692N	BG40Wh Imp	EXACT	•				EXACT	1 roll x 1000m	
BW0272	PP TC Silver Elite	S692N	BG40Wh Imp	EXACT	•				EXACT	1 roll x 1000m	
BW0251	Opalux 65N	S692N	BG40Wh Imp	EXACT	•	•			EXACT	1 roll x 1000m	Transitioning to Opalux 55, Q1 2019
BW0236	PP30 Clear NTC	S692N	BG50Wh	EXACT	•				EXACT	1 roll x 500m	
SY7025N	Overlaminating Matte PP	S6800	BG40Wh Imp	Stock	•				1525	1 roll x 1525mm x 500m	
BW0112N	Overlaminating Gloss PP	S6800	BG40Wh Imp	EXACT	•				EXACT	1 roll x 500m	
BW0183	Global Co-Ex™ Clear NTC	S692N	BG40Wh Imp	Stock	•				1525	1 roll x 1525mm x 500m	
BW0321	Global MDO Clear NTC	S692N	PET23	To Forecast	•				1525	1 roll x 1525mm x 1000m	
BW0322	Global MDO White NTC	S692N	PET23	To Forecast	•				1525	1 roll x 1525mm x 1000m	
BW0064	PE85 Top White	S692N	BG40Wh Imp	Indent		•			1000	1 roll x 1000mm x 2000m	
BW0146	PE85 NTC Trans	S692N	BG40Wh Imp	EXACT	•				EXACT	1 roll x 1000m	
BW0147	PE85 NTC White	S692N	BG40Wh Imp	EXACT	•	•			EXACT	1 roll x 1000m	
BW9320	Bright Silver PE85	AF101	BG40Wh Imp	Indent		•			1000	1 roll x 1000mm x 2000m	Transitioning to BW9320A, Dec 2018
BW0150	FasClear® 300	S692N	BG40Wh Imp	Stock	•				1000	1 roll x 1000mm x 500m	
BW0151	Primax® 300	S692N	BG40Wh Imp	EXACT	•				EXACT	1 roll x 1000m	
SPECIALTY FILM											
BW0259	PP40 Top Matte White	S692N	BG40Wh Imp	Stock	•				1000	1 roll x 1000mm x 500m	
F31200.1000	Supalux	SR2	BG40Wh	Indent		•			1000	1 roll x 1000mm x 2000m	
SY7049.1200	PPNg Top Trans	R480	BG40Wh	Ready Width	•				295, 595, 1200	1 roll x 500m	
SY7051N.1200	PP50 Top White	R480	BG40Wh Imp	Ready Width	•				295, 595, 1200	1 roll x 500m	
SY7050N.1200	Synthetic Paper	R480	BG40Wh Imp	Ready Width	•				295, 595, 1200	1 roll x 500m	
AQ959	PP Light Top White	R1490M	BG40 WH	Indent		•			1000	1 roll x 1000mm x 2000m	
AO633	PP Light Top Clear	R1490M	BG40 WH	Indent		•			1000	1 roll x 1000mm x 2000m	
72197	TransCode®	S475	50#SCK	Indent	•				1372	1 roll x 1372mm x 500m	
BW0278	Synthetic Paper TR75	C2075	BG40Wh Imp	To Forecast	•				1525	1 roll x 1525mm x 1000m	
BW0279	PP50 Top White	S692N	B90	Stock	•				1000	1 roll x 1000mm x 500m	
BW0281	PPNG Top Trans	S692N	B90	Stock	•				1000	1 roll x 1000mm x 500m	
SY7022	Synthetic Paper II	C7501	BG40Wh Imp	Indent		•			1000	1 roll x 1000mm x 2000m	
SY7006	Polythermal	S692N	PET30	Indent		•			1000	1 roll x 1000mm x 2000m	

* Coming soon

Item Number	Item Description			Service Program	Length (m)				Width (mm)	MOQ	Remarks
	Facestock	Adhesive	Liner		500	1000	2000	3000			
DURABLE FILM											
BW0264	Synthetic Paper 65	S4700N	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
BW0153	Synthetic Paper	S4700N	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
BW0270	3 Mil Synthetic Paper	S4700N	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
BW0277	3 Mil Synthetic Paper	S2060	BG40Wh Imp	EXACT		•			EXACT	1 roll x 1000m	
BW0282	3 Mil Synthetic Paper	S4700N	B90	Stock	•				1000	1 roll x 1000mm x 500m	
MZ0111N	1M CL PET TC	S8020	BG40Wh Imp	EXACT	•				EXACT	1 roll x 500m	
MZ0111	1M CL PET TC	S8020	PET30	Indent			•		1000	1 roll x 1000mm x 2000m	
MZ0112	1M Matte PET	S8020	G80	EXACT	•				EXACT	1 roll x 500m	
MZ0102	2M White PET TC	S333	BG50Wh	EXACT	•				EXACT	1 roll x 500m	
MZ0212	2M WH PETC TC	S369	BG50WH	EXACT	•				EXACT	1 roll x 500m	
40443	2M White PET TC	S730	50#SCK ABC	Indent	•				1372	1 roll x 1372mm x 500m	
70353	2M White PET TC	R143	50#SCK	Indent	•				1372	1 roll x 1372mm x 500m	
MZ0098	50micron MAT WH PET TC	S333	BG50# WH ni	Indent			•		1070	1 roll x 1070mm x 500m	Transitioned from MZ0097
MZ0200	1M Matte Ch PET TC	S333	BG50Wh	EXACT	•				EXACT	1 roll x 500m	
MZ0104	2M Matte Ch PET TC	S333	BG50Wh	EXACT	•				EXACT	1 roll x 500m	
ADS1411	25mic Gloss White VOID PET TC	Transferable Permanent	BG50WH	Stock	•				267, 1070	1 roll x 267mm x 500m	
AMH3602	2M White VOID PET TC	Permanent	CK40	Indent	•				250	1 roll x 250mm x 500m	
LMH9602	2M Matte Chrome VOID PET	Permanent	CK40	Indent	•				250	1 roll x 250mm x 500m	
MZ2000W	25mic Matte White PI HTC	S8088S	BG50# WH ni	Indent	•				250	1 roll x 250mm x 500m	
MZ2001W	25mic Gloss White PI HTC	S8088S	BG50# WH ni	Indent	•				250	1 roll x 250mm x 500m	
MZ2002W	50mic Matte White PI HTC	S8088S	BG50# WH ni	Indent	•				250	1 roll x 250mm x 500m	
MZ2003W	50mic Gloss White PI HTC	S8088S	BG50# WH ni	Indent	•				250	1 roll x 250mm x 500m	
MZ0321	Polycarbonate	S333	30micron PET	Indent			•		1070	1 roll x 1070mm x 2000m	
75849	3 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent	•				1372	1 roll x 1372mm x 500m	
75850	5 Mil Velvet Lexan	S730	1.5 Mil Polyester	Indent	•				1372	1 roll x 1372mm x 500m	
MZ0469	125mic White PET TC	TS8018	50mic PET ni	Indent	•				500	1 roll x 500mm x 500m	
MZ0469A	125mic White PET TC	TS8018	BG50# Wh ni	Indent	•				500	1 roll x 500mm x 500m	
ADS1415	Tamperfas Vinyl Film	Permanent	BG50#WH ni	Ready Width	400m				1070, 267	80mm, 100mm, 120mm	
SYS008	PP Top NG White	TS80	80CCK Imp	Indent			•		1070	1 roll x 1070mm x 2000m	
SYS067	Barrier Foil 25mic White PET TC	TS80	BG50# Wh ni	Indent			•		1070	1 roll x 1070mm x 2000m	
SY5003N.1525	Barrier Foil 25 micron White PET TC	TS79	P140 WH	Indent			•		1525	1 roll x 1525mm x 2000m	
SD8310.1525	PPNg Top White	TS79	BG50Wh	Indent			•		1525	1 roll x 1525mm x 2000m	

* Coming soon



Select Solutions™ Mix & Match Product Guide

The versatile way to choose your label solutions

The Select Solutions Mix & Match Service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast!

Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foils films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, rapid pricing and delivery you expect.

Mix & Match allows label converters to request a precise combination of adhesive, face-material and release liner. It opens up whole new opportunities to innovate and differentiate. As with all Avery Dennison products, extensive support comes as standard, for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application



Engineered Solutions



New
Ideas

New
Approaches

New
Products

New
Opportunities

‘Engineered Solutions’ is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging materials industry’s most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients’ needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers’ unique challenges.

About Avery Dennison

Avery Dennison (NYSE: AVY) is a global materials science and manufacturing company specializing in the design and manufacture of a wide variety of labeling and functional materials. The company's products, which are used in nearly every major industry, include pressure-sensitive materials for labels and graphic applications; tapes and other bonding solutions for industrial, medical and retail applications; tags, labels and embellishments for apparel; and radio frequency identification (RFID) solutions serving retail apparel and other markets. Headquartered in Glendale, California, the company employs approximately 30,000 employees in more than 50 countries. Reported sales in 2017 were \$6.6 billion.

Learn more at www.averydennison.com

© 2018 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Personal and company names and other information on samples depicted are fictitious. Any resemblance to actual names and addresses is purely coincidental.

ASEAN 11/2018

label.sapssa.averydennison.com



Label and
Packaging Materials

South Asia Pacific and Sub-Saharan Africa

460 Alexandra Road
PSA Building, #28-02/03,
Singapore 119963
+65 6430 7000

North Asia

5th Floor, Hongye Park
1801 Hongmei Road,
Xuhui District 200233,
Shanghai, China
+86 21 33951888

Europe

Willem Einthovenstraat 11
2342 BH Oegstgeest2300
AA Leiden
The Netherlands
+31 85 000 2000

Latin America

Rodovia Vinhedo-
Viracopos, KM 77
CEP 13280-000
Vinhedo - SP, Brazil
+55 19 3876-7600

North America

8080 Norton Pkwy
Mentor, OH 44060
800.944.8511