



Label and Packaging Materials Product Services Guide

Thailand

Quarter 4, 2018

HOW TO READ THE PRODUCT SERVICES GUIDE

Welcome to the Q4, 2018 Product Services Guide for Avery Dennison Label and Packaging Materials Thailand. This guide is a single easy-to-read document that informs you about our product portfolios.

| Item Number | Item Description | | | Service Program | Length (m) | | | | Width (mm) | MOQ | Remark |
|--------------------|------------------|------------|------------|-----------------|------------|------|------|------|------------|-------------------------|--------|
| | A Facestock | B Adhesive | C Liner | | 500 | 1000 | 1500 | 2000 | | | |
| PRIME PAPER | | | | | | | | | | | |
| AW0289 | Vellum Elite | S1010 | BG40Wh Imp | EXACT | • | • | | | EXACT | 1 roll x 500m | |
| AW0321 | Vellum Elite | S2420 | BG40Wh Imp | To Forecast | | • | | • | 1525 | 1 roll x 1525mm x 1000m | |
| SW7053 | LW 60 | S2090 | BG40Wh Imp | To Forecast | | • | | • | 1000 | 1 roll x 1000mm x 1000m | |
| AW0339F | Fascoat 2 FSC | S1010 | BG40Wh | EXACT | • | • | | | EXACT | 1 roll x 1000m | |
| AW0331F | Fascoat 2 FSC | S1010 | BG40Wh Imp | EXACT | • | • | | | EXACT | 1 roll x 500m | |
| AW0333F | Fascoat 2 FSC | S1010 | BG40Bl Imp | Stock | | • | | • | 1000 | 1 roll x 1000mm x 1000m | |

1. Item Number

The item number identifies the product on your delivery documents and invoices

2. Item Description

- A. Facestock - Identifies the facestock used in the construction
- B. Adhesive - Identifies the particular adhesive used in the construction
- C. Liner - Identifies the particular liner used in the construction

3. Service Program

The service program details how the product is supplied to the market

Stock

Stock signifies the product is sold with the complete web width and the minimum length is either 500 meters or 1000 meters

Fasson EXACT®

EXACT items are sold in any width, with fixed lengths that vary for each program

Fasson Ready Width

Ready Width is a program that offers slit rolls in set widths and lengths

To Forecast

Manufacture to a written forecast as agreed between the customer and Avery Dennison

Indent

Avery Dennison is a global business – we can source constructions from around the world to meet your needs. Talk with your local Avery Dennison representative today to find an indent solution. Different MOQs and lead times apply






4. Length / Width

This identifies the length and various widths of rolls available for order as part of this service program

5. Minimum Order Quantity (MOQ)

The Minimum Order Quantity is determined by multiplying width with length

Legend

| | | | |
|--|-------------|---|-------------|
|  | Stock |  | To Forecast |
|  | EXACT |  | Indent |
|  | Ready Width | | |

SERVICE POLICY

Ordering Information

1. Ordering Point

All orders to be placed with Avery Dennison (Thailand) Ltd. Customer Service Department by:

Phone: + 66 2 740 4666 (ext 111-120)
 Fax: + 66 2 740 4621-3
 Email: cs.thailand@ap.averydennison.com

2. Delivery Service

| PRODUCT TYPE | | CUT OFF TIME | DELIVERY |
|--------------------------------|----------------------------------|----------------|---|
| i) Stock Keeping Products | EXACT | Before 10.00am | Same Working Day (Central region) |
| | | Before 11.00am | Same Working Day (Northern & Southern region) |
| | | Before 4.30pm | Next Working Day |
| | Non EXACT | Before 4.30pm | Next Working Day |
| | | After 4.30pm | Day After Next Working Day |
| ii) Non Stock Keeping Products | As per plant delivery lead times | | Indent items |

3. Requirement Condition Standard

| Purchase Order | All Materials | Duly approved order with product code, description, size, quantity and delivery schedule. | | | | | | | | | | | | | | | |
|--------------------------------|------------------------------------|--|------------------------------------|--------------------|-----------|----------|---|-----------|--------------------|-------|-------|----------------|--------------|------------------------------------|------------------------------------|------------------------------------|--------------------|
| Order Acknowledgement | All Materials | To be acknowledged on the same working day. | | | | | | | | | | | | | | | |
| Minimum Order Value | All Materials | <table border="1"> <thead> <tr> <th></th> <th>Exact</th> <th>Non Exact</th> <th>Durables</th> <th></th> </tr> </thead> <tbody> <tr> <td>Per Order</td> <td>1 roll per program</td> <td>500m2</td> <td>250m2</td> <td>Within Bangkok</td> </tr> <tr> <td>Per Delivery</td> <td>500m2 2000m2 or >50,000 Baht</td> <td>500m2 2000m2 or >50,000 Baht</td> <td>500m2 2000m2 or >50,000 Baht</td> <td>Outside of Bangkok</td> </tr> </tbody> </table> | | Exact | Non Exact | Durables | | Per Order | 1 roll per program | 500m2 | 250m2 | Within Bangkok | Per Delivery | 500m2 2000m2 or >50,000 Baht | 500m2 2000m2 or >50,000 Baht | 500m2 2000m2 or >50,000 Baht | Outside of Bangkok |
| | Exact | Non Exact | Durables | | | | | | | | | | | | | | |
| Per Order | 1 roll per program | 500m2 | 250m2 | Within Bangkok | | | | | | | | | | | | | |
| Per Delivery | 500m2 2000m2 or >50,000 Baht | 500m2 2000m2 or >50,000 Baht | 500m2 2000m2 or >50,000 Baht | Outside of Bangkok | | | | | | | | | | | | | |
| Order cancellation / Changes | All Materials | Otherwise, transportation charges will be imposed. | | | | | | | | | | | | | | | |
| Indent Orders / Blanket Orders | All Materials | Non Stock Keeping Product orders cannot be changed or cancelled. Slit orders cannot be changed or cancelled. | | | | | | | | | | | | | | | |
| Inner Core Diameter | All Materials | All goods to be shipped out and invoiced within one month upon arrival of goods. | | | | | | | | | | | | | | | |
| Roll Labels | All Materials | 77mm core, +/-0.15mm | | | | | | | | | | | | | | | |
| Minimum Slit Widths | All Materials | Outside of the rolls and inner core | | | | | | | | | | | | | | | |
| Roll Length Tolerance | All Materials | 75mm | | | | | | | | | | | | | | | |
| Slit Roll Width Tolerance | All Materials | +/- 10% | | | | | | | | | | | | | | | |
| Splice Quantity Indication | All Materials | +/- 1mm | | | | | | | | | | | | | | | |
| Maximum Number of Splices | All Materials | Printed on roll labels | | | | | | | | | | | | | | | |
| Packaging | All Materials | <table border="1"> <thead> <tr> <th>LENGTH</th> <th>PAPER</th> <th>FILM</th> </tr> </thead> <tbody> <tr> <td>500m</td> <td>1</td> <td>1</td> </tr> <tr> <td>1000m</td> <td>2</td> <td>2</td> </tr> <tr> <td>1500m</td> <td>2</td> <td>2</td> </tr> <tr> <td>2000m</td> <td>2</td> <td>2</td> </tr> </tbody> </table> | LENGTH | PAPER | FILM | 500m | 1 | 1 | 1000m | 2 | 2 | 1500m | 2 | 2 | 2000m | 2 | 2 |
| LENGTH | PAPER | FILM | | | | | | | | | | | | | | | |
| 500m | 1 | 1 | | | | | | | | | | | | | | | |
| 1000m | 2 | 2 | | | | | | | | | | | | | | | |
| 1500m | 2 | 2 | | | | | | | | | | | | | | | |
| 2000m | 2 | 2 | | | | | | | | | | | | | | | |
| | | Standard packaging is used to ensure that your order arrives in good condition. Packaging varies depending on format (sheet or roll), size and quantity of materials to be shipped. Non-standard packaging is available on request, with the appropriate up-charges. | | | | | | | | | | | | | | | |

"This Service Policy is current at the time of publication and is subject to change at the discretion of Avery Dennison".

CONDITIONS OF SALE

Payment

Payment is to be made in accordance with the agreed payment terms.

Validity of Quotation

30 days

Warranty

Information concerning Products is based upon tests believed to be reliable, but does not represent a guarantee of warranty. Products are provided on the basis that any Purchaser has independently determined the suitability of the Products for the Purchaser's purposes. The Company warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year of delivery (but not afterwards), upon notification thereof within seven (7) days of such appearance and substantiation that the Products have been stored and applied in accordance with the Company standards, the Company shall within a reasonable period correct such defects by providing a suitable replacement without charge at the Company's plant or at the location of the Products (at the Company's election) provided, however, if the Company in its sole discretion determines that replacement is not commercially practical, the Company may issue a credit in favor of the Purchaser in an amount not to exceed the purchase price actually paid for the Products. Any implied warranty of merchantability fitness for a particular purpose or other warranty of quality, whether express or implied by law, is hereby excluded to the extent permitted by law.

Limitation of Liability

In no event shall the Seller be liable for any incidental or consequential damages, including but not limited to loss of profit, loss of use or production or loss of capital. The remedies of the Purchaser set forth herein are exclusive and the total potential liability of the Seller with respect to any contract or anything done in connection therewith such as the performance or breach thereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out of contract, negligence, strict tort, or under any warranty, or otherwise, shall not exceed the purchase price of the products upon which liability is based.

| Item Number | Item Description | | | Service Program | Length (m) | | | | Width (mm) | MOQ | Remark |
|--------------------------------------|------------------------------|--------------|------------|-----------------|------------|------|------|------|------------|-------------------------|------------------------------------|
| | Facestock | Adhesive | Liner | | 500 | 1000 | 1500 | 2000 | | | |
| PRIME PAPER | | | | | | | | | | | |
| AW0289P | Vellum Elite | S1010 | BG40Wh Imp | EXACT | • | • | | | EXACT | 1roll x 500m | Transitioned from AW0289 |
| AW0321P | Vellum Elite | S2420 | BG40Wh Imp | To Forecast | | • | • | | 1525 | 1roll x 1525mm x 1000m | Transitioned from AW0321 |
| AW0326P | Vellum Elite | S2492 | CCK80Wh | EXACT | | • | • | | EXACT | 1roll x 1000m | Transitioned from AW0326 |
| AW0344 | Vellum | S2492 | CCK80Wh | EXACT | | • | | | EXACT | 1roll x 500m | |
| SW7053F | LW60 FSC | S2090 | BG40Wh Imp | To Forecast | | • | • | | 1000 | 1roll x 1000mm x 1000m | |
| AW0339AF | Fascoat 2 FSC | S1010 | BG40Wh | EXACT | • | • | | | EXACT | 1roll x 1000m | Transitioned from AW0339F |
| AW0331AF | Fascoat 2 FSC | S1010 | BG40Wh Imp | EXACT | • | • | • | | EXACT | 1roll x 500m | Transitioned from AW0331F |
| AW0333AF | Fascoat 2 FSC | S1010 | BG40Bl Imp | Stock | | • | • | | 1000 | 1roll x 1000mm x 1000m | Transitioned from AW0333F |
| AW0332F | Fascoat 2 FSC | S2090 | BG40Wh Imp | EXACT | | • | • | | EXACT | 1roll x 1000m | |
| AW0378F | Fascoat 2 FSC | S2045N | BG40Wh lmo | EXACT | • | • | | | EXACT | 1roll x 1000m | Transitioning to AW0421F, Dec 2018 |
| SW7325AF | Fascoat 2 FSC | S2420 | BG40Wh Imp | Stock | • | • | | | 1000 | 1roll x 1000mm x 1000m | Transitioned from SW7325F |
| SW7045AF | Fascoat 2 PB FSC | S2090 | BG40Wh Imp | Stock | | • | • | | 1000 | 1roll x 1000mm x 1000m | Transitioned from SW7045F |
| AW0271 | High Gloss Paper | S1010 | BG40Wh Imp | EXACT | • | • | • | | EXACT | 1roll x 1000m | |
| AW0153 | High Gloss Paper | S2090 | BG40Wh Imp | EXACT | | • | • | | EXACT | 1roll x 1000m | |
| SW7331 | High Gloss Paper | S2420 | BG40Wh Imp | EXACT | | • | • | | EXACT | 1roll x 1000m | |
| AW0361 | High Gloss Paper | R450 | BG40Wh | To Forecast | • | • | • | | 1200 | 1roll x 1200mm x 500m | |
| AW0401F.1000 | Radiant Red | M3000 | B100 | To Forecast | | • | • | | 1060 | 1roll x 1060mm x 1000m | |
| AW0402F.1000 | Radiant Orange | M3000 | B100 | To Forecast | | • | • | | 1060 | 1roll x 1060mm x 1000m | |
| AW0403F.1000 | Radiant Green | M3000 | B100 | To Forecast | | • | • | | 1060 | 1roll x 1060mm x 1000m | |
| SW7039F | Metallica FSC | S2090 | BG40Wh Imp | Indent | | • | • | | 1000 | 1 roll x 1000mm x 1000m | |
| VARIABLE INFORMATION PRINTING | | | | | | | | | | | |
| NW0033F | Direct Thermal Premium FSC | S1010 | BG40Wh Imp | EXACT | • | • | | | EXACT | 1roll x 500m | |
| NW0039AF | Direct Thermal Premium 3 FSC | S1010 | BG40Wh Imp | EXACT | • | • | • | | EXACT | 1roll x 1000m | |
| NW0045F-N | Direct Thermal 150RL FSC | S2025N | BG40Wh Imp | EXACT | • | • | | | EXACT | 1roll x 500m | Transitioning from NW0045F |
| NW0048F | Direct Thermal 150RL FSC | S1010 | BG40Wh Imp | EXACT | • | • | | | EXACT | 1roll x 500m | |
| SW7005AF | Baggage Tag Elite FSC | S2025N | BG40Wh | Indent | | • | • | | 1525 | 1roll x 1525mm x 1000m | |
| MW0066F | Transtherm Plus FSC | S1010 | BG40Wh Imp | EXACT | • | • | | | EXACT | 1roll x 1000m | |
| MW0035F | Premium Transtherm 1C FSC | S2090 | BG40Wh Imp | EXACT | • | • | | | EXACT | 1roll x 1000m | |
| MW1616F | Transtherm 2C FSC | S2090 | BG40Wh | To Forecast | | • | • | | 1000 | 1roll x 1000mm x 1000m | |
| OW0003F | LCJ Premium FSC | S2492 | CCK55 | Indent | • | • | | | 1060 | 1roll x 1060mm x 1000m | |
| SPECIALTY PAPER | | | | | | | | | | | |
| AW0363P.1200 | Vellum Elite | R450 | BG40Wh Imp | To Forecast | • | • | • | | 1200 | 1roll x 1200mm x 500m | Transitioned from AW0363N.1200 |
| F1008.1000 | Super Vellum | ET9 | BG40Whn | Indent | | • | • | | 1000 | 1 roll x 1000mm x 1000m | |
| F1208.1000 | Vellum ET9 PET30 | ET9 | BG40Whn | Indent | | • | • | | 1000 | 1 roll x 1000mm x 1000m | |
| AW0362P.1200 | Fascoat Elite | R450 | BG40Wh Imp | To Forecast | • | • | • | | 1200 | 1roll x 1200mm x 500m | |
| SW7050F | Direct Thermal Premium 2 FSC | R423 | BG40Bl | To Forecast | • | • | • | | 1000 | 1roll x 1200mm x 500m | |
| MW0057F | Transtherm 2C FSC | R423 | BG40Wh | To Forecast | | • | • | | 1000 | 1roll x 1000mm x 1000m | |
| SW7007F | Semigloss FSC Linerless EM | Linerless EM | n/a | To Forecast | | • | • | | 1000 | 1roll x 1000mm x 1000m | |
| SW7339 | Bright Silver Foil Prime | M3300 | BG40Wh Imp | Indent | | • | • | | 1000 | 1 roll x 1000mm x 1000m | |

* Coming soon

| Item Number | Item Description | | | Service Program | Length (m) | | | | Width (mm) | MOQ | Remark |
|-----------------------|---------------------------|----------|---------------|-----------------|------------|------|------|------|------------|-------------------------|------------------------------------|
| | Facestock | Adhesive | Liner | | 500 | 1000 | 1500 | 2000 | | | |
| PRIME FILM | | | | | | | | | | | |
| BW0062N | PPNg Top Trans | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0237 | PPNg Top Trans | S692N | PET23 | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0230 | PPNg Top Trans | S692N | PET30 | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0223 | PPNg Top Trans | S3000 | BG40Wh Imp | To Forecast | | • | | • | 1000 | 1roll x 1000mm x 2000m | |
| BW0227 | PP50 Top White | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0174 | PPNg Top Pearalized White | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0243 | PP50 Top Silver | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0272 | PP TC Silver Elite | S692N | BG40Wh Imp | To Forecast | | • | | | 1525mm | 1 roll x 1525mm x 1000m | |
| BW0250 | Pearlux 80N | S692N | BG40Wh Imp | Indent | | • | | • | 1000 | 1 roll x 1000mm x 1000m | |
| BW0226 | PP30 Clear NTC | S692N | BG40Wh Imp | Stock | • | | | | 1000 | 1roll x 1000mm x 500m | |
| SY7025N | Overlaminating Matte PP | S6800 | BG40Wh Imp | Stock | • | | | | 1525 | 1roll x 1525mm x 500m | |
| BW0112N | Overlaminating Gloss PP | S6800 | BG40Wh Imp | EXACT | | • | | | EXACT | 1roll x 1000m | |
| BW0183 | Global Co-Ex™ Clear NTC | S692N | BG40Wh Imp | EXACT | | | | • | EXACT | 1roll x 2000m | |
| BW0238 | Global Co-Ex™ Clear NTC | S692N | PET23 | To Forecast | | | | • | 1525 | 1roll x 1525mm x 2000m | |
| BW0184 | Global Co-Ex™ White NTC | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0321 | Global MDO Clear NTC | S692N | PET23 | To Forecast | | | | • | 1525 | 1roll x 1525mm x 2000m | |
| BW0322 | Global MDO White NTC | S692N | PET23 | To Forecast | | | | • | 1525 | 1roll x 1525mm x 2000m | |
| BW0065 | PE85 Top Trans | S692N | BG40Wh Imp | EXACT | | • | | | EXACT | 1roll x 1000m | |
| BW0064 | PE85 Top White | S692N | BG40Wh Imp | EXACT | | • | | | EXACT | 1roll x 1000m | |
| BW0146 | PE85 NTC Trans | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW0147 | PE85 NTC White | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 1000m | |
| BW9320 | Bright Silver PE85 | AF101 | BG40Wh Imp | Stock | | • | | • | 1000 | 1 roll x 1000mm x 1000m | Transitioning to BW9320A, Dec 2018 |
| BW0290 * | PE75 NTC Clear | S692N | BG33Wh Imp | Indent | | • | | • | 1525 | 1 roll x 1525mm x 1000m | Coming soon! |
| BW0291 * | PE75 NTC White | S692N | BG33Wh Imp | Indent | | • | | • | 1525 | 1 roll x 1525mm x 1000m | Coming soon! |
| BW0150 | FasClear® 300 | S692N | BG40Wh Imp | Stock | • | • | | • | 1000 | 1roll x 1000mm x 500m | |
| BW0060 | FasClear® 250 | S692N | BG40Wh Imp | EXACT | | • | | • | EXACT | 1roll x 2000m | |
| BW0151 | Primax® 300 | S692N | BG40Wh Imp | Stock | • | • | | • | 1000 | 1roll x 1000mm x 500m | |
| SPECIALTY FILM | | | | | | | | | | | |
| F50150.1000 | Data PE80 | CD303 | BG40Wh | Indent | | • | | • | 1000 | 1 roll x 1000mm x 1000m | |
| BWS381 | Pearl Paper | AP104 | P95 Wh Imp | Indent | | • | | • | 1070 | 1roll x 1070mm x 1000m | |
| SY7049 | PPNg Top Trans | R480 | BG40Wh | To Forecast | | • | | • | 1200 | 1roll x 1200mm x 1000m | |
| SY7051N | PPNg Top White | R480 | BG40Wh Imp | To Forecast | | • | | • | 1200 | 1roll x 1200mm x 1000m | |
| SY7047 | PPNg Top Pearalized White | C7501 | BG40Wh | To Forecast | | • | | • | 1000 | 1roll x 1000mm x 1000m | |
| SY7050N | Synthetic Paper | R480 | BG40Wh Imp | To Forecast | | • | | • | 1200 | 1roll x 1200mm x 1000m | |
| BWS440 | Synthetic Paper2 | AF101 | P140 White ni | Indent | | • | | • | 1065 | 1roll x 1065mm x 1000m | |
| SY7048.1200 | Yupo | R480 | BG40Wh | Indent | | • | | • | 1200 | 1 roll x 1200mm x 1000m | |
| 9172.1000 | Dataflex | CD303 | K100 | Indent | | • | | • | 1000 | 1 roll x 1000mm x 1000m | |
| BW0273 | Synthetic Paper TR75 | S2045N | BG40Wh Imp | To Forecast | | • | | | 1525mm | 1 roll x 1525mm x 1000m | |
| BW0278 | Synthetic Paper TR75 | C2075 | BG40Wh Imp | To Forecast | | • | | | 1525mm | 1 roll x 1525mm x 1000m | |

* Coming soon

| Item Number | Item Description | | | Service Program | Length (m) | | | | Width (mm) | MOQ | Remark |
|---------------------|--|----------|--------------|-----------------|------------|------|------|------|------------|-------------------------|--------------------|
| | Facestock | Adhesive | Liner | | 500 | 1000 | 1500 | 2000 | | | |
| DURABLE FILM | | | | | | | | | | | |
| SY7022 | Synthetic Paper II | C7501 | BG40Wh Imp | EXACT | | • | | | EXACT | 1roll x 1000m | |
| BW0153 | Synthetic Paper | S4700N | BG40Wh Imp | EXACT | • | • | | | EXACT | 1roll x 500m | |
| ADS1372 | Synthetic Paper | R101T | P140White ni | Indent | | • | | • | 1065 | 1roll x 1065mm x 1000m | |
| BW9664 | 3M Synthetic Paper | S333 | BG50Wh | Indent | | | | • | 1530 | 1roll x 1530mm x 2000m | |
| BW6007A1 | Yupo | S2700 | BG40Wh | Indent | • | • | | • | 1065 | 1roll x 1065mm x 500m | |
| MZ0111 | 1M Clear PET TC | S8020 | BG40Wh Imp | EXACT | • | | | | EXACT | 1roll x 500m | |
| MZ0152 | 1M Matte Ch PET TC | S333 | BG40Bl | EXACT | • | | | | EXACT | 1roll x 500m | |
| MZ0102 | 2M White PET TC | S333 | BG50Wh | EXACT | • | | | | EXACT | 1roll x 500m | |
| 70353 | 2M White PET TC | R143NC | 50#SCK | Indent | • | • | | | 1372 | 1 roll x 1372mm x 500m | |
| 81127 | 2M White PET TC | R143NC | 1.5M PET | Indent | • | • | | | 1372 | 1 roll x 1372mm x 500m | |
| MZ0104 | 2M Matte Ch PET TC | S333 | BG50Wh | EXACT | • | | | | EXACT | 1roll x 500m | |
| MZ0106 | Copy Code Ch PET Plus | S333 | BG50Wh | To Forecast | | • | | • | 1000 | 1roll x 1000mm x 1000m | |
| MZ0054 | 50µ Bright Silver PET | S333 | BG50Wh Imp | Indent | | | | • | 1070 | 1roll x 1070mm x 2000m | |
| 74600 | 2M White Voidable PET | S727 | 50#SCK | Indent | • | | | | 1372 | 1 roll x 1372mm x 500m | |
| 78194 | 2Mil White Void PET TC | S8015W | 50#SCK | Indent | • | • | | | 1372 | 1 roll x 1372mm x 500m | |
| 74599 | 2M Silver Voidable PET | S727 | 50#SCK | Indent | • | | | | 1372 | 1 roll x 1372mm x 500m | |
| 78195 | 2Mil Silver Void PET TC | S8015 | 50#SCK | Indent | • | • | | | 1372 | 1 roll x 1372mm x 500m | |
| 78196 | 2M Mat Ch Void PET TC | S8015W | 50#SCK | Indent | • | | | | 1372 | 1roll x 1372mm x 500m | |
| 78197 | 2M White Checkerboard PET TC | S8015W | 50#SCK | Indent | • | | | | 1372 | 1roll x 1372mm x 500m | |
| 78198 | 2 Mil Silver Checkerboard Polyester TC | S8015W | 50#SCK | Indent | • | | | | 1372 | 1roll x 1372mm x 500m | |
| 78199 | 2 Mil Matte Silver Checkerboard Polyester TC | S8015W | 50#SCK | Indent | • | | | | 1372 | 1roll x 1372mm x 500m | |
| MZ2000W | 25um Matte White PI HTC | S8088S | BG50Wh | Indent | | | | | 250 | 1 roll x 250mm x 250m | |
| MZ2001W | 25um Gloss White PI HTC | S8088S | BG50Wh | Indent | | | | | 250 | 1 roll x 250mm x 250m | |
| MZ2003W | 50um Gloss White PI HTC | S8088S | BG50Wh | Indent | | | | | 250 | 1 roll x 250mm x 250m | |
| MZ0098 | 50micron Matte White Polyester TC | S333 | BG50WHT | Indent | • | • | | | 1070 | 1 roll x 1070mm x 500m | |
| MZ0363 | 50um White FR PET TCY | S8025 | BG50Wh | Indent | • | • | | | 1070 | 1 roll x 1070mm x 500m | |
| MZ2002W | 50um Matte White PI HTC | S8088S | BG50Wh | Indent | | | | | 250 | 1 roll x 250mm x 250m | |
| MZ0212 | 2M WH PETC TC | S369 | BG50Wh | Stock | • | • | | | 1000 | 1roll x 1000mm x 500m | Q4'18 New addition |
| MZ0369 | 125um White PET TC | TS8017 | 30u PET | Indent | | | | | 267 | 1 roll x 267mm x 400m | |
| AFM822 | Foamtac II | S2000 | BG40Wh | Indent | | • | | • | 1000 | 1roll x 1000mm x 1000m | |
| AGY343 | PE HD TE | S700 | BG45Wh LR | Indent | | • | | • | 1000 | 1roll x 1000mm x 1000m | |
| 75849 | 3 M Velvet Lexan | S730 | 1.5M PET | Indent | • | • | | | 1372 | 1 roll x 1372mm x 500m | |
| 75850 | 5 M Velvet Lexan | S730 | 1.5M PET | Indent | • | • | | | 1372 | 1 roll x 1372mm x 500m | |
| MZ0321 | Polycarbonate | S333 | 30mic PET | Indent | • | • | | | 1070 | 1 roll x 1070mm x 500m | |
| 79325 | 1 Mil Clear UV PET | S3000 | 1M PET | Indent | • | • | | | 1524 | 1 roll x 1524mm x 500m | |
| 79449 | Tamperfas VNL | S730 | 50#SCK | Indent | • | • | | | 1220 | 1 roll x 1220mm x 500m | |
| 41100 | Tamperfas VINYL | S730 | 50#SCK | Indent | • | • | | • | 1210 | 1roll x 1210mm x 500m | |
| BW0270 | 3 Mil Synthetic Paper | S4700N | BG40Wh Imp | To Forecast | | • | | | 1525mm | 1 roll x 1525mm x 1000m | |
| BW0277 | 3 Mil Synthetic Paper | S2060 | BG40Wh Imp | To Forecast | | • | | | 1525mm | 1 roll x 1525mm x 1000m | |
| SD8310 | PP Top NG White | TS79 | BG50Wh Si | To Forecast | • | • | | • | 1000 | 1roll x 1000mm x 500m | |

* Coming soon



Select Solutions™ Mix & Match Product Guide

The versatile way to choose your label solutions

The Select Solutions Mix & Match Service leverages Avery Dennison's expertise in helping customers find the right labelling solutions for their specific application needs, including specialty and challenging label constructions.

Looking for a durable goods labelling solution? Find a facestock and adhesive combination you like but need it on a film liner? Avery Dennison's Select Solutions Mix & Match options can help you find the right construction – fast!

Mix & Match lets you choose from a set range of label constructions created to address your unique application and performance needs.

Select from foils films, metalised films, papers and more in combination with some of our best performing adhesives and liners.

Mix & Match gives you the benefit of a customised label solution with low minimum order quantities, rapid pricing and delivery you expect.

Mix & Match allows label converters to request a precise combination of adhesive, face-material and release liner. It opens up whole new opportunities to innovate and differentiate. As with all Avery Dennison products, extensive support comes as standard, for printers, converters, packers and end-users. A technical specialist can help to determine which existing or tailor made product is the optimal solution for any given application



Engineered Solutions



New
Ideas

New
Approaches

New
Products

New
Opportunities

‘Engineered Solutions’ is a service that helps you develop custom products that differentiate your business and grow your bottom line. Take advantage and connect with the Engineered Solutions team, featuring some of the label and packaging materials industry’s most experienced professionals. This team is dedicated to helping you be first to market with solutions meeting your clients’ needs.

Avery Dennison technical leaders play a crucial role in uncovering and explaining the latest innovation trends and broad market developments. They are component experts who help in the design and manufacturing of custom solutions for our customers’ unique challenges.

About Avery Dennison

Avery Dennison (NYSE: AVY) is a global materials science and manufacturing company specializing in the design and manufacture of a wide variety of labeling and functional materials. The company's products, which are used in nearly every major industry, include pressure-sensitive materials for labels and graphic applications; tapes and other bonding solutions for industrial, medical and retail applications; tags, labels and embellishments for apparel; and radio frequency identification (RFID) solutions serving retail apparel and other markets. Headquartered in Glendale, California, the company employs approximately 30,000 employees in more than 50 countries. Reported sales in 2017 were \$6.6 billion.

Learn more at www.averydennison.com

© 2018 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Personal and company names and other information on samples depicted are fictitious. Any resemblance to actual names and addresses is purely coincidental.

ASEAN 11/2018

label.sapssa.averydennison.com



Label and
Packaging Materials

South Asia Pacific and Sub-Saharan Africa

460 Alexandra Road
PSA Building, #28-02/03,
Singapore 119963
+65 6430 7000

North Asia

5th Floor, Hongye Park
1801 Hongmei Road,
Xuhui District 200233,
Shanghai, China
+86 21 33951888

Europe

Willem Einthovenstraat 11
2342 BH Oegstgeest2300
AA Leiden
The Netherlands
+31 85 000 2000

Latin America

Rodovia Vinhedo-
Viracopos, KM 77
CEP 13280-000
Vinhedo - SP, Brazil
+55 19 3876-7600

North America

8080 Norton Pkwy
Mentor, OH 44060
800.944.8511