

March 2019



---

# Product Services Guide

Australia



[label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)

# How to read the Product Services Guide

Welcome to the March 2019 Product Services Guide. This Guide was created to provide you with a single document to inform you of the core product portfolios of Avery Dennison Label and Packaging Materials Australia.

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (sqm)	Length (LM)	Stocking Location	Comments
<b>Cast Coat</b>								
F10852.1525	HGW	ET9	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	Transitioning to F12810.1525 Cast Gloss Elite FSC ET9 BG40WHN, Q3 2018
				READY WIDTH	500	2000	VIC	

## Item

The item number identifies the product on your delivery documents and invoices. Additionally, this column will highlight interchangeable products (item in bold is the primary offering), notice of impending change or codes that are currently transitioning (shown in italics).

## Facestock

Identifies the facestock used in the construction.

## Adhesive

Identifies the particular adhesive used in the construction.

## Liner

When liner codes end in the letter 'N' this signifies a nil imprint. PET liners never have a backprint.

## Service Program

The service program details how the product is sold to the market.

## MOQ (sqm)

All orders must meet Minimum Order Quantity of either 500sqm or \$400 order value (plus GST). SQM is determined by multiplying width by length.

## Length (LM)

Identifies the length in lineal meters, offered in a service program

## Stocking Location

Indicates which AD site the product is stocked in

## Comments

This column will also highlight any notice of impending change to the final facestock, adhesive or liner.

## Service Programs

### Orders

For any orders placed after cut-off times, please add 24 hours.

### Stock

Stock signifies the product is sold with the complete web width and the minimum length of 1000 metres.

### EXACT™

EXACT items are sold in any width with fixed lengths that vary for each program. For one-off or ongoing orders discuss with your Avery Dennison representative for acceptance into these service programs to ensure product availability.

### Ready Width

Ready Width is a program that offers slit rolls in set widths and lengths. For one-off or ongoing orders discuss with your Avery Dennison representative for acceptance into these service programs to ensure product availability.

### Half Master

Half Master reduces the minimum order quantity (MOQ) by half. Half Master of a 1525mm wide item allows you to purchase from a master that is only 762mm wide by 1000 metres. The Half Master program reduces the MOQ on selected 1000mm wide products from 1000 metres down to lengths as little as 500 metres.

### Mix and Match

Avery Dennison has the capability to produce custom products to meet your requirements. Please contact your Avery Dennison representative to discuss the possibilities of unique product constructions to meet your requirements.

### Express Indent

Airfreight options are available in order to meet your requirements. Please refer to your Avery Dennison representative for further information.

### Legend



EXACT



READY WIDTH



HALF MASTER



FSC® Approved,  
FSC-C111395

# Need more information?

Avery Dennison has a Business Support Team ready to answer your enquiries. Call them today to discuss product availability, ordering process or anything else you require.

## Business Support Team

# 1300 369 984

**Mon to Fri 7.30am - 5.00pm AEST** (excluding Australian Public Holidays)

### Business Support Manager

#### Australia & New Zealand

Sue Bowie 0400 847 252

### Account Business Managers

#### Victoria

Lynn Doney 0418 344 345  
Angela Liodakis 0417 486 259

#### New South Wales

Joe Daniele 0418 238 850  
Sarah Baserdem 0405 317 600

#### Queensland

Tony Cook 0488 390 230

#### South Australia and Western Australia

Russell Davies 0417 082 944

### Account Enquiries

#### Australia & New Zealand

P: 03 9271 0312  
E: [receivables.aust@ap.averydennison.com](mailto:receivables.aust@ap.averydennison.com)

### Technical Support

#### Australia & New Zealand

Steve Brook 03 9271 0300

### Contact us:

#### Australia

1124 Centre Road  
Oakleigh South VIC 3167  
P: 1300 369 984  
E: [aus.sales@ap.averydennison.com](mailto:aus.sales@ap.averydennison.com)

### Data & Specification Sheets

#### [label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)

Should you require more technical data for any of our products, you can download specification sheets from our website at [www.label.averydennison.com](http://www.label.averydennison.com)

If you cannot find the specification sheet you are after, please contact your Avery Dennison representative.

### Product Samples

#### [aus.sales@ap.averydennison.com](mailto:aus.sales@ap.averydennison.com)












Should you require any samples of the products listed in this brochure please e-mail your request to [samples.anz@ap.averydennison.com](mailto:samples.anz@ap.averydennison.com) or contact your local Avery Dennison representative.

### Pallet Pick Up

#### [aus.sales@ap.averydennison.com](mailto:aus.sales@ap.averydennison.com)

Should you have pallets for return, please ensure they are loaded onto the dedicated Avery Dennison truck when you receive your next delivery of stock. Please note: courier deliveries are excluded from this service.



















# Prime Papers

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (sqm)	Length (LM)	Stocking Location	Comments
<b>Cast Coat</b>								
F12806.1525	 CAST GLOSS ELITE FSC	S2045	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	1500/ 3000	VIC QLD	
				READY WIDTH	500		WA	
F12808.1525	 CAST GLOSS ELITE FSC	S2049	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	2000	QLD	
				READY WIDTH	500		VIC WA	
F12812.1525	 CAST GLOSS ELITE FSC	C2075	BG40WH N	FULL DECKLE 1525mm	1525		VIC	
				HALF MASTER 762mm	762	1000	VIC	
				READY WIDTH	500		WA	
F12810.1525	 CAST GLOSS ELITE FSC	ET9	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				READY WIDTH	500		VIC WA	
F10967.1000	 SGW FSC	R5000	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
AA042	 HGW PREMIUM FSC	R100	BG40BR	FULL DECKLE 1000mm	1000		VIC	
<b>Machine Coat</b>								
F18519.1525	 MC PRIMECOAT FSC	S2049	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	Transitioning to F18529.1525 Q3
F18516.1525	 MC PRIMECOAT FSC	S2045N	 BG40WH NF	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	1500/ 3000	VIC QLD	Transitioning to F18526.1525 Q3
				READY WIDTH			WA	
<b>Light Weight</b>								
F16502.1525	 LW60 FSC	S2045	BG40WH N	FULL DECKLE 1525mm	1525		VIC	
				HALF MASTER 762mm	762	1000	VIC	
				READY WIDTH	500		VIC	
<b>Vellum</b>								
F2008.1000	 SUPER VELLUM FSC	ET9	BG40WH N	FULL DECKLE 1000mm	1000		QLD	
F21733.1000	 SUPER VELLUM FSC	R5000	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
A03846	VELLUM EXTRA	R100	BG40BR	FULL DECKLE 1000mm	1000		VIC	
<b>Coloured &amp; Specialty Prime Papers</b>								
F45520.1060	 RADIANT YELLOW FSC	S2090	BG40WH N	FULL DECKLE 1060mm	1060		VIC QLD	
				READY WIDTH	500		VIC QLD WA	
F45521.1060	 RADIANT ORANGE FSC	S2090	BG40WH N	FULL DECKLE 1060mm	1060		VIC QLD	
				READY WIDTH	500		VIC QLD	
F45522.1060	 RADIANT GREEN FSC	S2090	BG40WH N	FULL DECKLE 1060mm	1060		VIC QLD	
				READY WIDTH	500		VIC QLD WA	
F45523.1060	 RADIANT RED FSC	S2090	BG40WH N	FULL DECKLE 1060mm	1060		VIC QLD	
				READY WIDTH	500		VIC QLD	
F45524.1060	 RADIANT PINK FSC	S2090	BG40WH N	FULL DECKLE 1060mm	1060		VIC QLD	
				READY WIDTH	500		VIC QLD	
AD640	TYRE PLUS	TS79	BG45WH	FULL DECKLE 1000mm	1000		VIC QLD	
				HALF MASTER 1000mm	500	500	VIC QLD	
				READY WIDTH	500		VIC QLD	
SU4897	GLOSS COVER	S660	BG40BR	FULL DECKLE 1000mm	1000		VIC	Transitioning to BL252 Gloss Cover Premium S2660 BG40BR IMP, Q3 2019
				HALF MASTER 1000mm	500	500	VIC	

# Prime Films

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (sqm)	Length (LM)	Stocking Location	Comments
<b>Conformable Films</b>								
F64526.1000	PRIMAX® PLUS	R5000	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
AF435	PRIMAX® I	UVR145	BG45WH	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		WA	
BW0181	GCX CLEAR NTC	S692N	BG40WH	FULL DECKLE 1525mm	1525		VIC QLD	
				READY WIDTH	500		VIC QLD	
BW0182	GCX WHITE NTC	S692N	BG40WH	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	2000	VIC QLD	
AQ995	POLYEXACT WH TC	S692N	BG40WH N	FULL DECKLE 1000mm	1000		VIC	
AQ996	PLOYEXACT CL TC	S692N	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
<b>Rigid White Films</b>								
F64116.1525	PP TOP WHITE	SRP	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	2000	VIC QLD	
				READY WIDTH	500		WA	
F64118.1525	PP TOP WHITE	SPX	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	2000	VIC QLD	
				READY WIDTH	500		WA	
F79343.1525	PP60 WH NTC	SPX	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	3000	VIC QLD	
F79347.1525	PP60 WH NTC	S692N	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	2000	QLD	Now available on EXACT
F62109.1000	OPALUX 80N	SRP	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		VIC QLD	
F62404.1000	OPALUX 80N	SR2	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		VIC QLD	WA
F62119.1000	PEARLUX 80N	SRP	BG40WH N	FULL DECKLE 1000mm	1000		QLD	
<b>Rigid Clear Films</b>								
78635.990	1.6M CLEAR BOPP TC	S7400	0.92M PET	FULL DECKLE 990mm	990		VIC QLD	Available at 1980mm as Indent
F3137.1525	POLYGLASS TOP	SRP	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	2000	VIC QLD	
				READY WIDTH	500		WA	
F5418.1000	POLYGLASS TOP	SR2	BG40WH N	FULL DECKLE 1000mm	1000		QLD	
F1169.1525	PP OLF-20	SRP	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
<b>Vinyl (PVC) / Metallised BOPP / Digital Film</b>								
AH932	PVC WHITE	S692N	BG40WH N	FULL DECKLE 1000mm	1000		VIC	
				READY WIDTH	500		WA	
F3362.1525	PP50 TOP SILVER	S692N	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				READY WIDTH	500	2000	VIC	Now available on Ready Width
F64692.1525	PP50 TOP SILVER	S692N	PET30 N	FULL DECKLE 1525mm	1525		VIC QLD	
BW0220.330	PP80 WH DIG	S692N	BG40WH N	FULL DECKLE 330mm	3 Rolls (pallet)	2000	QLD	








# Variable Information Papers

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (sqm)	Length (LM)	Stocking Location	Comments
<b>EDP Paper</b>								
AL306	 ZIG ZAG FSC	S2045	HF80 N	FULL DECKLE 1000mm	1000		QLD	
<b>Direct Thermal Paper</b>								
F33517.1525	 DT200HD FSC	S2049	 BG40WH NF	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	1500/ 3000	VIC QLD	
				READY WIDTH	500			WA
F33525.1525	 DT200HD FSC	S2045N	 BG40WH NF	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	1500/ 3000	QLD	
F33561.1525	 DT200GPN FSC	ET9	BG40WH N	FULL DECKLE 1525mm	1525		QLD	
F33518.1525	 DT200HD FSC	C2075	 BG40WH NF	FULL DECKLE 1525mm	1525	(Max 2000LM)	VIC QLD	
				HALF MASTER 762mm	500	1000	VIC QLD	
				READY WIDTH	500			WA
F33071.1000	 DT200HD FSC	R5000	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500			WA
F30300.1525	 DT200GPN FSC	S2049	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	1500/ 3000	VIC QLD	
				READY WIDTH	500			WA
F33535.1525	 DT300LD FSC	S2049	 BG40WH NF	FULL DECKLE 1525mm	1525		VIC QLD	Transitioning to F33545.1525 Q3
				EXACT	500	1500/ 3000	VIC QLD	
				READY WIDTH	500			WA
<b>Thermal Transfer Paper</b>								
F32600.1525	 TT ELITE FSC	S2049	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	1500/ 3000	VIC QLD	
				READY WIDTH	500			WA
F22471.1000	 TT ELITE FSC	R5000	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		VIC QLD	
<b>Laser / Inkjet Paper</b>								
AW1584.210	LCJ PREMIUM	LP430	HF55N	FULL DECKLE 210mm	630	3000	VIC QLD	
AW1584.222	LCJ PREMIUM	LP430	HF55N	FULL DECKLE 222mm	666	3000	QLD	
AP445.210	 LCJ PREMIUM FSC	S2012HT	HF75	FULL DECKLE 210mm	630	3000	VIC QLD	
AS492.210	 LCJ PREMIUM FSC	LR2N	HF55	FULL DECKLE 210mm	630	3000	VIC	
AS492.222	 LCJ PREMIUM FSC	LR2N	HF55	FULL DECKLE 222mm	666	3000	VIC	
OW0053F.210	 LASERPRO FSC	S2700	CCK	FULL DECKLE 210mm	630	3000	VIC	WA
OWS235.1070	GLOSS IJ PAPER	AP103	BG40WH N	FULL DECKLE 1070mm	535	500	VIC	

# Variable Information Films

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (sqm)	Length (LM)	Stocking Location	Comments
<b>Direct Thermal Film</b>								
F72673.1525	DT300BL	S2049	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				HALF MASTER 762mm	762	1000	VIC QLD	
F71588.1000	POLYTHERMAL PLUS	SR2	BG40WH N	FULL DECKLE 1000mm	1000		QLD	
<b>Thermal Transfer Film</b>								
BW0153.1000	SYNTHETIC PAPER	S4700	BG40	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		VIC QLD WA	
F41675.1000	SYNTHETIC PAPER	CD303	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		VIC QLD	
F41630.1000	DATA PE 80	SRP	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		VIC QLD	
F50150.1000	DATA PE 80	CD303	BG40WH N	FULL DECKLE 1000mm	1000		VIC QLD	
				READY WIDTH	500		VIC QLD	
72828	2M WH PRT PET	S333	50 SCK	FULL DECKLE 1524mm	775		VIC	UL recognised. Extended PET range available as Express Indent (2-3 week lead time)
				READY WIDTH	500		VIC WA	
72826	2M MATTE CH PET TC	S333	50 SCK	FULL DECKLE 1524mm	775		VIC	UL recognised. Extended PET range available as Express Indent (2-3 week lead time)
				READY WIDTH	500		VIC	
F31200.1000	SYNTHETIC PAPER	SR2	BG40WH N	FULL DECKLE 1000mm	1000		VIC	
				READY WIDTH	500		VIC	
<b>Laser / Inkjet Film</b>								
9168.1060	DATAFLEX	SRP	B100	FULL DECKLE 1060mm	1060	Max 2500LM	VIC QLD	
9171.1060	DATAFLEX	CD303	B100	FULL DECKLE 1060MM	530	Max 2500LM	VIC QLD	
				HALF MASTER 1060mm	530	500	VIC QLD	
OZS200.1070	100um IJ SYN PAPER	AF101	BG40WH N	FULL DECKLE 1070mm	535	Max 2500LM	QLD	

# Wine Portfolio

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (sqm)	Length (LM)	Stocking Location	Comments
<b>Gloss Paper</b>								
F10720.1525	 CAST GLOSS ELITE FSC	WLP	BG40WH N	FULL DECKLE 1525mm	1525		VIC	Transitioned from F10620.1525
				READY WIDTH	500		VIC	
F10622.1525	 CAST GLOSS ELITE FSC	WLP	PET30	FULL DECKLE 1525mm	1525		VIC	
F10712.1525	 CAST GLOSS ELITE FSC	WLK202	BG40WH N	FULL DECKLE 1525mm	1525		VIC	Transitioned from F10612.1525
<b>Uncoated Paper</b>								
F02785.1525	 SUP WHITE OPAQUE FSC	S3037	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				EXACT	500	2000	VIC	
				READY WIDTH	500		WA	
F29233.1525	 ESTATE #8 FSC	S2047	BG40WH N	FULL DECKLE 1525mm	1525		VIC	Available on PET30
F02886.1525	 ESTATE #8 PE FSC	S2030	BG40WH N	FULL DECKLE 1525mm	1525		VIC QLD	
				READY WIDTH	500	2000	VIC QLD WA	
F02799.1525	 ESTATE #4 PE FSC	S2030	BG40WH N	FULL DECKLE 1525mm	1525		VIC	
				HALF MASTER 762mm	762	1000	VIC	
F12783.1525	 VINTAGE FSC	S2047	BG40WH N	FULL DECKLE 1525mm	1525		VIC	Available on PET30
				EXACT	500	2000	VIC WA	NOW AVAILABLE ON EXACT
				READY WIDTH	500		WA	
<b>Metallised Papers</b>								
F54169.1000	 MAXFLEX BR SILVER FSC	WLP	BG40WH N	FULL DECKLE 1000mm	1000		VIC	
F54206.1000	 MAXFLEX BR SILVER FSC	WLK202	BG40WH N	FULL DECKLE 1000mm	1000		QLD	
<b>Speciality Paper</b>								
AMH916	FROZEN ORION DIAMOND PLUS	S2047N	BG45WH	FULL DECKLE 1000mm	1000		VIC	
				HALF MASTER 1000mm	500	500	VIC	

# Rapid Roll Portfolio

Item	Description	Service Program / Width (mm)	MOQ (sqm)	Length (LM)	Stocking Location	Comments
<b>Gloss paper</b>						
RR5728	VALERONC2S 7.5Mil (190um)	FULL DECKLE 1333mm	1340	1000	VIC	
RR6529	TYVEK 1057D	FULL DECKLE 1016mm	1016	1000	VIC	
RR6560	TYVEK 75GSM 1073D	FULL DECKLE 1016mm	1016	1000	VIC	
RR6561	TYVEK BRILLION 4173DL	FULL DECKLE 1524mm	1524	1000	VIC	
RR9000	HIGH TEMP DT BOPP 90UM	FULL DECKLE 1525mm	1525	1000	QLD	



## Ready Width — Queensland

	Item	Description	MOQ	Length	Widths
<b>Prime Papers</b>					
<b>COLOURED &amp; SPECIALTY PRIME PAPERS</b>	F45520.1060	RADIANT YELLOW S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45521.1060	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45522.1060	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45523.1060	RADIANT RED S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45524.1060	RADIANT PINK S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
	AD640	TYRE PLUS TS79 BG45WH	500	500	166, 250, 333
<b>Prime Films</b>					
<b>CONFORMABLE FILMS</b>	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
<b>RIGID WHITE FILMS</b>	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
	F62404.1000	OPALUX 80N SR2 BG40WH N	500	2000	250, 333
<b>Variable Information Papers</b>					
<b>THERMAL TRANSFER PAPER</b>	F22471.1000	TT ELITE FSC R5000 BG40WH N	500	1500	250, 333
<b>Variable Information Films</b>					
<b>THERMAL TRANSFER FILM</b>	BW0153.1000	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
	F41630.1000	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
	F50150.1000	DADT PE 80 CD303 BG40WH N	500	1000	200, 250, 333
	F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333
<b>Wine Portfolio</b>					
<b>UNCOATED PAPER</b>	F02886.1525	ESTATE #8 PE FSC S2030 BG40WH N	500	2000	250, 300, 333

New South Wales serviced ex QLD.  
Orders must be placed **before 2.00pm** AEST for next day dispatch.

## Ready Width — Victoria

	Item	Description	MOQ	Length	Widths
<b>Prime Papers</b>					
CAST COAT	F12808.1525	CAST GLOSS ELITE FSC S2049 BG40WH N	500	2000	250, 333
	F12810.1525	CAST GLOSS ELITE FSC ET9 BG40WH	500	2000	254, 333
LIGHTWEIGHT	F16502.1525	LW60 FSC S2045 BG40WH	500	2000	250
COLOURED & SPECIALTY PRIME PAPERS	F45520.1060	RADIANT YELLOW S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45521.1060	RADIANT ORANGE S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45522.1060	RADIANT GREEN S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45523.1060	RADIANT RED S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45524.1060	RADIANT PINK S2049 BG40WH N	500	1000	125, 166, 200, 250, 333
	AD640	TYRE PLUS TS79 BG45WH	500	500	166, 250, 333
<b>Prime Film</b>					
CONFORMABLE FILMS	BW0181	GCX CLEAR NTC S692N 40#BG	500	2000	166, 200, 247, 300, 330
	F62109.1000	OPALUX 80N SRP BG40WH N	500	2000	166, 250, 333
	F62404.1000	OPALUX 80N SR2 BG40WH N	500	2000	200, 250, 333
VINYL (PVC) / METALLISED BOPP / DIGITAL FILM	F3362.1525	PP50 TOP SILVER	500	2000	250, 333
<b>Variable Information Papers</b>					
THERMAL TRANSFER PAPER	F22471.1000	TT ELITE FSC R5000 BG40WH N	500	1500	250, 333
<b>Variable Information Films</b>					
THERMAL TRANSFER FILM	BW0153.1000	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
	F41630.1000	DATA PE 80 SRP BG40WH N	500	1000	200, 250, 333
	F50150.1000	DATA PE 80 CD303 BG40WH N	500	1000	200, 250, 333
	72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
	72826	2M MATTE CH PET S333 50 SCK	500	508	117, 254
	F31200.1000	SYNTHETIC PAPER SR2 BG40	500	2000	200, 250, 333
	F41675.1000	SYNTHETIC PAPER CD303 BG40	500	1000	200, 250, 333
<b>Wine Portfolio</b>					
GLOSS PAPER	F10720.1525	CAST GLOSS ELITE WLP BG40WH N	500	2000	200, 225, 250, 275, 300, 330
UNCOATED PAPER	F02886.1525	ESTATE #8 PE FSC S2030 BG40WH N	500	2000	200, 250, 300, 333

South Australia serviced ex VIC.  
Orders must be placed **before 2.00pm** AEST for next day dispatch.

## Ready Width – Western Australia

Item	Description	MOQ	Length	Widths	
<b>Prime Papers</b>					
CAST COAT	F12806.1525	CAST GLOSS ELITE FSC S2045 BG40WH N	500	1500	250, 333
	F12808.1525	CAST GLOSS ELITE FSC S2049 BG40WH N	500	1500	125, 166, 200, 250
	F12812.1525	CAST GLOSS ELITE FSC C2075 BG40WH N	500	1000	250, 333
	F10967.1000	SGW FSC R5000 BG40WH N	500	1000	200, 250, 333
MACHINE COAT	F18516.1525	MC PRIMECOAT FSC S2045N BG40WH NF	500	1500	225
RADIANT	F45520.1525	RADIANT YELLOW FSC S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
	F45522.1525	RADIANT GREEN FSC S2090 BG40WH N	500	1000	125, 166, 200, 250, 333
<b>Prime Film</b>					
CONFORMABLE FILMS	AF435	PRIMAX PLUS R5000 BG40WH N	500	1000	250
RIGID WHITE FILMS	F64116.1525	PP TOP WHITE SRP BG40WH N	500	1000	127, 166, 217, 254
	F64118.1525	PP TOP WHITE SPX BG40WH N	500	1000	125, 200, 250
	F62404.1000	OPALUX 80N SR2 BG40WH N	500	2000	200, 250, 333
	F3137.1525	POLYGLASS TOP SRP BG42HD W	500	2000	166, 200, 225, 250, 300, 333
VINYL (PVC)	AH932	PVC WHITE S692N BG40WH N	500	1000	250
<b>Variable Information Papers</b>					
DIRECT THERMAL PAPER	F33517.1525	DT200HD FSC S2049 BG40WH NF	500	1500	125, 145, 166, 180, 200, 225, 250
	F33518.1525	DT200HD FSC C2075 BG40WH N	500	1000	250, 333
	F33071.1000	DT200HD FSC R5000 BG40WH N	500	1000	200, 250, 333
	F30300.1525	DT200GPN FSC S2049 BG40WH N	500	1500	125, 150, 200, 229, 250
	F33535.1525	DT300LD FSC S2049 BG40WH NF	500	1500	250, 333
THERMAL TRANSFER PAPER	F32600.1525	TT ELITE FSC S2049 BG40WH N	500	1500	125, 200, 225, 250
LASER PAPER	OW0053F.210	LASERPRO FSC S2700 CCK	500	3000	210
<b>Variable Information Film</b>					
THERMAL TRANSFER FILM	BW0153.1000	SYNTHETIC PAPER S4700 BG40	500	1000	200, 250, 333
	72828	2M WH PRT PET S333 50 SCK	500	508	117, 254
<b>Wine Portfolio</b>					
UNCOATED PAPER	F02785.1525	SUP WH OPQ S3037 BG40WH N	500	2000	200, 225, 250, 275, 300, 330
	F02886.1525	ESTATE #8 PE FSC S2030 BG40WH N	500	2000	200, 225, 250, 333
	F12783.1525	VINTAGE FSC S2047 BG40WH N	500	2000	225, 250, 270

Orders must be placed **before 2.00pm** AEST for same day dispatch (WA Ready Width).

# Commercial Terms & Conditions

## Minimum Order Quantity and/or Value

The minimum order quantity is 500sqm or \$400 (plus GST) order value.

## GST

All prices quoted are excluding GST. GST of 10% will be added to all Australian invoices.

## Service Policy

Business Support Team hours are Monday to Friday, 7.30am to 5.00pm AEST. The office is closed on Australian Public Holidays.

All orders received prior to 2.00pm AEST will be dispatched the following day excluding, WA Ready Width.

Please refer to Transit Lead Times to calculate interstate deliveries. Please note that all orders should be received via e-mail as we cannot accept phone orders.

Lead time for order pick-up is a minimum of 2 hours after an order has been received.

<b>WA orders</b>	Deliveries from Melbourne: Cut-off time is 2.00pm AEST each Wednesday, for a Thursday dispatch. (NB. There is a 12.00pm AEST cut-off time for all same day dispatches out of Perth)
<b>Indent Products</b> Non stocked product codes supplied only on confirmed order	Sea Freight orders for all states delivery within 12-19 weeks*. Availability and manufacturing lead times to be confirmed with Business Support Team.

\* Note: While every effort is made to meet the above delivery times, due to stock outs in raw materials, manufacturing capacity and shipping issues - some delays may occur.

## Delivery Charges

No delivery fee will apply on shipping to a single metropolitan customer branch. A fee will apply:

- ▶ if an urgent delivery is requested
- ▶ delivery is requested to non-metropolitan destinations

The Customer can choose to book and pay for a courier to pick up their goods.

No deliveries will be made to alternative locations without prior authorisation from Avery Dennison.

## Transit Times for Interstate Deliveries

Destination	Days from Melbourne DC	Days from Brisbane DC
Adelaide	1-2	3-4
Brisbane / Gold Coast	2	same day/next day
Canberra / ACT	2	2
Melbourne	same day/next day	2-3
Perth	4 (Thurs truck)	6
Sydney	1	1
Auckland	2 weeks	2 weeks

All interstate deliveries will be made by close of business, 5.00pm.

Transit times to non metropolitan areas will incur longer transit lead times. Should you require further clarification, please contact our Business Support Team.

## Re-stocking Fee

There is a \$50.00 AUD fee per roll to re-stock customer orders that were placed incorrectly at the time of ordering (customer error). This fee covers the cost of collecting the goods and delivering a new order. Product must be un-opened, in the original packaging, and a Goods Returned Docket must accompany all returned items. Acceptance of return will be at the discretion of Avery Dennison.

## Product Quality Complaints

An Avery Dennison Quality Complaint Form must be filled out and a sample and/or photographs of the product sent to Avery Dennison within 15 days of the complaint occurring. No Returns or Claims will be accepted on packaged or partially consumed products that have exceeded their shelf life.

## Product Changes

Avery Dennison reserves the right, without liability to the CUSTOMER, to discontinue or limit the manufacture or sale of PRODUCTS, to make any technical, material, colour or design changes in PRODUCT, add new and additional products to its line, substitute such altered products for the prior PRODUCTS in filling orders and/or change its sales and distribution policies, after giving the CUSTOMER appropriate notification, in advance thereof.

## Prices

The prices at which the PRODUCTS shall be sold to the CUSTOMER shall be the prices as set forth in the "PRICE LIST". All prices are in Australian Dollars unless otherwise stated. Avery Dennison's standard terms and conditions of sale shall apply to all sales hereunder, as set forth on Avery Dennison's invoice and upon request, and as may be subsequently modified by Avery Dennison, except to the extent expressly inconsistent with this Agreement.

## Orders and Delivery

The parties may use their normal commercial forms in placing and acknowledging orders hereunder. Any such forms shall be used for convenience only and any terms or provisions which may be contained therein inconsistent with or in addition to those contained herein, other than provisions specifying the quantity and type of PRODUCTS ordered, requested delivery dates and invoicing and shipping instructions, shall have no force or effect whatsoever between the parties. Shipping dates given prior to actual shipment shall be deemed to be estimates only. A purchase order number is required on every purchase order request.

## Confidential Information

All information designated in writing by Avery Dennison as being confidential or proprietary shall be received and held by the CUSTOMER in strict confidence and shall not at any time be disclosed to others, used for the CUSTOMER's benefit or the benefit of others or in any manner detrimental to Avery Dennison.

## Force Majeure

Avery Dennison shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by accident, fire, strike, riot, civil commotion, insurrection, war, the elements, embargo, failure of carrier, inability to obtain transportation facilities, government requirements, acts of God or public enemy, prior orders from others or limitations on Avery Dennison's or its suppliers' products or marketing activities or any other cause or contingency beyond Avery Dennison's control.

## Non-waiver

Avery Dennison's (a) failure to insist upon strict performance of any of the terms or conditions, (b) failure or delay to exercise any rights or remedies provided herein or by law, (c) failure properly to notify the CUSTOMER in the event of breach or (d) acceptance of payment for any PRODUCTS sold hereunder, shall not be deemed a waiver of any right of Avery Dennison to insist upon strict performance hereof or of any of its rights or remedies, or as to any prior or subsequent default hereunder.

# Operational Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted

## Mix and Match Ordering Guidelines

- ▶ Talk with your local Avery Dennison representative to find an emulsion Mix and Match solution
- Different MOQs and lead times apply, pending agreed product selection

## Core Diameter

- ▶ 76mm

## Splice Standard

Maximum:

- ▶ 500 lm - 0 splice
- ▶ 1000 lm - 1 splice
- ▶ 1500 lm - 1 splice
- ▶ 2000 lm - 2 splices
- ▶ 3000 lm - 3 splices

## Minimum Distance Between Splices and to Start/End of a Roll

- ▶ 200 lm

## Splice Tape

- ▶ Top tape 24mm wide red
- ▶ Middle tape 19mm wide clear
- ▶ Bottom tape 36mm wide red

## Splice Configuration

- ▶ 3 part splice is standard

## Splice Indication

- ▶ Number of splices recorded on cheese label, located on the side of the roll

## Offcut Disposition

- ▶ Offcuts less than 90 mm are scrapped, customer will be charged

## Slit Width

- ▶ Minimum slit width is 90mm
- ▶ Maximum slit width is 1524mm

## Slit Roll Width Tolerances

- ▶ Full width tolerance +/- 2mm
- ▶ 1mm +/- each side

## Roll Length Tolerance

- ▶ Roll length tolerance +/- 10%
- ▶ Minimum standard roll length 1000lm

## Minimum Roll Length

- ▶ Metre wide items in the Half Master program are sold in lengths of 500 metres or greater

## Maximum Roll Length

- ▶ Approximately 4500 linear metres depending on each product

## Total Order Quantity

- ▶ Orders supplied +/- 10%

## Packaging Method

- ▶ Rolls less than 1500lm will be 'Chimney Stacked'
- ▶ Rolls greater than 1500lm will be packaged with the 'Roll On' Style

## Roll Tag Labels

- ▶ Roll label on outside of roll with 1 core label in core

## Separate Sizes by Width

- ▶ One width size per stack, will segregate sizes within stack if less than sufficient quantity

## Pallet sizes

- ▶ Size 770mm x 1050mm
- ▶ Size 1200mm x 1200mm

## Pallets and Chocks

- ▶ Remain the property of Avery Dennison and are to be returned. Coordination of return is the responsibility of the customer

## Maximum Stack Height

- ▶ 1 metre

## Minimum Order Quantity

- ▶ Standard MOQ is 1000 lineal metres of the full web width. Specified programs like Half Master, Ready Width & Exact have different MOQ's
- ▶ Standard products only, not custom make or indent

## Custom Make Products

- ▶ Refer to Avery Dennison representatives for business rules

## Returns / Claims

- ▶ Should be made within 30 days of receipt of material
- ▶ Avery Dennison approval required before material is picked up

## Material Quality Matters

- ▶ Material is to remain at customers pending testing/evaluation
- ▶ Roll label details to be provided to Avery Dennison and full justification of any amount

## **Avery Dennison Label and Packaging Materials**

### **Australia**

1124 Centre Rd  
Oakleigh South, VIC 3167  
Sales: 1300 369 984

### **General Enquiries:**

E: [lpm.anz@ap.averydennison.com](mailto:lpm.anz@ap.averydennison.com)  
W: [label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)

### **Orders can be placed at:**

E: [aus.sales@ap.averydennison.com](mailto:aus.sales@ap.averydennison.com)

DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>.

© 2019 Avery Dennison Corporation. All rights reserved, Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.



Label and  
Packaging Materials

[label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)