

Label and Packaging Materials Product Services Guide

South Africa
April 2020



How to read the Product Services Guide

Welcome to the April 2020 Product Services Guide. This Guide was created to provide you with a single document to inform you of the core product portfolios of Avery Dennison Label and Packaging Materials.

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location	Comments
AL89350F	★SEMIGLOSS 80 FSC	S2045	BG40WH	FULL DECKLE 1500mm	1500	1000	CTD	Transitioning to 1525mm deckle in Q3 2020
				EXACT	1000	1000/ 2000	DBD CTD	

MACHINE COAT

Item:

The item number identifies the product on your delivery documents and invoices.

Facestock:

Identifies the facestock used in the construction.

Adhesive:

Identifies the particular adhesive used in the construction.

Liner:

When liner codes end in the letter 'N' this signifies a nil imprint. PET liners never have a backprint.

Service Program:

The service program details how the product is sold to the market.

FULL DECKLE

Signifies the product is sold with the complete web width and the minimum length of 1000 metres.

EXACT

Items are sold in any width with fixed lengths that vary for each program.

READY WIDTH

Offers slit rolls in set widths and lengths.

HALF MASTER

Reduces the minimum order quantity (MOQ) by half. Half Master of a 1525mm wide item allows you to purchase from a master that is only 762mm wide by 1000 metres.

MOQ (sqm):

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

Length (LM):

Identifies the length in lineal meters, offered in a service program.

Stocking Location:

Indicates which AD site the product is stocked in

Comments:

This column will also highlight any notice of impending change to the final facestock, adhesive or liner.

FSC® certified facestock or liner

★ Only the products identified as such count with Forestry Stewardship Council certification.



The mark of responsible forestry

Need more information?

Avery Dennison has a Business Support Team ready to answer your enquiries. Call them today to discuss product availability, ordering process or anything else you require.

Business Support Team: 08000 AVERY (28379)

Mon to Thu 8.00am – 4.30pm

Fri 8.00am – 4.00pm

(excluding South African Public Holidays)

Contact us:

South Africa

Cnr. Winze Drive and Leader Avenue
Stormill Ext 4
Roodepoort
1709

Account Business Managers

Cape Town

Andrew Zwicky +27 82 908 5107

Johannesburg

Andrew Zwicky +27 82 908 5107

Durban

Kuben Naidoo +27 82 886 3533

Technical Support

South Africa

Scott Leatherbarrow +27 82 903 8776

Quality Department

South Africa

Thelma Ratshikhopha +27 82 883 6189

Account Enquiries

South Africa

Ferial Isaacs +27 11 249 5700

Data & Specification Sheets

label.sapssa.averydennison.com

Should you require more technical data for any of our products, you can download specification sheets from our website.

If you cannot find the specification sheet you are after, please contact your Avery Dennison representative.

Prime Papers

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location			Comments
CAST COAT										
AM13010ZA	HIGHGLOSS 80	S2400	BG40 IMP	FULL DECKLE 1500mm	1500	1000	DBD	CTD		Transitioning to F12806.1525 Cast Gloss Elite FSC S2045 BG40WH N from Q2 2020
MACHINE COAT										
AL89350F	★SEMIGLOSS 80 FSC	S2045	BG40WH	FULL DECKLE 1500mm	1500	1000	JHB	DBD	CTD	Transitioning to 1525mm deckle in Q3 2020
				EXACT	1000	1000/2000		DBD	CTD	
ALY89350F	★SEMIGLOSS 80 FSC	S2045	BG40BR	FULL DECKLE 1500mm	1000	1000	JHB	DBD	CTD	Transitioning to 1525mm deckle in Q3 2020
				EXACT	1000	1000/2000	JHB	DBD	CTD	
PTF6845	SEMIGLOSS 80	S2045	PET23	FULL DECKLE 1000mm	1000	1000	JHB	DBD		
AW2433F	SEMIGLOSS 80	S2345	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB	DBD	CTD	High Tack
ALYF6849	SEMIGLOSS 80	S445N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB	DBD	CTD	
AW0400F	★SEMIGLOSS FSC	S1010	BG40WH	FULL DECKLE 1525mm	1500	1000	JHB	DBD	CTD	
				EXACT	1000	1000/2000		DBD		
ALYF4942	SEMIGLOSS 70	S2045N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB	DBD		
ALE8845	FASLITHO	S2045	BG40WH	FULL DECKLE 1000mm	1000	1000	JHB	DBD	CTD	
ALE8879	FASLITHO	S2345	BG40WH	FULL DECKLE 1000mm	1000	1000		DBD	CTD	High Tack
AN589ZA	SEMIGLOSS 80	C2075	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB		CTD	Freezer Grade
AA003	★MC PRIMECOAT FSC	R5000	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB	DBD	CTD	Removable
LIGHT WEIGHT										
AM18451ZA	LW60	S2050	BG40W IMP	FULL DECKLE 1000mm	1000	1000	JHB	DBD	CTD	
VELLUM										
LW3208	FASSON UNCOATED PAPER 60	S2045N	BG40B NI	FULL DECKLE 1500mm	1500	1000	JHB	DBD	CTD	New
BC679	★TRANSFER VELLUM FSC	S2000NG	BG40BR	FULL DECKLE 1000mm	1000	1000		DBD	CTD	
LLYF3831	FASMATT VELLUM	S2045	CK40	FULL DECKLE 1500mm	1500	1000	JHB	DBD	CTD	
ALB4690	TRANSFER VELLUM	S2345	BG40WH	FULL DECKLE 1000mm	1000	2000		DBD		High Tack
AA036	★VELLUM FSC	R5000	BG40BR	FULL DECKLE 1000mm	500	500	JHB	DBD	CTD	Removable

Prime Papers (continued)

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location	Comments
METALISED PAPER								
AL326	★MP PLUS SILVER FSC	S2045N	BG40BR	FULL DECKLE 1000mm	500	500	JHB DBD CTD	
AH966	★MP PLUS SILVER FSC	S2030	★BG40WH IMP FSC	FULL DECKLE 1000mm	1000	1000	CTD	
COLOURED PAPERS								
BJ614	★RADIANT CHARTREUSE FSC	S2045N	BG40BR	FULL DECKLE 1000mm	500	500	DBD CTD	
BJ615	★RADIANT ORANGE FSC	S2045N	BG40BR	FULL DECKLE 1000mm	500	500	DBD CTD	
BJ616	★RADIANT GREEN FSC	S2045N	BG40BR	FULL DECKLE 1000mm	500	500	DBD CTD	
BJ617	★RADIANT RED FSC	S2045N	BG40BR	FULL DECKLE 1000mm	500	500	DBD CTD	
BJ340	★RADIANT PINK FSC	S2000N	BG40BR	FULL DECKLE 1000mm	500	500	DBD CTD	
SPECIALITY PAPERS								
AA875	FASTYRE	TS79	BG40W IMP	FULL DECKLE 1000mm	500	500	JHB DBD CTD	
SW4106	MC SEMIGLOSS PB	2 x S2090	2 x BG40W IMP	FULL DECKLE 1500mm	1000	1000	JHB DBD CTD	
AMA1450ZA	SEMIGLOSS COVERALL	S2050	BG40WH IMP	FULL DECKLE 1500mm	750	500	JHB DBD CTD	
AM89400ZA	DUKUZA BOARD 160G	S2050	BG40	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	

Prime Films

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location	Comments
CONFORMABLE FILMS								
AD002	PRIMAX® PLUS	S692N	BG40WH	FULL DECKLE 1000mm	1000	1000	CTD	
AF186	PE85 TOP WH	S692N	BG40WH	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
AF187	PE85 TOP CL	S692N	BG40WH	FULL DECKLE 1000mm	1000	1000	DBD CTD	
AF172	PE100 TOP WH	S277	BG40WH	FULL DECKLE 1000mm	500	500	JHB DBD CTD	
AG745	PE100 TOP WH	S692N	BG40BR	FULL DECKLE 1000mm	500	500	CTD	
RIGID WHITE FILMS								
AL09010	PP60 TOP WHITE CAVITATED	S2045	BG40WH	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
				EXACT	1000	1000/2000	DBD	
ALYF1843	PP60 TOP WHITE CAVITATED	S2045	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
BW8004	PP60 TOP WHITE CAVITATED	S692N	BG40WH	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
AB074	PP60 TOP WHITE	S692N	BG50WH	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
BW8008	PP50 TOP WHITE CAVITATED	S2045	BG40WH	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
				EXACT	1000	1000/2000	JHB CTD	
BO602	PP50 TOP WHITE CAVITATED	S6500	BG40WH	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
ALYF1839	PP60 TOP WHITE CAVITATED	S2345	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	High Tack
AB303	PP60 TOP WHITE CAVITATED	S445N	BG45WH	FULL DECKLE 1000mm	500	500	JHB DBD CTD	Super Tack
AF075	PP60 TOP WHITE	S277	BG50WH	FULL DECKLE 1000mm	500	500	JHB	
AF733ZA	PP60 TOP WHITE CAVITATED	C2075	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	Freezer Grade
				HALF MASTER 1000mm	500	500	JHB DBD CTD	
RIGID CLEAR FILMS								
AX150	PP60 TOP CLEAR	S4000N	PET30	FULL DECKLE 1000mm	1000	1000	DBD CTD	
AR082	PP50 TOP CLEAR	S7400	PET23	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
BK882	PP TOP CLEAR	S692N	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
ALYF0601	PP50 TOP CLEAR	S2045	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
BW8000	PP50 TOP CLEAR	S692N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
METALLISED BOPP								
AMF9601	PP50 METALLISED SILVER	S2060	BG40WH IMP	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
SW8507	PP50 GLOSS SILVER TC	S692N	BG40WH IMP	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
BL606	PP50 TOP SILVER	S7400	PET23	FULL DECKLE 1000mm	1000	1000		New

Variable Information Papers

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location	Comments
DIRECT THERMAL PAPER								
ALYG6845F	★DIRECT THERMAL TC FSC	S2045N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
				EXACT	1000	1000/2000	JHB DBD CTD	
SW7063F	★DT150RL FSC	S2045N	BG40BR	FULL DECKLE 1525mm	1000	1000	JHB CTD	New
ALY55845	ECONOMY THERMAL	S2045N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
AG177	★DIRECT THERMAL TC S8 FSC	S445N	BG40BR	FULL DECKLE 1000mm	1000	1000	DBD CTD	Super Tack
AN588	★DT200HD PLUS TC FSC	C2075N	BG40BR	FULL DECKL 1000mm	500	500	JHB CTD	Freezer Grade
BB374	★DIRECT THERMAL TC FSC	R5000N	BG40BR	FULL DECKL 1000mm	500	500	JHB DBD CTD	Removable
THERMAL TRANSFER PAPER								
ALYA8845	FASTRANSFER ULTRA	S2045	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
ALYB4845	FASTRANSFER STANDARD	S2045N	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	
ALA8858	FASTRANSFER ULTRA	S2345	BG40BR	FULL DECKLE 1500mm	1500	1000	DBD	High Tack
LASER / INKJET PAPER								
OW2350	GLOSS IJ PAPER	AP103	BG40WH IMP	FULL DECKLE 1070mm	268	250	JHB DBD CTD	
OW0053G	★LASERPRO 70 FSC	S692N(EM)	CK55W	FULL DECKLE 210mm	315	1500/3000	JHB DBD CTD	New

Variable Information Films

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location	Comments
THERMAL TRANSFER FILM								
BW0053	TTP MATT WHITE	S692N	BG40WH	FULL DECKLE 1500mm	1500	1000	JHB DBD	
AL74680	TTP MATT WHITE	S2345	BG40WH IMP	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	High Tack
AF592	PET50 WHITE	S695(EM)	BG45W	FULL DECKLE 1000mm	500	500	JHB DBD CTD	
AF229	TRANSFER PE HD	S2045N	BG40BR	FULL DECKLE 1000mm	500	500	DBD CTD	
AF207	SYNTEX	S445N	BG40BR	FULL DECKLE 1000mm	500	500	JHB	Super Tack
LASER / INKJET FILM								
OZ2120	100um IJ SYN PAPER	AF101	BG40WH IMP	FULL DECKLE 1070mm	268	250	JHB DBD CTD	

Wine Portfolio

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location	Comments
GLOSS PAPER								
AW2141N	CAST GLOSS PREMIUM	S2000W	BG40WH	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
SW7060	★Cast Gloss Elite FSC	S2030	BG40 WHN	FULL DECKLE 1525mm	1525	1000	CTD	New
				EXACT	1000	2000	CTD	
UNCOATED PAPER								
SW8510	FASSON CHILLER	S2000W	BG40WH IMP	FULL DECKLE 1500mm	1500	1000	JHB	CTD
F29233F	★ESTATE #8 FSC	S2047	BG40WH	FULL DECKLE 1500mm	1500	1000	CTD	Transitioning to 1525mm deckle
SPECIALITY PAPER								
AU266	WHITE COTTON	S2047N	BG45WH	FULL DECKLE 1000mm	500	500		CTD
BE261	RUSTIQUE EXTRA WHITE	Z1010	BG45WH	FULL DECKLE 1000mm	1000	1000		CTD
AG600	LINEN	S2047N	BG45WH IMP	FULL DECKLE 1000mm	500	500	JHB	CTD
AF270	ANTIQUÉ CREME	S451	BG40BR IMP	FULL DECKLE 1000mm	500	500		CTD
AL409	BLACK PAPER NEW	S2047N	BG45WH IMP	READY WIDTH (250mm, 333mm)	500	500		CTD
BH341	COTTON BLACK	S2047N	BG45WH	READY WIDTH (250mm, 333mm)	250	1000		CTD



Please refer to our [Select Solutions Portfolio](#) for our complete Wine range.

Rapid Roll

Item	Facestock	Service Program / Width (mm)	MOQ (m ²)	Length (LM)	Stocking Location	Comments
AG313	LINER BG40WH HR	FULL DECKLE 1000MM	1000	1000	JHB CTD	
AG7644ZA	THERMAL BOARD 220	FULL DECKLE 1016MM	1000	1000	JHB DBD CTD	
RR90710	FASTAG PP MJD MATTE 150	FULL DECKLE 1000MM	4000	4000	JHB CTD	
RR90072	PP 60 CAVITATED	FULL DECKLE 1500MM	3050	2000	DBD	
RR90712	BOPP WHITE TAG 120MIC	EXACT	1000	1000	Indent	Corona Treated- 2 weeks leadtime
RR90715	BOPP WHITE TAG 150MIC	EXACT	1000	1000	Indent	Corona Treated- 2 weeks leadtime
RR90725	BOPP WHITE TAG 250MIC	EXACT	1000	1000	Indent	Corona Treated- 2 weeks leadtime

Operational Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted

Core Diameter

- 76mm
- Specialties on Request

Splice Standard

- Up to 1000m: 1 splice
- 1000 – 2000m: 2 splices
- More than 2000m: 3 splices

Minimum Distance Between Splices and to Start/End of a Roll

- 200 m

Splice Tape

- PVC Red/Brown Tape

Splice Indication

- Number of splices is indicated on the roll label and position of splice indicated by stamp on side of the roll

Offcut Disposition

- Customer will be charged for full deckle unless sales order is requested on Fasson Exact™ program

Slit Width

- Minimum slit width is 90mm
- Maximum slit width is 1500mm
- Maximum width dependant on master roll width

Slit Roll Width Tolerances

- Full width tolerance is +/- 1mm on each side

Roll Length

- Minimum Standard roll length is 1000m
- Specialties 500m

Roll Length Tolerance

- Roll length tolerance of +/- 5%

Maximum Roll Length

- Approximately 2000m – dependant on product

Total Order Quantity

- Order supplied +/- 5%

Packaging Method

- Rolls will be horizontally or vertically packed

Roll Tag Labels

- Roll Labels on outside of roll and one in roll core

Palletized deliveries

- All deliveries as required are palletized
- These pallets remain the property of Avery Dennison and need to be returned.

Maximum Stack Heights

- 1m

Minimum Order Quantity

- Standard MOQ is 1000m of the full material width
- Fasson Exact program MOQ is 1000m². Certain Specialties may be 500m²

Material Quality Matters

- Material to remain at the customer's premises until final testing/evaluations have been done
- Complaints are attended to within the stipulated life of the product as per material data sheet
- Response to complaints within 2 working days
- Resolution within 21 working days – dependant on type of complaint

Technical Support

- Technical support and product training available for both converters and end users
- Training is offered at ADSA discretion

Cut-off Times For Orders

- All orders received at or before 2pm will be deemed next working day delivery unless confirmed otherwise
- Fasson EXACT products lead time is 2 working days to dispatch EXCEPT when product ordered is not offered at the local DC in which case transportation lead time of additional 2 working days applies.
- Collections from 09:00am – 15:00pm, Monday – Friday
- Customer to email PO at least 3 hour prior to collection
- Direct indent orders have 8 – 12 weeks lead time depending on freight mode and source

National Freight Charge

- Applicable freight charges:
- As per agreed pro-forma terms & conditions for exports orders
- Should customer require stock faster than the standard channel

Order Cancellation

- Not permitted once slit
- Fasson Exact Program sales order cancellation not permitted once Order Acknowledgement has been issued

Operational Terms & Conditions (continued)

Width Substitution

- As agreed upon by both parties

Product Substitution

- Substitution with the nearest alternate product allowed in the event of stock shortage and agreed by both parties

Damaged Product on Delivery

- Customers to inspect all products on delivery.
- Any damages to be acknowledged at the time of delivery by being noted on the Delivery Docket
- Avery Dennison approval required before material is picked up
- Failure to acknowledge at the time of delivery will be deemed that the damage occurred at the customer's premises

Customer Purchase Order

- Email Purchase Order to Avery Dennison Order Centre email address: order.centre@eu.averydennison.com
- Customer Purchase Order should include the following information:
 - Purchase Order number.
 - Company Name / Account number.
 - Delivery address, Required date.
 - Item required, Quantity required & Price.
 - Name & title and contact number for Buyer.
- Once purchase order has been processed by Avery Dennison: an order acknowledgement will be emailed to the customer
- Failure to clearly supply these details may result in delays

Proof Of Delivery

- Material to be checked. Delivery Docket signed and returned to driver/courier

Price increase

- 30 days notice period
- Notice period may change subject to exceptional circumstances

Select Solutions™ Magazine

Stories, information
and our latest
Select Solutions™
Portfolios

Download the latest
issue now



Select Solutions™
Magazine SSA



**Avery Dennison
Label and Packaging Materials**

South Africa

Cnr. Winze Drive and Leader Avenue
Stormill Ext 4
Roodepoort
1709

label.sapssa.averydennison.com



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2019 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for purposes other than marketing by Avery Dennison.