

# Label and Packaging Materials Product Services Guide

South Africa  
September 2020



# How to read the Product Services Guide

Welcome to the September 2020 Product Services Guide. This guide was created to provide you with a single document to inform you of the core product portfolios of Avery Dennison Label and Packaging Materials.

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stocking Location	Comments
AL89350-F	★SEMIGLOSS 80 FSC	S2045	BG40WH	FULL DECKLE 1525mm	1525	1000	JHB DBD CTD	
				EXACT	1000	1000/ 2000	DBD CTD	

## MACHINE COAT

### Item:

The item number identifies the product on your delivery documents and invoices.

### Facestock:

Identifies the facestock used in the construction.

### Adhesive:

Identifies the particular adhesive used in the construction.

### Liner:

When liner codes end in the letter 'N' this signifies a nil imprint. PET liners never have a backprint.

### Service Program:

The service program details how the product is sold to the market.

#### FULL DECKLE

Signifies the product is sold with the complete web width and the minimum length of 1000 metres.

#### EXACT

Items are sold in any width with fixed lengths that vary for each program.

#### READY WIDTH

Offers slit rolls in set widths and lengths.

#### HALF MASTER

Reduces the minimum order quantity (MOQ) by half. Half Master of a 1525mm wide item allows you to purchase from a master that is only 762mm wide by 1000 metres.

### MOQ (sqm):

All orders must meet Minimum Order Quantity. SQM is determined by multiplying width by length.

### Length (LM):

Identifies the length in lineal meters, offered in a service program.

### Stocking Location:

Indicates which AD site the product is stocked in

### Comments:

This column will also highlight any notice of impending change to the final facestock, adhesive or liner.

## FSC® certified facestock or liner

★ Only the products identified as such count with Forest Stewardship Council certification.



The mark of responsible forestry

## Need more information?

Avery Dennison Business Support Team is ready to answer your questions. Call us to discuss product availability, ordering process, or anything else you need.

**Business Support Team: 08000 AVERY (28379)**

**Mon to Thu 8.00am – 4.30pm**

**Fri 8.00am – 4.00pm**

**(excluding South African public holidays)**

### Contact Us:

#### South Africa

Cnr. Winze Drive and Leader Avenue  
Stormill Ext 4  
Roodepoort  
1709

### Account Business Managers

#### Cape Town

Andrew Zwicky +27 82 908 5107

#### Johannesburg

Andrew Zwicky +27 82 908 5107

#### Durban

Kuben Naidoo +27 82 886 3533

### Technical Support

#### South Africa

Scott Leatherbarrow +27 82 903 8776

### Quality Department

#### South Africa

Thelma Ratshikhopha +27 82 883 6189

### Account Enquiries

#### South Africa

Ferial Isaacs +27 11 249 5700

### Data & Specification Sheets

#### [label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)

Should you require more technical data for any of our products, you can download specification sheets from our website.

If you cannot find the specification sheet you are after, please contact your Avery Dennison representative.

# Prime Papers

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stocking Location	Comments
<b>CAST COAT</b>								
AM13010ZA	HIGHGLOSS 80	S2400	BG40 IMP	FULL DECKLE 1500mm	1500	1000	DBD CTD	
<b>MACHINE COAT</b>								
AL89350-F	★SEMIGLOSS 80 FSC	S2045	BG40WH	FULL DECKLE 1525mm	1525	1000	JHB DBD CTD	
				EXACT	1000	1000/ 2000	DBD CTD	
ALY89350-F	★SEMIGLOSS 80 FSC	S2045	BG40BR	FULL DECKLE 1525mm	1525	1000	JHB DBD CTD	
				EXACT	1000	1000/ 2000	JHB DBD CTD	
PTF6845	SEMIGLOSS 80	S2045	PET23	FULL DECKLE 1000mm	1000	1000	JHB DBD	
AW2433F	SEMIGLOSS 80	S2345	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	High Tack
ALYF6849	SEMIGLOSS 80	S445N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	Super Tack
AW0400F	★SEMIGLOSS FSC	S1010	BG40WH	FULL DECKLE 1525mm	1525	1000	JHB DBD CTD	Transitioning to AW0425F
				EXACT	1000	1000/2000	DBD	
ALYF4942	SEMIGLOSS 70	S2045N	BG40BR	FULL DECKLE 1500mm	1500	1000	DBD	
ALE8845	FASLITHO	S2045	BG40WH	FULL DECKLE 1000mm	1000	1000	JHB DBD	
ALE8879	FASLITHO	S2345	BG40WH	FULL DECKLE 1000mm	1000	1000	DBD CTD	High Tack
AN589ZA	SEMIGLOSS 80	C2075	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB CTD	Freezer Grade
AA003	★MC PRIMECOAT FSC	R5000	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	Removable
<b>VELLUM</b>								
LW3208	FASSON UNCOATED PAPER 60	S2045N	BG40B NI	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	New
BC679	★TRANSFER VELLUM FSC	S2000NG	BG40BR	FULL DECKLE 1000mm	1000	1000	DBD CTD	
LLYF3831	FASMATT VELLUM	S2045	CK40	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD	
ALB4690	TRANSFER VELLUM	S2345	BG40WH	FULL DECKLE 1000mm	1000	1000	DBD	High Tack
AA036	★VELLUM FSC	R5000	BG40BR	FULL DECKLE 1000mm	500	500	JHB DBD CTD	Removable

# Prime Papers (continued)

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stocking Location	Comments
<b>METALISED PAPER</b>								
AL326	★MP PLUS SILVER FSC	S2045N	BG40BR	FULL DECKLE 1000mm	500	500	DBD CTD	
AH966	MP PLUS SILVER	S2030	★BG40WH IMP FSC	FULL DECKLE 1000mm	1000	1000	CTD	
<b>COLOURED PAPERS</b>								
BJ614	★RADIANT CHARTREUSE FSC	S2045N	BG40BR	FULL DECKLE 1000mm	250	250	DBD CTD	
BJ615	★RADIANT ORANGE FSC	S2045N	BG40BR	FULL DECKLE 1000mm	250	250	DBD CTD	
BJ616	★RADIANT GREEN FSC	S2045N	BG40BR	FULL DECKLE 1000mm	250	250	DBD CTD	
BJ617	★RADIANT RED FSC	S2045N	BG40BR	FULL DECKLE 1000mm	250	250	DBD CTD	
AA276	★RADIANT PINK FSC	S2000N	BG40BR	FULL DECKLE 1000mm	250	250	DBD CTD	
<b>SPECIALITY PAPERS</b>								
AA875	FASTYRE	TS79	BG40W IMP	FULL DECKLE 1000mm	500	500	JHB DBD CTD	
SW4106	MC SEMIGLOSS PB	2 x S2090	2 x BG40W IMP	FULL DECKLE 1500mm	750	500	JHB DBD CTD	
AMA1450ZA	SEMIGLOSS COVERALL	S2050	BG40WH IMP	FULL DECKLE 1500mm	750	500	DBD CTD	
AM89400ZA	DUKUZA BOARD 160G	S2050	BG40	FULL DECKLE 1000mm	500	500	JHB DBD CTD	

# Prime Films

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stocking Location	Comments	
<b>CONFORMABLE FILMS</b>									
AD002	PRIMAX® PLUS	S692N	BG40WH	FULL DECKLE 1000mm	1000	1000	CTD		
AF186	PE85 TOP WH	S692N	BG40WH	FULL DECKLE 1000mm	1000	1000	DBD CTD		
AF187	PE85 TOP CL	S692N	BG40WH	FULL DECKLE 1000mm	1000	1000	DBD CTD		
AF172	PE100 TOP WH	S277	BG40WH	FULL DECKLE 1000mm	500	500	JHB DBD CTD		
AG745	PE100 TOP WH	S692N	BG40BR	FULL DECKLE 1000mm	500	500	CTD		
<b>RIGID WHITE FILMS</b>									
AL09010	PP60 TOP WHITE CAVITATED	S2045	BG40WH	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD		
				EXACT	1000	1000/2000	DBD		
ALYF1843	PP60 TOP WHITE CAVITATED	S2045	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD		
BW8004	PP60 TOP WHITE CAVITATED	S692N	BG40WH	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD		
AB074	PP60 TOP WHITE	S692N	BG50WH	FULL DECKLE 1000mm	1000	1000	DBD CTD		
BW8008	PP50 TOP WHITE CAVITATED	S2045	BG40WH	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD		
				EXACT	1000	1000/2000	JHB CTD		
BO602	PP50 TOP WHITE CAVITATED	S6500	BG40WH	FULL DECKLE 1000mm	1000	1000	DBD CTD		
ALYF1839	PP60 TOP WHITE CAVITATED	S2345	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	High Tack	
AB303	PP60 TOP WHITE CAVITATED	S445N	BG45WH	FULL DECKLE 1000mm	500	500	JHB DBD CTD	Super Tack	
AF075	PP60 TOP WHITE	S277	BG50WH	FULL DECKLE 1000mm	500	500	JHB		
AF733ZA	PP60 TOP WHITE CAVITATED	C2075	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD	Freezer Grade	
				HALF MASTER 1000mm	500	500	JHB DBD CTD		
<b>RIGID CLEAR FILMS</b>									
AX150	PP60 TOP CLEAR	S4000N	PET30	FULL DECKLE 1000mm	1000	1000	DBD CTD		
AR082	PP50 TOP CLEAR	S7400	PET23	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD		
BK882	PP TOP CLEAR	S692N	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD		
ALYF0601	PP50 TOP CLEAR	S2045	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD		
BW8000	PP50 TOP CLEAR	S692N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB DBD CTD		
				READY WIDTH (200mm, 250mm, 333mm)		1,000		CTD	
				READY WIDTH (200mm, 250mm, 333mm)		2,000	JHB DBD		
<b>METALLISED BOPP</b>									
AMF9601	PP50 METALISED SILVER	S2060	BG40WH IMP	FULL DECKLE 1000mm	1000	1000	JHB DBD CTD		
SW8507F	PP50 GLOSS SILVER TC	S692N	★BG40WH IMP	FULL DECKLE 1500mm	1500	1000	JHB DBD		

## Variable Information Papers

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stacking Location			Comments
<b>DIRECT THERMAL PAPER</b>										
ALYG6845F	★DIRECT THERMAL TC FSC	S2045N	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB	DBD	CTD	
				EXACT	1000	1000/2000	JHB	DBD	CTD	
SW7063F	★DT150RL FSC	S2045N	BG40BR	FULL DECKLE 1525mm	1525	1000	JHB		CTD	New
ALY55845	ECONOMY THERMAL	S2045N	BG40BR	FULL DECKLE 1500mm	1500	1000	JHB	DBD	CTD	Moving to 1525mm width & 1525sqm MOQ. Oct 1
AG177	★DIRECT THERMAL TC S8 FSC	S445N	BG40BR	FULL DECKLE 1000mm	1000	1000		DBD	CTD	Super Tack
BU294	★DT200HD PLUS TC FSC	C2075N	BG40BR	FULL DECKL 1000mm	500	500	JHB		CTD	Freezer Grade
BG752	★DIRECT THERMAL TC FSC	R5000N	BG40BR	FULL DECKL 1000mm	500	500	JHB	DBD	CTD	Removable
<b>THERMAL TRANSFER PAPER</b>										
ALYA8845	FASTRANSFER ULTRA	S2045	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB	DBD	CTD	
ALYB4845	FASTRANSFER STANDARD	S2045N	BG40BR	FULL DECKLE 1000mm	1000	1000	JHB	DBD	CTD	
ALA8858	FASTRANSFER ULTRA	S2345	BG40BR	FULL DECKLE 1500mm	1500	1000		DBD		High Tack
<b>LASER / INKJET PAPER</b>										
OW2350	GLOSS IJ PAPER	AP103	BG40WH IMP	FULL DECKLE 1070mm	268	250	JHB		CTD	
OW0053G	★LASERPRO 70 FSC	S692N(EM)	CK55W	FULL DECKLE 210mm	315	1500/3000	JHB	DBD	CTD	New

## Variable Information Films

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stacking Location			Comments
<b>THERMAL TRANSFER FILM</b>										
BW0053	TTP MATT WHITE	S692N	BG40WH	FULL DECKLE 1000mm	1000	1000	JHB	DBD		
AL74680	TTP MATT WHITE	S2345	BG40WH IMP	FULL DECKLE 1000mm	1000	1000	JHB	DBD	CTD	High Tack
AF592	PET50 WHITE	S695(EM)	BG45W	FULL DECKLE 1000mm	500	500	JHB	DBD	CTD	
AF229	TRANSFER PE HD	S2045N	BG40BR	FULL DECKLE 1000mm	500	500		DBD	CTD	
AF207	SYNTEX	S445N	BG40BR	FULL DECKLE 1000mm	500	500	JHB			Super Tack
<b>LASER / INKJET FILM</b>										
OZ2120	100um IJ SYN PAPER	AF101	BG40WH IMP	FULL DECKLE 1070mm	268	250	JHB	DBD	CTD	

# Wine Portfolio

Item	Facestock	Adhesive	Liner	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stocking Location	Comments
<b>GLOSS PAPER</b>								
AW2141N	CAST GLOSS PREMIUM	S2000W	BG40WH	FULL DECKLE 1525mm	1525	1000	JHB DBD CTD	
SW7060	★Cast Gloss Elite FSC	S2030	BG40 WHN	FULL DECKLE 1525mm	1525	1000	CTD	New
				EXACT	1000	2000	CTD	
<b>UNCOATED PAPER</b>								
F29233F	★ESTATE #8 FSC	S2047	BG40WH	FULL DECKLE 1500mm	1500	1000	CTD	
<b>SPECIALITY PAPER</b>								
AU266	WHITE COTTON	S2047N	BG45WH	FULL DECKLE 1000mm	500	500	CTD	
BE261	RUSTIQUE EXTRA WHITE	Z1010	BG45WH	FULL DECKLE 1000mm	1000	1000	CTD	
AG600	LINEN	S2047N	BG45WH IMP	FULL DECKLE 1000mm	500	500	JHB CTD	
AF270	ANTIQUE CREME	S451	BG40BR IMP	FULL DECKLE 1000mm	500	500	CTD	
<b>FILMS</b>								
SW8510	FASSON CHILLER	S2000W	BG40WH IMP	FULL DECKLE 1500mm	1500	1000	CTD	



Please refer to our [Select Solutions Portfolio](#) for our complete Wine range.

# Rapid Roll

Item	Facestock	Service Program / Width (mm)	MOQ (m <sup>2</sup> )	Length (LM)	Stocking Location	Comments
AG313	LINER BG40WH HR	FULL DECKLE 1000MM	1000	1000	JHB CTD	
AG7644ZA	THERMAL BOARD 220	FULL DECKLE 1000MM	500	500	DBD CTD	
RR90710	FASTAG PP MJD MATTE 150	FULL DECKLE 1040MM	1040	1000	JHB CTD	
RR90072	PP 60 CAVITATED	FULL DECKLE 1500MM	3050	2000	DBD	
RR90712	BOPP WHITE TAG 120MIC	EXACT	1000	1000	Indent	Corona Treated-2 weeks leadtime
RR90715	BOPP WHITE TAG 150MIC	EXACT	1000	1000	Indent	Corona Treated-2 weeks leadtime
RR90725	BOPP WHITE TAG 250MIC	EXACT	1000	1000	Indent	Corona Treated-2 weeks leadtime



# Operational Terms & Conditions

Any exceptions to the standards are subject to an upcharge unless otherwise noted.

## Core Diameter

- 76mm
- Specialties on Request

## Splice Standard

- Up to 1000m: 1 splice
- 1000 – 2000m: 2 splices
- More than 2000m: 3 splices

## Minimum Distance Between Splices and to Start/End of a Roll

- 200 m

## Splice Tape

- PVC Red/Brown Tape

## Splice Indication

- Number of splices is indicated on the roll label and position of splice indicated by stamp on side of the roll

## Offcut Disposition

- Customer will be charged for full deckle unless sales order is requested on Fasson Exact™ program

## Slit Width

- Minimum slit width is 90mm
- Maximum slit width is 1500mm
- Maximum width dependant on master roll width

## Slit Roll Width Tolerances

- Full width tolerance is +/- 1mm on each side

## Roll Length

- Minimum Standard roll length is 1000m
- Specialties 500m

## Roll Length Tolerance

- Roll length tolerance of +/- 5%

## Maximum Roll Length

- Approximately 2000m – dependant on product

## Total Order Quantity

- Order supplied +/- 5%

## Packaging Method

- Rolls will be horizontally or vertically packed

## Roll Tag Labels

- Roll Labels on outside of roll and one in roll core

## Palletized deliveries

- All deliveries as required are palletized
- These pallets remain the property of Avery Dennison and need to be returned.

## Maximum Stack Heights

- 1m

## Minimum Order Quantity

- Standard MOQ is 1000m of the full material width
- Fasson Exact program MOQ is 1000m<sup>2</sup>. Certain Specialties may be 500m<sup>2</sup>

## Material Quality Matters

- Material to remain at the customer's premises until final testing/evaluations have been done
- Complaints are attended to within the stipulated life of the product as per material data sheet
- Response to complaints within 2 working days
- Resolution within 21 working days – dependant on type of complaint

## Technical Support

- Technical support and product training available for both converters and end users
- Training is offered at ADSA discretion

## Cut-off Times For Orders

- All orders received at or before 10am will be deemed next working day delivery unless confirmed otherwise
- Fasson EXACT products lead time is 2 working days to dispatch EXCEPT when product ordered is not offered at the local DC in which case transportation lead time of additional 2 working days applies.
- Collections from 09:00am – 15:00pm, Monday – Friday
- Customer to email PO at least 3 hour prior to collection
- Direct indent orders have 8 – 12 weeks lead time depending on freight mode and source

## National Freight Charge

- Applicable freight charges:
- As per agreed pro-forma terms & conditions for exports orders
- Should customer require stock faster than the standard channel

## Order Cancellation

- Not permitted once slit
- Fasson Exact Program sales order cancellation not permitted once Order Acknowledgement has been issued

## Operational Terms & Conditions (continued)

### Width Substitution

- As agreed upon by both parties

### Product Substitution

- Substitution with the nearest alternate product allowed in the event of stock shortage and agreed by both parties

### Damaged Product on Delivery

- Customers to inspect all products on delivery.
- Any damages to be acknowledged at the time of delivery by being noted on the Delivery Docket
- Avery Dennison approval required before material is picked up
- Failure to acknowledge at the time of delivery will be deemed that the damage occurred at the customer's premises

### Customer Purchase Order

- Email Purchase Order to Avery Dennison Order Centre email address: [order.centre@eu.averydennison.com](mailto:order.centre@eu.averydennison.com)
- Customer Purchase Order should include the following information:
  - Purchase Order number.
  - Company Name / Account number.
  - Delivery address, Required date.
  - Item required, Quantity required & Price.
  - Name & title and contact number for Buyer.
- Once purchase order has been processed by Avery Dennison: an order acknowledgement will be emailed to the customer
- Failure to clearly supply these details may result in delays

### Proof Of Delivery

- Material to be checked. Delivery Docket signed and returned to driver/courier

### Price increase

- 30 days notice period
- Notice period may change subject to exceptional circumstances



# Select Solutions™ Magazine

Stories, information and our latest Select Solutions™ Portfolios

Digital edition out now

Select Solutions™ Magazine SSA



**Avery Dennison**  
Label and Packaging Materials

**South Africa**  
Cnr. Winze Drive and Leader Avenue  
Stormill Ext 4  
Roodepoort  
1709

[label.sapssa.averydennison.com](http://label.sapssa.averydennison.com)



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2019 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.