

Automotive



Performance that goes the distance

Labels for the automotive segment have to cope with a range of challenges – harsh chemical environments, challenging substrates and the stresses imposed by vehicle wear and tear

The Select Solutions Automotive portfolio contains materials with proven performance in the most extreme environments, meeting the needs of all supply chain processes, industry regulations and OEM testing parameters.

Key features

- Full range of self-adhesive materials, including multiple facestocks and adhesives
- Excellent adhesion to a wide range of substrates, including rough and low surface energy plastics
- High temperature and chemical resistance
- Durable performance in harsh environments
- Compliant with REACH, RoHS, IMDS and common testing parameters specified by automotive OEMs

Application areas

- Exterior: Fuel cap, tire pressure and tracking/ service labels
- Interior: Airbag, security/anti-counterfeit, warning, instruction and tracking labels
- Under-the-hood: Labels for heat/chemical-resistant warnings, engine component instructions, tracking, fluid containers, car batteries and cables

Product Information

Code	Description	Country of Origin	Width (mm)	MOQ (SQM)	Interior	Exterior	Under the Hood	UL Recognised
79732	2Mil White PET TC/ S8029/50#SCK ABC	NA	1372	686	●			✓
79453	2Mil White Polyester TC/ S8049/50#SCK ABC	NA	1372	686		●	●	✓
79534	2Mil Matte Chrome Polyester TC/ S8049/50#SCK	NA	1372	686		●	●	✓
79653	2 Mil White Polyester TC/S8049A/ 90# EZ liner	NA	1372	686		●	●	✓
79654	2Mil Brushed Chrome Polyester TC / S8049A/90#EZ liner	NA	1372	686		●	●	✓
BY086	PET50 Black Laser Etch/S8029/ BG45WH FSC	EU	1000	1000	●	●		✓
ADS1604	105mic Matte White Laser Etch PET TC/ S899/ BG50Blue	Korea	1060	1060	●	●		
ADS1605	85mic Matte Silver Laser Etch PET TC/ S899/ BG50Blue	Korea	1060	1060	●	●		
MZS1491	65 um White PVC/SD203/ 75um Clear PET Liner	China	500	500	●			
CI832	TRANSFER PET WHITE PT/S8073/ BG45WH FSC	EU	300	300	●			
CI892	PET25 MATT WH OPQ/S8075/PET23	EU	1000	1000	●			

Let's work together

All great solutions begin with a conversation.
We're here to talk whenever you're ready.
Contact us via durableshelp@averydennison.com.



DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.averydennison.com>. © 2023 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.