Avery Dennison Label and Packaging Materials Product Overview

Asia Pacific - SSA July 2021





Avery Dennison Label and Packaging Materials Product Overview

Asia Pacific - SSA July 2021

Resealable labels are valued by consumers, giving them open/close packages that prevent food contamination and spills. Brand owners also benefit, because food products stay in their original packaging, increasing brand exposure in the home.

Labels placed anywhere on a pack can be removed or reapplied as desired without leaving adhesive residue. They are a cost-effective and efficient alternative to zippers or hard reclose packaging.

The Avery Dennison reclosure range for food suits applications ranging from simple dry goods needing a limited number of opens/reclosures through to products with challenging contents – with adhesives that perform time after time.

### Key features

- Food compliant, topcoated materials
- · Three food-friendly adhesives
- Simple or high performance applications
- · Safe to use in all food contact applications

## **Application areas**

- Dry foods
- · Frozen foods
- · Fresh foods

# Adhesives for dry reclosure

#### **C3**

C3 is a highly transparent adhesive with high ageing stability, suitable for dry food reclosure applications

#### R5050

For more demanding applications, R5050 features good tack and adhesion in combination with superior and clean removability from most substrates. The adhesive allows label application at a wide temperature range, and it retains its removable properties even at very low temperatures.

#### R1490M

For very demanding dry, food reclosure applications. The adhesive shows good moisture and solvent resistance, clean removability and a smooth and quiet peel from PET and PP substrates.

Asia Pacific - SSA July 2021

Application # of reclosures		C3	R5050	R1490
Bakery	24-30	~		
Cookies & cereals	12-15		~	
Confectionery		~	~	
Sweet & savoury	1-3	~		
Rice & pasta	1-3	~		
Tea & coffee	12-15		~	
Meat & cheese	3-6		~	~
Frozen food	1-3		~	~
Dry tissue	9-12			~
Tobacco	15-30			~
Requirements				
Clean removability		••	••	•••
Moisture condition (low to medium)		••	••	•••
Smooth peel		••	••	•••
Multiple reclosures	3	••	••	•••
Odour		••	••	•
			● Good ●● Better	●●● Be

## **Product information**

Code	Description	MOQ (m <sup>2</sup> )	Width (mm)	Location
• AE872	PP LIGHT TOP WHITE C3 BG40WH FSC	2000	1000	Indent
• AX559	PP LIGHT TOP CLEAR C3 BG40WH FSC	2000	1000	Indent
AA583	PP TOP WHITE R5050 BG40WH FSC	1000	1000	Indent
• AM096	PP LIGHT TOP CLEAR R5050 BG40WH FSC	1000	1000	Indent
• AQ959	PP LIGHT TOP WHITE R1490M BG40WH FSC	2000	1000	Indent
• AO633	PP LIGHT TOP CLEAR R1490M BG40WH FSC	2000	1000	Indent
AQ961	PP90 TOP WHITE R1490M BG40WH FSC	2000	1000	Indent
AU331	PP90 TOP CLEAR R1490M BG40WH FSC	2000	1000	Indent
AV278	SYNTHETIC PAPER PP120 R1490M BG45WH FSC	2000	1000	Indent

• Sustainable Advantage Products

Find more label solutions at label.averydennison.com

Connect with us on:









DISCLAIMER - All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see http://terms.averydennison.com. © 2021 Avery Dennison Corporation. All rights reserved, Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.