

Digital Printing Portfolio

Domino N610i UV Inkjet



Fasson® product constructions shown have been evaluated by Avery Dennison and Domino and are recommended based upon the existing printer ink system utilized at the time of testing. Additional product constructions are available.

These products are available through our EXACT™ and Ready Width™ service programs. The one-slit roll minimum and next-day shipment are a great complement to the short run/quick turn capabilities of digital presses. Please contact your Avery Dennison sales representative for assistance.

Spec#	Facestock	Adhesive	Liner	Width/Length (In./Ft.)	UV68 Ink	UV90 Ink
PRIME PAPER						
53664	55# Semi-Gloss UV Inkjet	AT20	40#SCK	EXACT™/5000	●	●
14532	Matte Litho FS [®]	C2500	40#CK	EXACT™/5000	●	●
18444	Matte Litho FS [®] C	R5195	40#SCK	EXACT™/2500	●	●
03558	Matte Litho FSC [®]	S246	40#CK	EXACT™/5000	●	●
53352	MaxFlex™ Bright Silver	AT20	40#SCK	EXACT™/10000	●	●
53356	MaxFlex™ Bright Silver	C2075	40#SCK	EXACT™/5000	●	●
53355	MaxFlex™ Bright Silver	C2500	40#SCK	EXACT™/5000	●	●
				EXACT™/10000		
PRIME FILM						
79628	2 Mil Clear BOPP UV Inkjet	S7000	1.2 Mil PET	Stock 78/1668	●	●
79636	2 Mil Clear BOPP UV Inkjet	S7000	40#BG	Ready Width™ 13/5000	●	●
78889	2 Mil Metallized BOPP TC	S7000	1.2 Mil PET	EXACT™/5000	●	●
				EXACT™/10000		
79101	2 Mil Metallized BOPP TC	S7000	40#BG	EXACT™/10000	●	●
79100	2 Mil White BOPP TC	S7000	40#BG	EXACT/5000	●	●
				EXACT/10000		
79723	2 Mil White BOPP UV Inkjet	S7000	1.2 Mil PET	Stock 78/1668	● **	● **
79746	2 Mil White BOPP UV Inkjet	S7000	40#BG	Stock 78/1668	● **	● **
79634	2.3 Mil White BOPP UV Inkjet	S7000	1.2 Mil PET	Ready Width™ 13/5000	● **	● **
79635	2.3 Mil White BOPP UV Inkjet	S7000	40#BG	Ready Width™ 13/5000	● **	● **
79536	2.4 Mil White BOPP ITC	S7000	40#BG	EXACT/5000	●	-
76912	2.6 Mil White BOPP	S692N	40#BG	EXACT/5000	●	●
78098	3.0 Mil White MDO	S692N	40#BG	EXACT/5000	●	●
				EXACT/10000		



Spec#	Facestock	Adhesive	Liner	Width/Length (In./Ft.)	UV68 Inks	UV90 Ink
WINE PAPERS						
19648	Classic Crest Solar White WS FSC	AT20N	1.2 Mil PET	EXACT/5000	●	●
				EXACT/10000		
19657	Classic Crest Solar White WS FSC	S100R	1.2 Mil PET	EXACT/5000	●	●
12623	Classic Crest Solar White WS FSC	S100R	44#PK	EXACT/5000		
19639	Estate Label No. 4 WS FSC	S100R	1.2 Mil PET	EXACT/5000	●	●
01533	Estate Label No. 4 WS FSC	S100R	44#PK	EXACT/5000	●	●
54142	Estate Label No. 4 WS FSC	Z1010	1.2 Mil PET	EXACT/5000	●	●
19650	Estate Label No. 8 WS FSC	AT20N	1.2 Mil PET	EXACT/5000	●	●
				EXACT/10000		
19656	Estate Label No. 8 WS FSC	S100R	1.2 Mil PET	EXACT/5000	●	●
				EXACT/10000		
54141	Estate Label No. 8 WS FSC	Z1010	1.2 Mil PET	EXACT/5000	●	●
53381	56# MaxFlex™ Bright Silver	AT20	1.2 Mil PET	EXACT™/5000	●	●
53351	56# MaxFlex™ Bright Silver	S100R	44#PK	Ready Width™ 10/5000	●	●
				Ready Width™ 12/5000		
RAPID-ROLL						
75723	1079 Tyvek	NA	NA	EXACT/10500 Stock 48/1668	●	●
75724	1085D Tyvek	NA	NA	EXACT/5000 Stock 48/1668	●	●
78939	6 Mil White Static Cling TC	NA	60#KK	Stock 54/1668	●	●
77038	7Mil Polyart	NA	NA	Stock 60/1668	●	●
16801	8 Mil C1S Smudgeproof Kimdura	NA	NA	Stock 52/1668	●	●

Spec#	Facestock	Adhesive	Liner	Width/Length (In./Ft.)	UV68 Inks	UV90 Ink
DURABLES						
77923	2 Mil Bright Chrome Polyester TC	S8025	50# SCK	EXACT™/5000	-	●
77921	2 Mil Clear PET TC	S8025	50# SCK	EXACT™/5000	●	●
78387	2 Mil Matte Chrome Polyester TC	S8001	50# SCK	EXACT™/5000	●	●
77922	2 Mil Matte Chrome Polyester TC	S8025	50# SCK	EXACT™/5000	●	●
79534	2 Mil Matte Chrome Polyester TC	S8049	50# SCK	CC 54/1000	●	●
78385	2 Mil White Polyester TC	S8001	50# SCK	EXACT™/5000	●	●
77920	2 Mil White Polyester TC	S8025	50# SCK	EXACT™/5000	●	●
79453	2 Mil White Polyester TC	S8049	50# SCK	Single Roll/2500 Stock 54/1668	●	●
78981	2 Mil White Polyester TCD	S8025	50# SCK	EXACT™/5000	●	● **
72828	2 Mil White PRT PET	S333	50#SCK	EXACT™/5000	●	●
78403	2.3 Mil White BOPP TC	S8001	50# SCK	EXACT™/5000	●	●
78401	3 Mil Synthetic Paper	S8001	50# SCK	EXACT™/5000	●	●
79648	4 Mil White Vinyl TCD	S8025	50# SCK	Stock 54/1668	●	● **

*Single Slit Roll Program: Available in any width by 2500 ft. See the EXACT Card for current EXACT and Ready Width service program.
 **Offers the best print performance in category.



- Recommended: Substrate meets Avery Dennison proprietary print testing standards. To earn our recommendation, a specification must demonstrate good print quality, readability and durability. In addition, Durables specs must pass a modified version of cross hatch test ASTM D3359.
- Application Specific: May require further customer-specific testing in order to confirm appropriateness for an application.
- Not Recommended: Indicates one or more of the characteristics failed the graded characteristics within the Avery Dennison test standards.

NOTE: As label graphics and performance requirements vary, we encourage end application testing of all materials prior to use. This statement does not constitute a warranty.

See the EXACT Card for current EXACT and Ready Width service program.

UL 969 w/ UV90 Inks: UL recognized with Domino UV90 inks. UL recognition with an ink system allows label adoption into an existing UL file. Refer to the Avery Dennison UL-Recognized Components Guide for specific details regarding conditions of acceptability.

Key:
 I/O: Passes "Indoors/Outdoors" without addition of overlamine.
 I/O w/ OL: Passes "Indoors/Outdoors" with addition of Avery Dennison overlamine, e.g, Spec# 77844: 1 Mil Clear Print Treated PET/S8020/40#BG.
 Indoors: Only tested for Indoors. Passes "Indoors" without addition of overlamine. Not recommended for "Outdoor" applications.

ADV# 431, 03/2019, PDF

©2019 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Personal and company names and other information on samples depicted are fictitious. Any resemblance to actual names and addresses is purely coincidental.



Label and
Packaging Materials

North Asia

5th Floor, Hongye Park
1801 Hongmei Road,
Xuhui District 200233,
Shanghai, China
+86 21 33951888

**South Asia Pacific and
Sub-Saharan Africa**

460 Alexandra Road,
PSA Building
#28-02/03, Singapore 119963
+65 6430 7000

Europe

Willem Einthovenstraat 11
2342 BH Oegstgeest
The Netherlands
+31 85 000 2000

Latin America

Rodovia Vinhedo-
Viracopos, KM 77
CEP 13280-000
Vinhedo - SP, Brazil
+55 19 3876-7600

North America

8080 Norton Pkwy
Mentor, OH 44060
800.944.8511