


# Digital Printing Portfolio

## EFI™ UV Inkjet

Fasson® product constructions shown have been evaluated by Avery Dennison and EFI and are recommended based upon the existing printer ink system utilized at the time of testing. Additional product constructions are available. These products are available through our EXACT™ and Ready Width™ service programs. The one-slit roll minimum and next-day shipment are a great complement to the short run/quick turn capabilities of digital presses. Please contact your Avery Dennison sales representative for assistance.



Spec#	Facestock	Adhesive	Liner	Width/Length (In/Ft.)	EFI Jetrion® 4900	EFI Jetrion® 4950LX
<b>Prime Paper</b>						
53664	55# Semi-Gloss UV Inkjet FSC®	AT20	40#SCK	EXACT™/5000	●	●
53664	55# Semi-Gloss UV Inkjet FSC®	C2510	40#CK	Stock 78/1668	●	●
15317	Bright Gold Foil	C2500	40#CK	EXACT™/3000,5000	●	TBD
15315	Bright Silver Foil	C2500	40#CK	EXACT™/5000	●	TBD
53459	Dull Silver Foil	AT20	1.2 Mil PET	EXACT™/10000	●	TBD
15316	Dull Silver Foil	C2500	40#CK	EXACT™/5000	●	TBD
02391	FasPrism™ Iridescent	S246	40#SCK	EXACT™/5000	●	TBD
14532	Matte Litho FSC®	C2500	40#CK	EXACT™/5000	●	●
18444	Matte Litho FSC®	R5195	40#SCK	EXACT™/2500	●	●
03558	Matte Litho FSC®	S246	40#CK	EXACT™/5000	●	●
53352	MaxFlex™ Bright Silver	AT20	40#SCK	EXACT™/5000,10000	●	●
53356	MaxFlex™ Bright Silver	C2075	40#SCK	EXACT™/10000	●	●
53355	MaxFlex™ Bright Silver	C2500	40#SCK	EXACT™/5000,10000	●	●
12906	Trans-Therm® 1C	S2501	40#CK	Stock 78/1668	●	TBD
<b>Prime Film</b>						
79628	2 Mil Clear BOPP UV Inkjet	S7000	1.2 Mil PET	EXACT™/10000	TBD	●
79636	2 Mil Clear BOPP UV Inkjet	S7000	40#BG	EXACT™/10000	TBD	●
78889	2 Mil Metallized BOPP TC	S7000	1.2 Mil PET	EXACT™/5000,10000	TBD	●
79101	2 Mil Metallized BOPP TC	S7000	40#BG	EXACT™/10000	TBD	●
79723	2 Mil White BOPP UV Inkjet	S7000	1.2 Mil PET	EXACT™/10000	●	●
79746	2 Mil White BOPP UV Inkjet	S7000	40#BG	EXACT™/10000	TBD	●
79634	2.3 Mil White BOPP UV Inkjet	S7000	1.2 Mil PET	EXACT™/10000	TBD	●
79635	2.3 Mil White BOPP UV Inkjet	S7000	40#BG	EXACT™/10000	TBD	●
79536	2.4 Mil White BOPP ITC	S7000	40#BG	EXACT™/5000,10000	TBD	●
78098	3 Mil White MDO	S692N	40#BG	EXACT™/5000,10000	TBD	●

Spec#	Facestock	Adhesive	Liner	Width/Length (In/Ft.)	EFI Jetrion® 4900	EFI Jetrion® 4950LX
<b>Wine Papers</b>						
12623	60# Classic Crest® Solar White WS FSC®	S100R	44#PK	EXACT™/5000	●	●
19639	60# Estate Label No. 4 WS FSC®	S100R	1.2 Mil PET	EXACT™/5000	●	●
01533	60# Estate Label® No. 4 WS FSC®	S100R	44#PK	EXACT™/5000	●	●
19298	60# Matte Litho WS	AT20	44#PK	EXACT™/5000	●	●
53381	MaxFlex™ Bright Silver	AT20	1.2 Mil PET	EXACT™10000	●	●
53351	MaxFlex™ Bright Silver	S100R	44#PK	EXACT™/5000	●	●

Spec#	Facestock	Adhesive	Liner	Width/Length (In/Ft.)	EFI Jetrion®		EFI Jetrion® UL® 969 w/Inks	
					4000	4950LX	4000	4950LX
<b>Durables</b>								
77923	2 Mil Bright Chrome Polyester TC	S8025	50# SCK	EXACT™/5000	TBD	TBD	I/O	I/O
77921	2 Mil Clear Polyester TC	S8025	50# SCK	EXACT™/5000	TBD	TBD	I/O	I/O
78387	2 Mil Matte Chrome Polyester TC	S8001	50# SCK	EXACT™/5000	TBD	●	I/O	I/O
77922	2 Mil Matte Chrome Polyester TC	S8025	50# SCK	EXACT™/5000	TBD	●	I/O	I/O
79534	2 Mil Matte Chrome Polyester TC	S8049	50# SCK	Custom 54/1000	TBD	●	I/O	I/O
72828	2 Mil White Printable PET	S333	50# SCK	EXACT™/5000	●	●	-	-
78385	2 Mil White Polyester TC	S8001	50# SCK	EXACT™/5000	TBD	●	I/O w/OL	I/O w/OL
77920	2 Mil White Polyester TC	S8025	50# SCK	EXACT™/5000	TBD	●	I/O w/OL	I/O w/OL
79453	2 Mil White Polyester TC	S8049	50# SCK	EXACT™/250	TBD	●	I/O w/OL	I/O w/OL
78981	2 Mil White Polyester TCD	S8025	50# SCK	EXACT™/5000	TBD	TBD	I/O w/OL	I/O w/OL
78403	2.3 Mil White BOPP TC	S8001	50# SCK	EXACT™/5000	●	●	Indoors	Indoors
78401	3 Mil Synthetic Paper	S8001	50# SCK	EXACT™/5000,10000	●	●	Indoors	Indoors
79648	4 Mil White Vinyl TCD	S8025	50# SCK	EXACT™/5000	TBD	●	I/O w/OL	I/O

Spec#	Facestock	Adhesive	Liner	Width/Length (In/Ft.)	EFI Jetrion®		EFI Jetrion® BS 5609 Sec. 3	
					4000	4950LX	4000	4950LX
<b>Drum Label</b>								
79480	2.6 Mil Synthetic Paper	S8020	50#SCK	Stock 60/1668	TBD	TBD	Passed	TBD
79572	3.7 Mil Smudgeproof Kimdura®	S4600	50#SCK	EXACT™/5000	●	TBD	Passed	Passed
72197	4 Mil TransCode®	S475	50#SCK	EXACT™/5000	TBD	TBD	Passed	Passed

- Recommended: Substrate meets Avery Dennison proprietary print testing standards. To earn our recommendation, a specification must demonstrate good print quality, readability and durability. In addition, Durables specs must pass a modified version of cross hatch test ASTM D3359.
- Application Specific: May require further customer-specific testing in order to confirm appropriateness for an application.
- Not Recommended: Indicates one or more of the characteristics failed the graded characteristics within the Avery Dennison test standards.

UL® 969 w/Inks: UL recognized with EFI 4000 and 4950LX inks. UL recognition with inks allows label adoption into an existing UL file. Refer to Avery Dennison UL-Recognized Components Guide for specific details regarding conditions of acceptability. The guide can be found at [www.label.averydennison.com/durablegoods](http://www.label.averydennison.com/durablegoods).

I/O w/ OL: Indoors/Outdoors with addition of overlamine. Spec# 77844: 1 Mil Clear Print Treated PET/S8020/40#BG.

NOTE: As label graphics and performance requirements vary, we encourage end application testing of all materials prior to use. This statement does not constitute a warranty.

[label.averydennison.com](http://label.averydennison.com)

ADV#432 04/2020

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison products are sold subject to Avery Dennison's general terms and conditions of sale found at [label.averydennison.com/en/home/terms-and-conditions.html](http://label.averydennison.com/en/home/terms-and-conditions.html).

