

Fasson EXACT™ Update

Includes Splice-Free and Ready Width™ Products

January 2019 EXACT™ Service Program Changes

Removals

Spec#	Product Description	Action
54067	Direct-Therm 250GP FSC®/AT20N/40#SCK	Remove 5K EXACT™ in GFD and DAL

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal;
NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').

RW = Ready Width™

Finishing, Packaging and Shipping Standards Update: cradle packing will now be unavailable below 27" combined width due to safety issues.



Inspired Brands.
Intelligent World.™

label.averydennison.com

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments	
Prime Paper																	
48# Semi-Gloss	AT20	34#CK	53485		10								10				
	S2550	34#CCK	54223		10												
54# Semi-Gloss FSC®	AT20	40#CK	14471	14472	10/5/10		5/10		5/10	5/10	5/10	5/10	5/10	10	5/10		
	AT20	40#SCK	19965				15										
	AT20N	.92 Mil PET	53792			10											
	C2500	40#CK	14440	14470		5/10	5/10		15/5/10	5/10	5/10	10/5	5/10	5/10	10		
	C2500	1.2 Mil PET	19457				10										
	C2500	.92 Mil PET	53170			10											
	AT20N	1.2 Mil PET	19640			10						10					
	R5195	46#LF	54116								15						
	S2550	40#CK	54146		10												
54# Semi-Gloss PCW	C2500	40#NK	53678				RW 10									Widths: 12"	
54# Semi-Gloss FasCover2	C2500	40#NK	19185				5										
60# Semi-Gloss Elite FSC®	C2510	40#CK	54034	54033			5/10			10	10	5/10	5/10		10/5		
	C2500	40#CK	54123	54124			5/10		5/10		5/10	10	5/10	5	10		
	AT20	40#CK	17670	15338	5/10		5/10		5/10	5/10	5/10	5/10	5/10	10			
	S246	40#CK	15336	15337		5	5/10		5/10		10/5		5/10		10		
	AT20A	40#CK	15479			5											
	AT20B	40#SCK	08043			10											
	AT20N	1.2 Mil PET	19641			10						10					
	AT20	1.0 Mil PET	15945					10									
	AT1	40#SCK	15476			5											
	C2500	1.2 Mil PET	19133			5/10	5										
60# Semi-Gloss Elite	C2075	40#SCK	17714			5/10	10										
	C2580	40#SCK	53919								10				10		
	R5 195	40#SCK	18328			5/10	5		5/10		5	10	5				
	LP1000	40#SCK	54149					5									
	S2501	Piggyback	15485			RW 5										Liner: 40#/40#SCK Widths: 6", 9.75", 13"	
	S2501	Piggyback	15484			RW 5										Liner: 40#/50#SCK Width: 6.5"	
60# Archival Semi-Gloss	R5195	40#LF	18559			RW 10										6" cores Width: 13"	
	S490	40#LF	18392			10											
60# Semi-Gloss Elite™ FasCover™ 2	AT20	40#SCK	15477			5							2.5				
High Gloss +	UR3	40#SCK	53421					5									
High Gloss + FasCover™ 2	AT20	40#SCK	07636			5											

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').
RW = Ready Width™

Program Guidelines

- Roll lengths may vary by +/- 10%.
- Order cut-off time is 4:00pm (program location time) for next-day shipment of EXACT.
- Minimum slit width & maximum order size are location-specific.
- Standard pallets. No core labels. One pallet may be identified as containing mixed widths.
- Cradle pack available on 5000' and above programs (with 20" minimum order size per pallet for safety).
- Splice-Free must be ordered as EXACT.
- Arrow stamping not available on EXACT orders.

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
60# Gloss	C2500	40#CK	14533	17410					5/10							
	S246	40#CK	14534	17411			5/10							10		
	AT20	40#SCK	14535			5										
55# Cast Gloss Elite™	C2500	40#CK	15308	15309			5					10/5	5			
	AT20	40#CK	15312		5/10							RW 5				RW Width: 7.75"
60# Cast Gloss	AT20	40#CK	07602		10						5	5				
	C2075	40#SCK	17715				5									
	S246	50#SCK	07605				5		5							
	S100R	44#PK	01606										5			Wine
	S100R	1.2 Mil PET	19638										10	7.5		
	AT20N	1.2 Mil PET	19637			10							10			Wine
	R5195	40#SCK	18445			5										
Pharma Cast Gloss +	S246	40#CK	07601	14474		5	10/5		10/5		10/5		5		5	
	S246	Ultraliner®	07806				10									
	S246	1.2 Mil PET	19161								10					
	S246	1.5 Mil PET	09201				5									
	S727	40#SCK	07609					5					5			
	S727	Ultraliner®	07610					5								
Lightweight Pharma Litho	S727	40#SCK	07944						5							
Dairy Print FSC®	C2510	40#NK	53310	53309			10		10	10	10	RW10	10		10	Widths: 8.5", 9.75"
	C2510	40#CK	53651				5/10						10			
	C2510	.92 Mil PET	53686								10					
50# FM Litho FSC®	Z3000	40#SCK	53645									RW 5				WCT Widths: 4.6", 6", 10"
Matte Litho FSC®	C2500	40#CK	14532				5				5	5				
	S246	40#CK	03558			5							5			
	R5195	40#SCK	18444			2.5										
Tamper Resistant Litho	S814	40#SCK	19348				5									
8 Pt. Tag	AT20A	40#SCK	17375			5										
	AT20	40#SCK	15258			5										
	S246	40#SCK	17698				5				5					
10 Pt. Tag FSC®	AT20A	40#SCK	54047			5										
Laser-Rite Durable FSC®	R5423	50#MF	53763		10											6" cores
Red Fluorescent	C2500	40#CK	54253			5	3/5/10						5			
Green Fluorescent	C2500	40#CK	54250				5									
Orange Fluorescent	C2500	40#CK	54251			5	5									
Chartreuse Fluorescent	C2500	40#SCK	54249				5									
Pink Fluorescent	C2500	40#SCK	54252				2.5									
Bright Silver Foil	C2500	40#SCK	15315			5	5									
Dull Silver Foil	AT20	40#SCK	53425					10								
	C2500	40#SCK	15316				5									
	AT20	1.2 Mil PET	53459										10			
Bright Gold Foil	C2500	40#SCK	15317			5										

GFD FTW PTC PVL QTN DAL NEE SEA WCT MTL TOR

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').
RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
Dull Gold Foil	AT20	40#SCK	54068					10								
56# MaxFlex™ Bright Silver FSC®	C2500	40#CK	53355			5	5/10		10			5	10		5	
	C2075	40#SCK	53356				10									
	AT20	1.2 Mil PET	53381					10					10			
	S100R	44#PK	53351										RW 5			Widths: 10", 12"
	AT20	40#SCK	53352			5/10										
FasPrism™ Iridescent	S246	40#SCK	02391				5									
Pli-A-Print®	S246	40#CK	08071			2.5										
Dissolvable PPR	S2600	40#SCK	15666							RW 5						Widths: 9", 13"
60# Estate Label® #4 Wet-Strength FSC®	S100R	1.2 Mil PET	19639									5				
	S100R	44#PK	01533			5							5			Wine
60# Estate Label® #8 Wet-Strength FSC®	S100R	44#PK	02394									5	5			Wine
	S100R	1.2 Mil PET	19656										5/10	7.5		Wine
	AT20N	1.2 Mil PET	19650			10							5/10			Wine
	Z1010	1.2 Mil PET	54141					5								
60# Estate Label® #9 Wet-Strength FSC®	S100R	44#PK	11301			5							5			Wine
	S100RB	1.2 Mil PET	53749									5K				
60# Estate Label® #25 Black Wet-Strength FSC®	S100R	1.2 Mil PET	53962			5										
60# Classic® Linen Solar White Wet-Strength FSC®	S100R	44#PK	12571										5			Width: 10"
	S100R	1.2 Mil PET	19633										10			
60# Classic Crest® Solar White Wet-Strength FSC®	S100R	44#PK	12623									5	5			Wine
	AT20N	1.2 Mil PET	19648										5/10			
	AT20N	44#PK	18513										RW 10			Wine; Width: 10"
70# Classic Crest Solar White Wet-Strength FSC®	S100RB	1.2Mil PET	54078										10			
60# Semi-Gloss Elite™ WN	AT20N	1.2 Mil PET	19655										10			Wine
60# Classic Crest® Natural White Wet-Strength FSC®	S100R	44#PK	17499										5			
60# Classic® Laid Solar White Wet-Strength FSC®	S100R	44#PK	12649										5			
Classic® Felt Natural White Wet-Strength FSC®	S100R	44#PK	54160										5			
	S100R	1.2 Mil PET	54167										5			
70# Eggshell Felt Wet-Strength	S100RB	44#PK	19203			5						5	5			Wine
	S100RB	1.2 Mil PET	19742										5/10			WCT 10K: 6" cores
70# Bright White Felt Wet-Strength ITC	S100RB	1.2 Mil PET	53600										RW 5			Width: 12"
70# Bright White Felt Wet-Strength FSC®	S100RB	44#PK	19917			5						5	5			
	S100RB	1.2 Mil PET	53112										RW 5	5/10		RW Widths: 10", 12"; 6" Cores
	Z1010	1.2 Mil PET	54143					5								

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Fasson Ready Width™ Program Guidelines

- Roll lengths may vary by +/- 10%
- Order cut-off time is 4pm (program location time) for next-day shipment of Ready Width™ products
- Minimum slit width & maximum order size are location-specific
- Standard packaging
- Cradle pack available on 5000' and above programs (with 20" minimum order size per pallet for safety)
- Arrow stamping not available on Ready Width™ orders.

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
Tramado Blanco	S100R	1.2 Mil PET	19903					RW 5								Width: 13"
60# Matte Litho WN	S100R	1.2 Mil PET	19803			5										Wine
60# Matte Litho Wet-Strength	AT20	44#PK	19298									5				Wine
60# Uncoated Litho Wet-Strength	S100R	1.2 Mil PET	19995										10			
	AT20N	1.2 Mil PET	19993			10							10			
60# Uncoated Litho Wet-Strength/ OPP Weld	AT20N	1.2 Mil PET	53007										10			Wine
60# Estate Label® #8 Bright White Wet-Strength FSC® / PET Weld	S100RB	1.2 Mil PET	53024										5			6" cores; Wine
70# Bright White Felt Wet-Strength/ PET Weld	S100RB	44#PK	53232										5			Wine

Prime Films - Comformables

High Performance FasClear®	S7000	1.2 Mil PET	79683						10				5			As Seen at Label Expo 2018 Full Squeeze
	S7000	40#BG	79795		5											
	S692N	1.2 Mil PET	79856						10							
High Performance PRIMAX®	S7000	1.2 Mil PET	79684						10							As Seen at Label Expo 2018 Full Squeeze
	S7000	40#BG	79797		5											
	S692N	1.2 Mil PET	79857						10							
IF Metallized PRIMAX® 250	S1000	44#PK	75312					2.5								NEW!! Full-Squeeze
3.0 Mil Clear MDO	S692N	1.2 Mil PET	77964						10							Full-Squeeze
	S692N	40#BG	78097		10										10	
3.0 Mil White MDO	S692N	1.2 Mil PET	77980						10		10					Full-Squeeze
	S692N	44#PK	77988		5											
	S692N	40#BG	78098		5/10										10	
FasClear® 250	S692N	1.2 Mil PET	77234						10							Full-Squeeze
	S692N	44#PK	76909	76908	5							7.5				
FasClear® 350	S692N	44#PK	76907		5											Full-Squeeze
PRIMAX® 250	S692N	44#PK	76906	76905	5							7.5				
	S692N	40#BG	76994		5							5				
PRIMAX® 350	S692N	44#PK	76904		5							5				Full-Squeeze
	S692N	1.5 Mil PET	76990						5	5						
	R143	1.5 Mil PET	75394					5								
	R143	50#SCK	77967					5								
PE 85 Clear NTC	S692N	1.2 Mil PET	76957						15							Full-Squeeze
Global MDO Clear	S7000	.92 Mil PET	78875						15							Semi-Squeeze
Global MDO White	S7000	.92 Mil PET	78876						15							Semi-Squeeze
Global MDO Clear TC	S7000	.92 Mil PET	78890						15		15					Semi-Squeeze
Global MDO White TC	S7000	.92 Mil PET	78891						15							Semi-Squeeze
Global Co-Ex™ Metalized NTC	S692N	1.2 Mil PET	78774						10							As Seen at Label Expo 2018 Semi-Squeeze
Global Co-Ex™ Clear NTC	S692N	1.2 Mil PET	77178						10		10					Semi-Squeeze
Global Co-Ex™ Clear TC	S692N	1.2 Mil PET	77381						10							Semi-Squeeze
Global Co-Ex™ White NTC	S692N	1.2 Mil PET	77179						10		10					Semi-Squeeze
Global Co-Ex™ White TC	S692N	1.2 Mil PET	77382						10		10					Semi-Squeeze

GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

All new programs will have a trial period of 3 months. Programs are subject to change without notice.

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
Rigid Films																
1.6 Mil Clear BOPP TC	S7000	.92 Mil PET	78870						15				15			6" cores
	S7400	.92g PET	78635						20							6" cores
1.6 Mil Metallized BOPP TC	S7000	.92 Mil PET	78940						15							
2 Mil Clear BOPP TC	S7000	40#BG	79098		5/10		10		5/10			5/10	5/10		10	
	S692N	40#BG	77008		5/10								5	10		
	S7000	1.2 Mil PET	78998		5/10				10				7.5/10			6" cores WCT
	S692N	1.2 Mil PET	77138						5/10							6" cores
	S7400	.92g PET	78654						10/20		10		10			WCT: 3" cores; QTN/NEE 6" Cores
	S2001	1.5 Mil PET	74492	75386				10			10		7.5/10			NEE 3" cores; PVL and WCT: 6" cores; 74492 WCT: 6" Core
	S2001	44#PK	74477					5			10					
	S3000	1.5 Mil PET	74279					5/10								6" cores on 10K only
	R3500	40#SCK	78148									5	5			
	C2075	40#BG	78179				10									
2 Mil Clear BOPP ITC	S7000	40#BG	79560		5							RW 10				13" RW
2 Mil Clear Polystyrene	S246	40#SCK	12323				10									
2 Mil Clear TC PP	C0196	40#BG	79802								RW 1.7					Width: 6.5"
2 Mil White BOPP TC	S7000	.92 Mil PET	78888						15		15					6" cores
	S7000	40#BG	79100		5/10								10			
	S7000	1.2 Mil PET	78997		10				10				5			WCT 5K/GFD: 3" cores; QTN: 6" cores
2.3 Mil White BOPP TC	R3500	40#SCK	78149					5								
	S692N	40#BG	78333		5/10							RW 10				Width: 13"
	S692N	1.2 Mil PET	78330		5/10				10				5			
	R3500	1.2 Mil PET	77461								10					
	AT20	1.2 Mil PET	77744					10								
2.3 Mil White TC PP	C0196	40#BG	77392								RW 1.7					Width: 6.5"
2.4 Mil White BOPP TC	S7000	92 Mil PET	78887						15							6" cores
	S7000	40#BG	79459	79460	5/10		5/10		5/10	10	5/10	5/10	10/5	10	5/10	
	S7000	1.2 Mil PET	79461						10		10		10			
	AT20N	40#BG	79102										10			
	S7000	40#BG	79536		5/10								RW 10			Width: 13"
2.6 Mil White BOPP	S692N	40#BG	76913	76912	5											
	S692N	44#PK	79893			5K										Width: 13"

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').
RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments	
2.6 Mil White BOPP TC	FA20	40#SCK	75413				5										
	C2510	40#SCK	78050							5/10	10	10					
	C2075	40#SCK	78200				10						10				
	S246	1.2 Mil PET	77532				5										
	S692	1.2Mil PET	78146								10						
	S692N	1.5 Mil PET	76999						5/10								3" cores
	S692N	40#BG	76911	76910	5/10							5/10	5/10		10		
	S246	40#SCK	75607								RW 5						Widths: 6", 8.5"
	AT20	40#SCK	76684					10									
	C2500B	1.2 Mil PET	78322				10										
R300	40#BG	77563					5										
2 Mil Metallized BOPP TC	S7000	40#BG	79101				10	10		10			10		10		
	S692N	1.2 Mil PET	77269						10								
	S7000	1.2 Mil PET	78889		10				10				5/10			WCT 5K/GFD: 3" cores; WCT 10K/QTN: 6" cores	
2 Mil Metallized PP XK TC	S692N	40#BG	79641					RW 5								Width: 13"	
2 Mil Rainbow OPP	S692N	40#SCK	79016				5										
Direct Thermal Film																	
3.2 Mil Direct-Therm BOPP	AT20	40#SCK	77128					5									
Thermal Transfer/Durable/Vinyl Film																	
1 Mil Clear PET TC	S730	1 Mil PET	77855								5						
	S8020	40#BG	77841					RW 5								Widths: 6", 12"	
1 Mil Clear Print-Treated PET	S8020	40#BG	77844					2.5/5					2.5				
	S8020	1 Mil PET	77955								2.5						
2 Mil White Print-Treated PET	S333	50#SCK	72828					5			5		5				
	S730	50#SCK	82737								2.5						
	R143	50#SCK	71055								2.5						
1.5 Mil White PET TC	S8092	PET 75	79438					RW850'								Width: 4.5"	
2 Mil White PET TC	S333	50#SCK	72825			5				5							
	S730	50#SCK	40443								5		2.5				
	S8001	50#SCK	78385								5						
	S8015	50#SCK	76656								1.7/5					All 1.7 length programs are actually 1668'	
	S8025	50#SCK	77920								5						
2 Mil White Void PET TC	S8015W	50#SCK	78194								1.7						
2 Mil Silver Void PET TC	S8015	50#SCK	78195								1.7						
2 Mil Clear Print-Treated PET	S333	50#SCK	72829					2.5									
	S730	50#SCK	61319								1.7						
2 Mil Clear PET TC	S333	50#SCK	72823								2.5						
	S730	50#SCK	61320								1.7						
	S8025	50#SCK	77921								5						
2 Mil White PET TCD	S8025	50#SCK	78981				5										
2 Mil Bright Chrome PET TC	S333	50#SCK	72824								2.5						
	S8025	50#SCK	77923								5						
					GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR		

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').
RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
2 Mil Matte Chrome Polyester TC	S333	50#SCK	72826			5							2.5			
	S8001	50#SCK	78387								5					
	S8025	50#SCK	77922								5					
	S8015	50#SCK	76660								1.7					
	S730	50#SCK	41044					RW 2.5								Widths: 6", 9"
2 Mil Brushed Chrome Polyester TC	S333	50#SCK	73303								1.7					
4 Mil White Flexible Vinyl TC	S4600	50#SCK	73952					3.3								
	S730	50#SCK	40087					2.5/5					2.5			
Battery Label Olefin	I406KB	50#SCK	73031					5								
Tamperfas™ Satin Vinyl	S730	50#SCK	79449					RW 1.7								Width: 6"
3 Mil Platinum Thermal	AT20N	40#SCK	79818			5										
TransCode® White	S475	50#SCK	72197					5					5			
TransCode® Plus White	S4900	50#BRN	75617					7.5								
TransCode® Plus Clear	S4900	50#BRN	75616					7.5								
3 Mil White Synthetic Paper	S333	50#SCK	75570								5/10		5/10			
	S4600	50#SCK	76693								5					
	S8001	50#SCK	78401					5								
	C2580	40#SCK	79520									10				
Smudgeproof Kimdura®	S4600	50#SCK	79572			5						5				
SCANback™	S730	50#SCK ABC	73739					RW 2.5								Widths: 6.5", 8.5"
3 Mil Velvet Lexan	S730	1.5 Mil PET	75849								1.7					
5 Mil Velvet Lexan	S730	1.5 Mil PET	75850								1.7					
2 Mil Clear BOPP	S4900	40#SCK	74523					5								
2.3 Mil White BOPP TC	S8001	50#SCK	78403								5					
	S6600	50#SCK	77536					5								

Thermal Transfer/Direct Thermal Paper

Trans-Therm® C FSC®	S2550	40# CK	53871	53870	7.5/15					15				15		
	S2550	40# CK	53871	53872	5/10		5/10			5/10	10	10	10	10/5	10	
	AT20	40#SCK	53342			15							10	15		
Trans-Therm® 1C	S246	40#CK	13605			7.5										
	S2550	40#CK	54092	54091	5/10		10		5/10	5/10	5/10	5/10	5/10		10	
	S2501	Piggyback	16120			5							RW 5			Liner: 40#SCK/40#SCK Widths: 4.5", 11"
	AT20N	40#SCK	13600	17688	5/10						10		5/10		10	
	R5195	40#CK	18327			10					10		10			
	R423	40#SCK	98203					5								
Trans-Therm® 1C FasCover™ 2	AT20	40#CK	13601			5										
Trans-Therm® 2C	S246	40#CK	08027			10										
	S2550	40#CK	53874	53873	5/7.5/15											
	UR3	40#SCK	53432					5								
Trans-Therm® 2	S246	40#SCK	02116			5										
Direct-Therm 300LD	S2550	40#CK	54062	54061	7.5/15		7.5/15			15		7.5	7.5		10	Low Durability
	AT20N	40#SCK	16567	19934	10/7.5/15									10		

GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').

RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
Direct-Therm 200GP FSC®	S2550	40#SCK	54036		5/10					10			10	5/10		General Purpose
	S2550	40#SCK	54037		15											
	AT20N	40#SCK	18610		5/10							5	5/10	10		
	AT20N	40#SCK	53654		15											
	C2510	40#CK	18468				5									
	R5195	40#SCK	18558			7.5/15										
Direct-Therm 200HD FSC®	AT20N	40#SCK	15852		5/10		10				10	5/10	10		10	High Durability
	LP1000	40#SCK	54148					5								
	S2550	40#SCK	54221		5/10											
Direct-Therm 200HD Plus	R5195	40#CK	18685			5/10										High Durability
	S2550	40#SCK	54220		10/15								5/10			Prescription
Direct-Therm 200HD RX	S2501	40#SCK	54247			10/15										
Direct-Therm 330TM FSC®	S9010N	40#CK	53710			5/10										Tight Mandrel
Direct-Therm 300HD FSC®	AT20N	40#SCK	15582		5/10										10	High Durability
	FA20B	40#SCK	15862				5									
Direct-Therm 330 HD	S2550	40#SCK	54222		10								RW 5			RW Width 8"
Direct-Therm 300 NIR	S2550	40#SCK	54219		5											Near IR
Direct-Therm 330 HD LL	S2045		54278								5					Linerless

Laser/EDP

50# DSX™ FSC®	S9010N	50#CK	53140	53138		5/10	10			10			7.5			
				53139		15										
	AT20	50#CK	18980	19408	7.5/15											
	R5195	50#CK	18329			10										
	S9010N	45#BK	18936	19046		10										
	S2550	40#CK	54157		5/15											
SPXTRA™	R130	50#SCK	12063								5					
Laser Copy™ Jet 300 FSC®	S9010N	46#LF	18884		10		10		RW 10	10			10			RW Width: 8.5"; 6" cores
			53698		15											6" cores
	S9010N	44#LF	18117		10											6" cores
	S8511	46#LF	18447			10										6" cores
	AT20	46#LF	15837			10				10						6" cores
	R5195	46#LF	18303			10										6" cores
Standard Laser-Rite™	LP430	50#MF	02962			RW 10										6" cores Widths: 9", 11.5"
	R5423	50#MF	18345			10										6" cores
Scrip Label	S9010N	46#LF	18890		10					10						DAL 3" cores; FTW: 6" cores
54# Semi-Gloss Laser	S2501	53#LF	53057		15				15							6" cores
54# Semi-Gloss FSC® Laser	S2501	41#LF	53490		15											6" cores
Premium Matte Laser	S2501	46#LF	17263			RW 10										6" cores ; Width: 9"
Laser Code™ II 3480XX NTC	R120	80#CC	79718					RW 7.5								6" cores; Widths: 9", 11"
Laser Code™ Drum Label	S4600	79#MF	78026					RW 7.5								6" cores; Width: 9"
Laser Code™ Drum Label TC	S4600	79#MF	78037						5	RW 5			RW 5			3" cores DAL/WCT; 6" core PVL Width: 9"
					GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').
RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
UV Inkjet																
55# Semi-Gloss UV Inkjet	AT20	40#SCK	53664			5										
2.3 Mil White BOPP UV Inkjet	S7000	1.2 Mil PET	79634						RW 5							Width: 13"
Water-Based Inkjet																
Demand Jet™ 500HG	AT20	40#SCK	53109			2.5										
	S2501	40#SCK	53110			2.5/5										
Demand Jet™ Semi-Gloss WBIJ	S2501	41#LF	54166			2.5/5										
Premium Matte Inkjet	S2501	41#LF	53708			2.5										
Standard Matte WBIJ	S2501	41#LF	54060			2.5										
Gloss White BOPP WBIJ	S7000	40#BG	79659					2.5								
5 Mil Matte White Drum Label	S4600	50#SCK	79348					2.5/5								
3 Mil Matte White Synthetic	S8001	50#SCK	79404					2.5								
3.5 Mil Matte White Synthetic	C2580	50#SCK	79725				10									
					GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	

Fasson® Facestock	Spec#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
Fasson® Rapid-Roll®													
SF 60# C1S Semi-Gloss Elite™	19642							10					
60# C2S Semi-Gloss Elite™	19643						10/RW 20			RW 10			WCD Widths: 6.875", 7.75", 10"; NEE Width: 10"
8 Pt. C1S RR Brite White	53968							7.5					
8 Pt. C1S Semi-Gloss® FSC®	53386							10					
10 Pt. C1S RR Brite White	53969							7.5					
10 Pt. C1S Semi-Gloss® FSC®	53387							7.5		10			
12 Pt. C1S RR Brite White	53970							5					
14 Pt. C1S Tango® Reliant™	53977							5					
8 Pt. C2S RR Brite White	53971							7.5					
10 Pt. C2S RR Brite White	53972							7.5					
3 Pt C1S Thermal Transfer FSC®	53751							10					
5 Pt. C1S TT FSC®	53752							10					
7.5 Pt. Uncoated Thermal Transfer	16816							5					
5 Pt C1S Integrity Thermal Transfer	16817							10					
7 Pt. C1S Thermal Transfer FSC®	53753							7.5		7.5			
7 Pt C1S Integrity Thermal Transfer	16786							7.5					
9 Pt. C1S Thermal Transfer w/OB FSC®	53744							5					
8 Pt. C2S Thermal Transfer w/OB FSC®	53745							7.5					
7.5 Pt. Direct-Therm 200HD	53048							7.5					
100# White Tag	16836							10					6" cores
		GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast
 Numbers indicate length of program in thousands of feet (5 = 5,000').
 RW = Ready Width™

Fasson® Facestock	Spec#	GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	Comments
Fasson® Rapid-Roll®													
Faslam® LT	77157							10					
1025DR Tyvek®	79108							5					
1079 Tyvek®	75723							10.5					
1085D Tyvek®	75724							5					
7.5 Mil C2S Valeron®	75728							7.5					
7.5 Mil V-Max® Select™	75947							5		5			
6 Mil Polyolith® GC-3	78251							7.5					
7 Mil Polyolith® GC-3	78232							10					
10 Mil Polyolith® GC-2	75736							5					
50M Clear High Shrink PETG	79765					10	10						6" cores QTN
25# PPMOPP	75746									10			
25# PPFP	75744							10					
25# PPFP w/Surlyn	75772							7.5					
25# PPFP 305	79850							10					
35# PPFP	75745							10		10			
Clear Multi-Ply Snack Web 260 HB	79125							5					
ChemControl Premium Ultra	79537							5					
35# PPFP 360	79851							10		10			
25# PPFP W-SURLYN 36	79852							7.5					
White Cello StickPak Surlyn	79778							10					6" cores
White StickPak w/ Met	78432							10					
White StickPak w/ LDPE 280 HB	79340							10					6" cores
White StickPak Surlyn 280HB	79343									10			
White Metallized Snack Web	79355							10					
Metallized Coffee Web	79426							10					
White Cosmetic Web 350 HB	79332							10		10			
White Cosmetic Web 350 SB	75758							10		10			
Silver Cosmetic Web 350 HB	79333							10		10			
Silver Cosmetic Web 350 SB	75760							5					
White Cosmetic Web Ultra	77553							10					
White Cosmetic Web Ultra Plus	79334							10					
		GFD	FTW	PTC	PVL	QTN	DAL	NEE	SEA	WCT	MTL	TOR	

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').
RW = Ready Width™

Fasson EXACT™ and Fasson Ready Width™ are powerful service programs designed to help you acquire just the material you need. Achieve reduced scrap, lower inventory costs, reduced freight, and better operational efficiencies – making your wallet and our world a little bit greener.



8080 Norton Parkway
Mentor, Ohio 44060

Return Service Requested

PRESORTED
FIRST-CLASS MAIL
U.S. POSTAGE PAID
PAINESVILLE, OH
PERMIT NO. 958

All sales are subject to Terms and Conditions of Sale which can be found on line at:
<http://label.averydennison.com/en/home/terms-and-conditions.html>

© 2019 Avery Dennison Corporation. Fasson® and all other Avery brands, product names and codes are trademarks of the Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Use of these images is intended to demonstrate applications for Avery Dennison products and services; this display does not indicate affiliation, sponsorship, approval or endorsement by the owners of the non-Avery Dennison brands and product names.

18079, 12/2018, 3500

