Product Overview North America

Overlaminates Portfolio

Performance and versatility at the highest level of durable goods labeling



Overlaminate materials are essential for ensuring the performance and longevity of durable goods labels, protecting printed graphics from scuffing, fading, and other damage to maintain their functionality, whether for identification, tracking, or branding. Avery Dennison offers a comprehensive range of overlaminates designed to provide superior protection and extend the life of labels and graphics, even in the most demanding environments. Our solutions keep critical information legible, brand identities vibrant, and products resilient against harsh weather, UV exposure, abrasion, and chemical contact.

Our portfolio includes both linered and selfwound overlaminates, providing the flexibility and performance you need for a variety of applications:

Linered Overlaminates are designed to protect adhesives before application, offering reliable performance and enhanced print clarity. With exceptional rigidity and flatness, they ensure precise lamination and easy application. Key features include: -Die-cut flexibility and compatibility with specialized converting processes.

- Improved effectiveness when used with labels with heavier ink coverage, thanks to better adhesive wet out.
- UL®/CSA-recognized PET films that meet UL 969 standards.
- A versatile portfolio that includes Lexan®, print-treated, top-coated, UV, and matte polyester films.

Self-Wound Overlaminates are engineered to maximize converting efficiency, minimize material waste, and streamline high-speed applications. This innovative format delivers cost savings and operational advantages without sacrificing durability. Our selection includes clear and matte PET options, providing a balance of robust protection and visual appeal.



Depending on your print method, we have overlaminates that are compatible with Flexo, UV, or Thermal Transfer printing.

Linered overlaminates have been tested in our Mentor Innovation Center to meet the requirements of a variety of environments, conditions, temperatures and OEM standards.

| Spec# | Product Description |
|---------|---|
| Linered | |
| 75849 | Fasson® 3 Mil Velvet Lexan®/S730/1.5 Mil PET |
| 75850 | Fasson® 5 Mil Velvet Lexan®/S730/1.5 Mil PET |
| 77955 | Fasson® 1 Mil Clear Print-Treated Polyester/S8020/1 Mil PET |
| 77842 | Fasson® 1 Mil Clear TC Polyester/S8020/1 Mil PET |
| 77844 | Fasson®1Mil Clear Print-Treated Polyester/S8020/40#BG |
| 77843 | Fasson®1Mil Matte Polyester/S8020/40#BG |
| 77841 | Fasson® 1 Mil Clear TC Polyester/S8020/40#BG |
| 77845 | Fasson® 2 Mil Clear Print-Treated Polyester/S8020/40#BG |
| 77854 | Fasson® 2 Mil Clear TC Polyester/S8020/40#BG |
| 79325 | Fasson® 1 Mil Clear UV PET/S3000/1 Mil PET |
| 77855 | Fasson® 1 Mil Clear TC Polyester/S730/1 Mil PET |

| Spec# | Product Description | |
|------------------|------------------------|--|
| Self-Wound | | |
| PET | | |
| B9339 643 | .5 MIL SOFSENS 643 PET | |
| B9345 674 | .75 MIL CLR S/W PET | |
| B9353 609 | 1 MIL CLR S/W PET MR | |
| B9354 614 | 1.42 MIL CLR S/W PET | |
| B9355 620E | 2.0 MIL CLR S/W PET | |
| UV Resistant PET | | |
| B9080 691V | 1 MIL CLR PET UV RST | |
| B9414 691DIG | 1 MIL CLR PET UV RST | |
| PETUL | | |
| B9442 675 | .75 MIL CLR S/W PET UL | |
| B9428 692 | 1 MIL CLR S/W PET UL | |
| Thermal Transfer | | |
| B9416 610T | 1 MIL CLR S/W PET TT | |
| B9417 631T | 1 MIL MATTE S/W PET TT | |
| B9435 692T | 1 MIL CLR S/W PET TT | |
| Digital | | |
| B9358 841 | DIG EZ RELEASE CLR PET | |

Are we missing a construction you need? Contact your application consultant or sales representative to discuss how we can meet your needs.

label.averydennison.com

A406620 06/2025

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison products are sold subject to Avery Dennison's general terms and conditions of sale found at label.averydennison.com/en/home/terms-and-conditions.html.

© 2025 Avery Dennison Corporation. All rights reserved. The "Making Possible" tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.



MAKING POSSIBLE