

ChemControl Ultra and Ultra Plus for Hard-to-Hold Products


Pouching

The pouch material and specific end use application determines the FFS sealing settings necessary for creating a pouch. Heat, pressure and dwell time are the three factors needed to create a good seal in a pouch.

Target Performance of ChemControl Products

FDA Compliance – 21 CFR:

ChemControl Ultra	ChemControl Ultra Plus
175.105	175.105
177.1520	177.1520
177.1630	177.1630
178.3910	178.3910



Statement of Practical Use

All pressure-sensitive materials should be tested thoroughly under end-use conditions to ensure they meet the requirements of the specific application.

Warranty

All sales and contracts for sale are expressly conditioned on the buyer's assent to Avery Dennison's terms and conditions found on its website at www.label.averydennison.com. Avery Dennison hereby objects to any term, different from or additional to Avery Dennison's terms, contained in any buyer communication in any form, unless agreed to in a writing signed by an officer of Avery Dennison.

16171, 11/2016, PDF

©2016 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Personal and company names and other information on samples depicted are fictitious. Any resemblance to actual names and addresses is purely coincidental.



Label and
Packaging Materials

North Asia

5th Floor, Hongye Park
1801 Hongmei Road,
Xuhui District 200233,
Shanghai, China
+86 21 33951888

South Asia Pacific and Sub-Saharan Africa

460 Alexandra Road,
PSA Building
#28-02/03, Singapore 119963
+65 6430 7000

Europe

Willem Einthovenstraat 11
2342 BH Oegstgeest
The Netherlands
+31 85 000 2000

Latin America

Rodovia Vinhedo-
Viracopos, KM 77
CEP 13280-000
Vinhedo - SP, Brazil
+55 19 3876-7600

North America

8080 Norton Pkwy
Mentor, OH 44060
800.944.8511